


# Specification

Integrated Furniture Lighting

LS2013



## LS2013




### Features


DLS1.0, a special local auxiliary lighting system, can be widely used in various interior decoration scenarios and local light spaces. A touch of auxiliary decorative lighting in addition to the basic lighting creates different atmospheres and visual enjoyment.

Embellish life with light that follows you whenever you go.




- 1、 “Dots-free”lighting  
Perfect homogenous lighting.
- 2、 Various diffuser options  
Several options of diffusers, In various shapes and light distribution plans Complete with everything needed
- 3、 “Two” end caps  
Two options of end cap for two ways of wire outgoing, Close-fitting design without screws makes installation much easier
- 4、 Various installation methods  
A wide range of installation accessories wider applications
- 5、 “One” cut  
Consistent length between diffuser and profile
- 6、 Smart control for unlimited possibilities  
Perfectly match the profiles like customized, Control by hand sweep or touching








## Details



## Standard Configuration

Picture	Item	Parameter
	① Profile&Carrier	Material: AL6063-T5 Profile weight: 0.473kg/2.5m Size: L2500*W20*H13mm Surface processing: Anodizing
	② Cover	Type: Frosted diffuse Material: PC Light transmittance : 60% Size : L2500*W16.7*H7.8mm (shrink) 0.8mm/m when the temperature rises (drops) 10°C.
	③ End caps	Size : L20*W13*H4.5mm

## Optional Accessories

Picture	Item	Parameter
	④FPC strip D6280-24V-10mm	Material : FPC , CCT : 2700/3000/4000/6000K ; Ra > 90; Voltage:24V ; Power : 15W/m ; Lumen : 1508Lm/m ; PCB width : 10mm ; Minimum cut : 50mm ;
	③End cap with hole	Size : L20*W13*H4.5mm
	⑤Clips	Size : L21.8*W12*H6.4mm
	⑥Clip for 45 degree fixation	Size : L20.2*W12*H19.85mm
	⑦Adjustable clips	Size : L35*W17.7*H22.8mm

## Optical Parameter

The testing result of 1M luminaire ( with " D6280-24V-10mm " and diffuser )

