

853SR Series Station Regulators


Designed for medium to high flow gas distribution systems in medium to heavy duty flow applications. Maximum inlet pressure of 200 PSIG.

NOT FOR USE ON CYLINDERS.

- Forged brass body and housing cap
- Single-stage construction
- Rear entry
- 2-1/2" gauge for easy reading
- Weight: 3 lbs 5 oz
- Conforms to CGA E-4 standard for gas pressure regulators



853SR



Model Number	Gas Service	Maximum Inlet Pressure (PSI)	Maximum Delivery Pressure (PSI)	Inlet Gauge	Outlet Gauge	Inlet Connection	Outlet Connection
853SRF-80	L.P. GAS	200	4-80	NONE	2-1/2", 100PSI	7/8" - 14LH(F)	9/16" - 18LH(M)
853SRIN-80	INERT GAS	200	4-80	NONE	2-1/2", 100PSI	7/8" - 14RH(M)	5/8" - 18RH(F)
853SRIN-125	CO ₂		5-125		2-1/2", 200PSI		
853SRX-80	OXYGEN	200	4-80	NONE	2-1/2", 100PSI	7/8" - 14RH(F)	9/16" - 18RH(M)
853SRX-125			5-125		2-1/2", 200PSI		
853SRY-15	ACETYLENE	200	2-15	NONE	2-1/2", 30PSI, RL	7/8" - 14LH(F)	9/16" - 18LH(M)

1 psi = 0.00689 MPa = 6.895 kPa = 0.06895 bar = 0.07 kgf / cm², 1 scfh = 0.0283 m³/h = 0.472 LPM