



맑은 고딕

PROTECTIVE COATINGS

CONVENTIONAL PROTECTIVE COATINGS

Alkyd resin based formulations commonly used for protection against rust and aesthetic finishing on steelworks.

Alkyd Anti-Corrosive Primers

Metal-Prime 212ROX, **Metal-Prime 213ZP** and **Metal-Prime 210ZP** are conventional alkyd anti-corrosive primers that require minimum surface preparation such as wire brushing or scraping.

Metal-Prime 212ROX




Red Oxide

Metal-Prime 213ZP



Grey Green


Metal-Prime 210ZP



Grey

Single Pack Epoxy Etching Primer

PolyEch 100 is a unique one pack epoxy wash primer, specially formulated as an adhesion primer over galvanised steel, stainless steel and non-ferrous metal.



Grey 92

Alkyd Micaceous Iron Oxide

Metal-Lux MIO is an alkyd paint pigmented with micaceous iron oxide to enhance corrosion protection in comparison to colour pigmented gloss finish.



Silver Grey 6000



Dark Grey 6300



Alkyd Marine Gloss Finish

Metal-Lux 101 is an alkyd gloss finish formulated to give excellent durability, gloss and colour retention. Recommended for both interior and exterior exposure.



Aluminium 26101



Grey 11480



Executive Grey 22104



Pacific Blue 21265



Paradise Blue 21465



Petronas Green 21580



Green 20385



Bomba Red 50800



Bright Yellow 21073



Golden Yellow 20453



Yellow 20300



Tractor Yellow 20318



International Orange 20436

Also available in Black 21144 & White 21145

HIGH PERFORMANCE PROTECTIVE COATINGS

High performance heavy duty coatings for anti-corrosion protection and special functional applications for marine, industrial oil & gas, chemical plants, tank farms, refineries and heavy industry environments.

Recoatable Polyurethane Finish

Korethane 300 is a two pack acrylic polyurethane gloss finish that provides excellent gloss and long term weathering durability with good flow and levelling properties.



Fast Drying Surface Tolerant Epoxy Coating

Koremastic 800 has excellent abrasion and chemical resistance. Widely used as a self-priming top coat or intermediate coat for maintenance and new construction applications.



Heat Resistant Paint

Hi-Heat 6200 and **Hi-Heat 6600** are suitable for use on surfaces with exposure up to 200°C and 600°C respectively.



Surface Tolerant High Solids Epoxy Coating

K'Mastic 5000 is a high performance surface tolerant epoxy mastic coating. With excellent abrasion and chemical resistance, it is widely used as a self-priming top coat (can be used as an intermediate coat as well) for both maintenance and new construction applications.



The colours presented are as close to actual colours as modern printing techniques allow.

KCC Protective Coatings are preferred by numerous project owners and engineers worldwide as they search for the ultimate coating solution that has heavy duty, anti-corrosive properties for valuable assets such as ships, offshore oil rigs and platforms, hydraulic and thermal power plants, steel bridges, oil storage tanks and petrochemical plants.

Our efforts are constantly directed to enhance existing coatings systems as well as developing a series of coating systems to maximise service life while minimising repair and maintenance costs.



KCC PAINTS SDN. BHD. (323967-1)

No. 1, Jalan Anggerik Mokara 31/55, Seksyen 31, Kota Kemuning,
40460 Shah Alam, Selangor Darul Ehsan, Malaysia.

Tel (+60)3-5122 2900 | Fax (+60)3-5122 1900 | www.kccpaint.com.my