

**AEGLOC™**  
Smart & Safe




**AEG-SDL-E300**  
SMART TUBULAR LEVER

## AEG-SDL-E300 SMART TUBULAR LEVER




AEG-SDL-E300 Black  
Unit Price RM799  
(6 Sets/Cartron)



Wifi (Optional)



WiFi Gateway  
AEG-GW-E8560  
List Price **RM300**



Fingerprint



Pin Code



Card



Mechanical  
key



Bluetooth  
APP



Wifi  
Optional

### Security Functions

Fake Pin Code | Lockout Mode

### Alarming/Indication

Low Voltage

## PRODUCT SPECIFICATION

Main Material	Aluminum alloy	Keypad Type	Touchpad
Type	Electronic & Mechanical	Code Length	6-9 Digits
Product Size	72(W) x192 (H)x 22(D)mm	Code Capacity	150
Sensor activating Temperature	-10°C-55°C	Working Voltage	6V/4x AA Batteries
Voice Guide	Yes	Operating Temperature (°C)	-10-55°C
Aluminium Deadbolt	Yes	Battery	4xAA Alkaline Batteries
Card Type	Mifare/13.56 MHz	Emergency Battery	Less than 4.8V
Card Capacity	200	Door Category	Aluminum door / Wooden door
Fingerprint Sensor	Semiconductor	Door Thickness (mm)	35-65mm
Fingerprint Capacity	200		

All pictures shown are for illustration purpose. Actual product may vary due to product enhancement.




## AEG-SDL-T50


SMART DIGITAL PUSH PULL DOOR LOCK



AEG-SDL-T50 Black  
Unit Price **RM2599**  
(4 Sets/Carton)




3D Face



Wifi (Optional)



WiFi Gateway  
AEG-GW-E8560  
List Price **RM300**



**Security Functions**  
Auto Locking | Fake Pin Code | Lockout Mode

**Alarming/Indication**  
Low Voltage | Wrong-Entry Alarming

### PRODUCT SPECIFICATION

Main Material	Aluminum Alloy	Keypad Type	Touchpad
Type	Electronic & Mechanical	Code Length	6-12 Digits
Product Size	75(W) x 385(H) x 25(D)mm	Code Capacity	100
Sensor activating Temperature	-10° - 55°C	Working Voltage	DC 6V (4EA 1.5V AA Alkaline Batteries)
Voice Guide	Yes	Operating Temperature (°C)	-25° - 70°C
Card Type	Mifare/13.56MHz	Battery	8 AA Alkaline Batteries
Card Capacity	1000	Emergency Battery	Type C USB
Fingerprint Sensor	Semiconductor	Door Category	Wooden Door
Fingerprint Capacity	200	Door Thickness (mm)	38-120
Face ID Capacity	100		

All pictures shown are for illustration purpose. Actual product may vary due to product enhancement.