

PRODUCTS CATALOGUE

DECORATIVE PAINT















Updated 01.09.2022












CONTENT





BAOMA SERIES

	BAOMA Flexipruf 200	3	
	BAOMA Shield Flexicool / Baoma Shield	4	
	BAOMA Viruspruf / BAOMA Optisheen	5	
	BAOMA Pearl / BAOMA Nano Wash	6	
	BAOMA Roofcote	7	
	BAOMA Mason Glaze		
	BAOMA Chameleon Primer 2000 / BAOMA Freshcon Primer 1500	8	
	BAOMA Excila 1000 / BAOMA Excila 1900		
		BAOMA Gloss / BAOMA Satin Enamel	9
		BAOMA Woodcolor	10
		BAOMA Woodpaque	
		BAOMA Woodice / BAOMA Woodtone	11

BLUE-i SERIES

	BLUE-i Shield HS	12	
	BLUE-i Easy Clean HS / BLUE-i Easy Clean Matt		
	BLUE-i Gold / BLUE-i Emulsion / BLUE-i Trade	13	
	BLUE-i Versa-Tile	14	
	BLUE-i Sealer 550 / BLUE-i BC Sealer 300		
		BLUE-i Gloss 6600 / BLUE-i Undercoat	15

BRUSH & ROLLER SERIES










	BRUSH & ROLLER Ecoshield / BRUSH & ROLLER Ecotouch	16	
	BRUSH & ROLLER Ecosealer 5400		
		BRUSH & ROLLER Gloss 9000	

PRODUCT SELECTOR

Wood & Metal / Wood / Stone	17
Masonry - Exterior	18
Masonry- Interior	19

PICTOGRAMS


The symbols show the most important product characteristics

			Interior, Exterior, or Both		Touch Dry
	Water-based		Recoating Interval		Application
	Solvent-based		Coverage		


All products that can be tinted are indicated with



WATERPROOFING



Breathable waterproofing membrane that resists water penetration from outside while allows trapped moisture from inside to escape through. 透气性防水膜，可防止水分从外部渗透，同时能使内部受困的水分得以逸出。



High strength hard wearing, reinforced with micro fiber for superb tensile strength of >3mPa. 高强度耐磨，具有超细纤维以增强漆层的抗拉强度超过3mPa。



Waterproofing with no laps or joints, almost zero water vapor permeability. 无缝的防水膜，几乎零度水气渗透。





Highly elastomeric, elongation at break > 450%. For exterior & interior use. 高度弹性，断裂伸长率超过450%。适合户外和室内使用。

BAOMA Flexipruf 200 is a high performance water-based liquid rubber membrane reinforced with micro fiber for superb tensile strength. It is specially designed to eliminate blistering and wrinkling which may occur in exposed or under immersion conditions. It provides a fully bonded homogeneous membrane and waterproofing barrier with no laps or joints, almost zero water vapor permeability. It is not affected by Ultra-Violet or temperature extremes and does not become brittle with age, making it ideally used as exposed waterproofing coating for RC gutters and planter boxes, floor slabs, balcony, external wall, flat roof and concrete structures. It also can be applied as a sealing solution to seal cracks on joint walls, ceiling and roofing.

BAOMA Flexipruf 200 是一种高性能水溶性液体橡胶膜，它具有超细纤维以增强漆层的拉伸强度。其特制配方，能防止因户外或沉浸情况所导致的起泡和皱纹现象。它提供一个完全粘合均匀和无接缝的防水膜，几乎零度水气渗透率。它不受紫外线或极端温度的影响，经得起长时间的考验而不会变脆，适用于于屋顶平台，屋瓦和钢筋水泥排水沟，花圃，地板，阳台，外墙，水泥结构等，内外皆宜。它也可以用于连接泥以修补水泥墙，天花板和屋顶的接缝。

WHERE TO APPLY



UV RESISTANT ELASTOMERIC WATERPROOFING COATING

MASONRY

BAOMA Shield Flexicool is an ultra-premium quality water-based elastomeric acrylic paint formulated with superior light-fastness pigments that gives optimum outdoor durability against harsh tropical climate. Its innovative Flexicool technology enables the paint-film, not only to elongate up to 3x as to cover hairline cracks & provides waterproofing protection, but also reduces exterior surface temperature by up to 5°C, results in energy saving to cool your home. It has excellent resistance to algae and fungus growth and withstands alkali on plastered wall, having superior dirt resistance & excellent UV protection, making it the ultimate choice for long term decoration and protection of exterior plastered wall, concrete, brick, gypsum board etc.

BAOMA Shield Flexicool 是以丙烯酸配合优质耐光颜料特制而成的超优质水性弹性涂料。它持久耐用并经得起热带恶劣气候之考验。其创新的Flexicool技术，不仅能使漆膜延伸3倍以覆盖发丝般裂缝并提供防水保护，而且还可将外表面温度降低5°C，从而节省能源以冷却您的家居。它有效防止藻类和真菌滋生并承受得了碱性墙面，优异的抗尘和抗紫外线功能，使其成为长期装饰和保护户外灰泥墙，混凝土，砖和石膏板等的最终选择。

Flexicool Technology / Flexicool 技术

Flexible to cover hairline cracks & reduces exterior surface temperature. 可伸缩性覆盖发丝般裂缝并降低外表面温度。

2x Dirt Resistance / 双倍抗尘

With advanced binder technology resists dirt pick-up from the environment and easily washed away by rain. 采用先进粘合剂技术以防止尘埃黏贴墙面并更容易被雨水冲洗。

2x UV Protection / 双倍抗紫外线

For longer lasting colors that keeps your home looking fresh and vibrant. 让家居颜色更持久清新富有活力。

2x Algae Protection / 双倍抗藻

(Encapsulated Tech) to ensure long lasting protection against algae and fungus in tropical climate. (封装技术) 以确保在热带气候中长期保护免受藻类和真菌的侵害。



ELASTOMERIC HEAT REFLECTIVE EXTERIOR WALL FINISH



BAOMA Shield is a water based 100% pure acrylic exterior paint formulated with superior light fastness pigments to give excellent outdoor durability against harsh tropical climate. It has excellent resistance to algae and fungus growth and withstands alkali on plastered wall. It has good water resistance and suitable for long term decoration and protection of exterior plastered wall, concrete, brick, gypsum board etc.

BAOMA Shield 是以100% 纯丙烯酸配合优质耐光颜料特制而成的水性户外涂料。它持久耐用并经得起热带恶劣气候之考验。它有效防止藻类和真菌滋生并承受得了碱性墙面。它防水功能佳适合涂刷在户外灰泥墙，混凝土，砖和石膏板等，以作长期性的装饰和保护。

2x Algae Protection / 双倍抗藻

(Encapsulated Tech) to ensure long lasting protection against algae and fungus in tropical climate. (封装技术) 以确保在热带气候中长期保护免受藻类和真菌的侵害。

2x Dirt Resistance / 双倍抗尘

With advanced binder technology resists dirt pick-up from the environment and easily washed away by rain. 采用先进粘合剂技术以防止尘埃黏贴墙面并更容易被雨水冲洗。

2x UV Protection / 双倍抗紫外线

For longer lasting colors that keeps your home looking fresh and vibrant. 让家居颜色更持久清新富有活力。



100% PURE ACRYLIC EXTERIOR WALL FINISH

99.9% Effective Against Human Coronaviruses, HFMD & H1N1



BAOMA Viruspruf is an eco-friendly odorless water-based interior hygienic coating that provides a durable smooth finish with superior washability to withstand regular cleaning with moderate detergents. It has excellent stain repellency hence household stains can be easily removed. Its innovative Silver Ion technology is scientifically proven that it effectively inhibits the growth of viruses such as Human Coronavirus, Coxsackievirus A16, H1N1 virus. Besides, it is effective against common bacteria such as E-Coli, MRSA, Staphylococcus Aureus, fungi and mould, thus promotes hygienic indoor living environment, making it suitable for use in area such as childcare center, kindergarten, school, clinic, hospital, hotel, dining area, food preparation area & etc.

BAOMA Viruspruf 是一种环保型净味水性室内卫生涂料，拥有持久光滑的饰面以及出色的易洗性，能够承受适度清洁剂的定期清洗。它具有卓越的抗污性，因此可以容易去除家居污渍。其创新的银离子技术经过科学验证能有效抑制人类冠状病毒，柯萨奇病毒A16，H1N1 等病毒的滋长。此外，它可以有效对抗常见的细菌诸如大肠杆菌，MRSA，金黄色葡萄球菌，真菌和霉菌等，从而促进卫生的室内生活环境，使其适用于托儿所，幼儿园，学校，诊所，医院，酒店，用餐区，食品准备区等。



Silver Ion Technology / 银离子技术

Effectively inhibits the growth of viruses and bacteria up to 99.9%, thus promotes hygienic indoor living environment. 能有效抑制病毒及细菌的滋长高达99.9%，从而促进卫生的室内生活环境。




Odorless / 净味

No unpleasant smell during and after paint application, making your home ready for occupancy almost immediately. 于涂料应用过程中和过程后都没有难闻的气味，几乎可以立即为您的家居做好入住准备。



Washability & Stain Resistance / 易洗防污性

Promises a lasting durable coating perfect for regular cleaning maintenance. 更持久耐用的涂层以便定期清洁维护。



EASY CLEAN ODORLESS ANTIVIRAL HYGIENIC COATING

BAOMA Optisheen is a premium quality interior water-based antibacterial hygienic coating that provides a durable, smooth, & luxurious finish with superior washability & scrub-resistance. It is capable to withstand regular cleaning with moderate detergents. Household stains can be easily cleaned and easy to maintain at all times. It is specially formulated to kill bacteria such as Listeria Monocytogenes, Pseudomonas Aeruginosa, Staphylococcus Aureus, MRSA and E-Coli, which is useful for inhibition of asthma, flu and diarrhea, thus promotes better hygienic living environment. It is antifungal and water resistant, making it suitable for decoration and protection of interior wall surfaces such as childcare center, kindergarten, school, clinic, food preparation area & etc.

BAOMA Optisheen 是一种优质水性兼具杀菌功能的室内卫生涂料，拥有持久光滑的奢华饰面以及卓越的易洗耐磨性，能够承受适度清洁剂的定期清洗，常见的家居污渍可以容易地从墙上清除，并且易于维护。其特制配方能够消灭细菌如李斯特菌，绿脓杆菌，葡萄球菌，大肠杆菌，金黄色葡萄球菌等。有效抑制哮喘，流感和腹泻，从而促进更好的卫生生活环境。它具有抗真菌和防水功能，适用于室内墙面的涂饰和保护，如托儿所，幼儿园，学校，诊所，食品准备区等。



Antibacterial Formula / 抗细菌配方

Promotes better hygienic living environment. 促进更好的卫生生活环境。



Washability & Scrub-resistance / 易洗耐磨性

Promises a lasting durable coating perfect for regular cleaning maintenance. 更持久耐用的涂层以便定期清洁维护。



Fungus Resistance / 抗真菌

Prevents unsightly growth of surface fungus on painted walls. 以防止真菌滋长在髹漆墙面。





EASY CLEAN HIGH-SHEEN ANTIBACTERIAL HYGIENIC COATING


MASONRY


BAOMA Pearl is a premium quality water based acrylic interior paint that provides a durable, smooth, & luxurious finish with pearl luster to enrich the elegant ambiance of your home. It has superior washability & is capable to withstand regular cleaning with moderate detergents. Household stains can be easily cleaned and easy to maintain at all times. It is antifungal and water resistant. Having good hiding and levelling makes it suitable for decoration and protection of interior wall surfaces such as bedroom, study room, living room, dining room, kitchen, ceiling & etc.

BAOMA Pearl 是一种优质水性丙烯酸室内涂料，拥有持久光滑的奢华饰面，亮度适中，珍珠般的光泽提升家居的优雅氛围。它具有卓越的耐洗性，能够承受适度清洁剂的定期清洗，常见的家居污渍可以容易地从墙上清除，并且易于维护。它具有抗真菌和防水功能，良好的遮盖力和流平性，适用于室内墙面的涂饰和保护，如卧室，书房，客厅，餐厅，厨房和天花板等。

 **Smooth Luxurious Finish / 光滑的奢华饰面**
With pearl luster to enrich the elegant ambiance of your home. 珍珠般的光泽提升家居的优雅氛围。

 **Fungus Resistance / 抗真菌**
Prevents unsightly growth of surface fungus on painted walls. 以防止真菌滋生在乳胶漆墙面。

 **Superior Washability / 卓越的耐洗性**
Promises a lasting durable coating perfect for regular cleaning maintenance. 更持久耐用的涂层以便定期清洗维护。




EASY CLEAN MID-SHEEN INTERIOR WALL FINISH




BAOMA Nano Wash is a premium quality interior water-based anti-mould hygienic coating that provides a durable, smooth, & luxurious finish with eggshell luster to enrich the elegant ambiance of your home. It is specially formulated to prevent mould growth on painted wall, which is potentially causing allergic reaction and respiratory problem, thus promotes better hygienic environment. It has superior washability & is capable to withstand regular cleaning with moderate detergents. Household stains can be easily cleaned and easy to maintain at all times. It is antifungal and water resistant. Having good hiding and levelling makes it suitable for decoration and protection of interior wall surfaces such as bedroom, study room, living room, dining room, kitchen, ceiling & etc.

BAOMA Nano Wash 是一种优质水性兼具防霉功能的室内卫生涂料。拥有持久光滑的奢华饰面，亮度柔和，蛋壳般的光泽提升家居的优雅氛围。其特制配方有效消灭霉菌，能够防止因霉菌滋生墙面所导致的过敏反应和呼吸问题，从而促进更好的卫生生活环境。它具有卓越的耐洗性，能够承受适度清洁剂的定期清洗，常见的家居污渍可以容易地从墙面清除，并且易于维护。它具有抗真菌和防水功能，良好的遮盖力和流平性，适用于室内墙面的涂饰和保护，如卧室，书房，客厅，餐厅，厨房和天花板等。

 **Mould Guard Formula / 抗霉菌配方**
Promotes better hygienic living environment. 促进更好的卫生生活环境。

 **Superior Washability / 卓越的耐洗性**
Promises a lasting durable coating perfect for regular cleaning maintenance. 更持久耐用的涂层以便定期清洗维护。

 **Smooth Luxurious Finish / 光滑的奢华饰面**
With eggshell luster to enrich the elegant ambiance of your home. 蛋壳般的光泽提升家居的优雅氛围。



EASY CLEAN MATT ANTI-MOULD HYGIENIC COATING

ROOF



BAOMA Roofcote is a water based 100% pure acrylic roof coating formulated with superior light fastness pigments to give excellent outdoor durability against harsh tropical climate. It has excellent resistance to algae and fungus growth. It has good water resistance as well, suitable for long term decoration and protection of old and new roofs such as cement fibre sheets, unglazed cement roof tiles, unglazed clay roof tiles, metal deck roofing sheets, cement concrete fibre pipes etc.

BAOMA Roofcote 是以100% 纯丙烯酸配合优质耐光颜料特制而成的水性屋瓦涂料。它持久耐用并经得起热带恶劣气候的考验。它能够优异的对抗藻类和真菌滋生以及有良好的防水性，适合涂刷在新或旧的瓦面，如水泥纤维瓦片，无光泽水泥瓦，无光泽粘土瓦，金属平台式瓦片，水泥混凝土纤维管等，以作长期性的装饰和保护。



2x Algae Protection / 双倍抗藻

(Encapsulated Tech) to ensure long lasting protection against algae and fungus in tropical climate. (封装技术) 确保瓦面在热带气候中长期免受藻类和真菌的侵害。




2x Dirt Resistance / 双倍抗尘

With advanced binder technology resists dirt pick-up from the environment and easily washed away by rain, keeping your roof looking clean most of the times. 采用先进粘合剂技术以防止尘埃黏贴在瓦面上，并且更容易被雨水冲洗，让屋瓦长期保持清洁。



2x UV Protection / 双倍抗紫外线

For longer lasting colors that keeps your roof looking fresh and vibrant. 让屋瓦颜色更亮丽持久。



100% PURE ACRYLIC ROOF COATING

STONE

BAOMA Mason Glaze is a premium quality solvent based acrylic clear finish with fine lustrous dry-film clarity to highlight the natural beauty of the stone substrate. It is specially formulated with excellent UV & efflorescence resistance to withstand harsh tropical climate. It is antifungal and water resistant, having exceptional scratch & stain resistance, making it suitable for outdoor and indoor protection of slates, bricks, tiles, natural stones, artificial stones and cementitious substrates.

BAOMA Mason Glaze 是一种优质油性丙烯酸透明面漆，具有细腻干膜清晰度，有效突出石质基材的自然美。其出色的抗紫外线和抗风化配方，能够抵御恶劣的热带气候之考验。它具有抗真菌和防水功能，优异的耐刮擦和抗污性，适合涂饰户外和室内石质基材，如板岩，砖块，瓷砖，天然石，人造石和水泥基材。

Fine Lustrous Dry-Film Clarity / 细腻干膜清晰度

Highlights the natural beauty of the stone substrate. 有效突出石质基材的自然美。



Scratch & Stain Resistance / 耐刮擦和抗污性

Reduces visible scratches and stains without need for frequent finishing maintenance. 可减少可见的划痕和污渍，无需经常性的涂饰维护。



UV & Efflorescence Resistance / 抗紫外线和抗风化

Provides outdoor durability against harsh weather. 提供户外耐用性，以应对恶劣的天气。



Fungus Resistance / 抗真菌

Prevents unsightly growth of surface fungus on painted substrates. 以防止真菌滋生在乳胶漆基材表面。



PROTECTIVE CLEAR FOR STONE & CEMENTITIOUS SUBSTRATE

SEALER PRIMER



Excellent Flexibility / 卓越的柔韧性
Covers hairline cracks & provides waterproofing protection. 可覆盖发丝般裂缝并提供防水保护。


Efflorescence & Alkaline Resistance / 抗风化和耐碱性
Prevents the effect of efflorescence & discoloration on wall surface. 防止墙面因风化影响而褪色之风险。

Excellent Adhesion / 优异的黏附力
Ensures perfect binding between substrate surface & topcoat for lasting paint performance. 确保基材表面和面漆之间的完美黏合，利于更持久的涂料性能。

MULTICOLOR TINTABLE ELASTOMERIC WATERPROOFING PRIMER

BAOMA Chameleon Primer 2000 is a high performance elastomeric water-based efflorescence & alkaline resistance primer for exterior & interior application on plastered wall, concrete, brick, gypsum board & etc. It has superior flexibility that enables the paint-film to elongate up to 2x as to cover hairline cracks & provides waterproofing protection. It is multicolor tintable, colorants can be added to enhance good hiding for subsequent topcoat, thus reduces unnecessary topcoat usage & cost saving. It serves as a protective barrier for finishing topcoat against alkaline effect from the substrate, having excellent adhesion property that making it ideal for use in repainting works or fast track projects where fast completion of works are of major concern.

BAOMA Chameleon Primer 2000 是一种高性能水溶性弹性抗风化和耐碱底漆，适用于户外和室内的灰泥墙，混凝土，砖块和石膏板等。它具有卓越的柔韧性，能使漆膜延伸2倍以覆盖发丝般裂缝并提供防水保护。它兼具可调色性，可添加色剂以增强后续面漆的良好遮盖力，从而减少不必要的面漆使用和节省成本。它作为基材表面和面漆之间的保护屏障，有效防止来自基材的碱性效应，优异的黏附力，使其成为重新粉刷工程或快速完工项目的理想选择。



Alkaline Resistance / 抗碱性
Prevents the effect of alkali that causes discoloration on wall surface. 防止墙面因碱性影响而褪色之风险。

Good Hiding & Easy-To-ApPLY / 遮盖力强和易于涂聚
Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。

Excellent Adhesion / 优异的黏附力
Ensures perfect binding between substrate surface & topcoat for lasting paint performance. 确保基材表面和面漆之间的完美黏合，利于更持久的涂料性能。



WATER BASED ALKALINE RESISTANCE ACRYLIC SEALER

BAOMA Excila 1000 is a high performance water-based alkaline resistance acrylic sealer for exterior & interior application on plastered wall, concrete, brick, gypsum board & etc. It serves as a protective barrier for the finishing topcoat against alkaline effect & moisture from the substrate. It is a specially designed green product that has less of an environmental impact & less detrimental to human health. It is water resistant, fast drying, good hiding & easy-to-apply, having excellent adhesion property that even can be used on slightly powdery surface, making it ideal for use in repainting works or fast track projects where fast completion of works are of major concern.

BAOMA Excila 1000 是一种高性能水性抗碱丙烯酸底漆，适用于户外和室内的灰泥墙，混凝土，砖块和石膏板等。它作为基材表面和面漆之间的保护屏障，有效防止来自基材的碱性效应和水分。它是经过特别设计的绿色产品，对环境的破坏和人体健康的危害影响较小。它具有防水功能，快干，遮盖力强和易于涂聚，优异的黏附力甚至可用于略带粉状的表面，使其成为重新粉刷工程或快速完工项目的理想选择。



3 Days Primer / 3天底漆
For speedy finishing topcoat that saves time & ideal for fast track projects. 利于快速涂聚面漆，节省时间，快速完工项目的理想选择。

Efflorescence & Alkaline Resistance / 抗风化和耐碱性
Prevents the effect of efflorescence & discoloration on wall surface. 防止墙面因风化影响而褪色之风险。


Excellent Adhesion / 优异的黏附力
Ensures perfect binding between substrate surface & topcoat for lasting paint performance. 确保基材表面和面漆之间的完美黏合，利于更持久的涂料性能。



EFFLORESCENCE & ALKALINE RESISTANCE PRIMER

BAOMA Freshcon Primer 1500 is a high performance water-based efflorescence & alkaline resistance primer for exterior & interior application on freshly plastered wall, concrete, brick, gypsum board & etc. It is specially formulated with superb penetrating power & can be used on freshly plastered concrete after 3 days curing under good ventilation & weather condition, where moisture content of the fresh concrete is below 25% & alkalinity below pH 11. It is water resistant & easy-to-apply, having excellent adhesion property that even can be used on slightly powdery surface, making it ideal for use in repainting works or fast track projects where fast completion of works are of major concern.

BAOMA Freshcon Primer 1500 是一种高性能水性抗风化和耐碱性底漆，适用于户外和室内刚抹灰的水泥墙，混凝土，砖块和石膏板等。其特别配方具有卓越的渗透力，在良好的通风和天气条件下，可以涂聚在刚于3天后固化的混凝土，聚漆表面的水分含量必须低于25%和碱性度须低于pH11。它具有防水功能和易于涂聚，优异的黏附力甚至可用于略带粉状的表面，使其成为重新粉刷工程或快速完工项目的理想选择。



Efflorescence & Alkaline Resistance / 抗风化和耐碱性
Prevents the effect of efflorescence & discoloration on wall surface. 防止墙面因风化影响而褪色之风险。

Superb Penetrating Power / 卓越的渗透力
Provides good adhesive strength to the surface. 为表面提供良好的黏合强度。

Excellent Adhesion / 优异的黏附力
Ensures perfect binding between substrate surface & topcoat for lasting paint performance. 确保基材表面和面漆之间的完美黏合，利于更持久的涂料性能。



SOLVENT BASED ADHESION CONTACT PRIMER

BAOMA Excila 1900 is a high performance solvent-based efflorescence & alkali resisting adhesion contact primer for exterior & interior application on plastered wall, concrete, brick, gypsum board & etc. It serves as a protective barrier for the finishing topcoat against efflorescence & alkaline effect & moisture from the substrate. It is specially formulated with superb penetrating power & excellent adhesion property that even can be used on slightly powdery surface, hence provides good adhesive strength to the surface for subsequent topcoat. It is water resistant, fast drying & having outstanding flow, making it ideal for use in repainting works or fast track projects where fast completion of works are of major concern.

BAOMA Excila 1900 是一种高性能油性抗风化和耐碱促黏底漆，适用于户外和室内的水泥墙，混凝土，砖块和石膏板等。它作为基材表面和面漆之间的保护屏障，可有效密封呈粉状的表面，并为后续面漆提供良好的黏合强度。它具有防水功能，快干，出色的流平性，使其成为重新粉刷工程或快速完工项目的理想选择。



WOOD & METAL



BAOMA Gloss is a premium quality low odor alkyd high gloss enamel specially developed to withstand the most severe condition of tropical climate. It is made of long-oil alkyd with superior light-fastness pigments. This enamel has excellent color and gloss retention, anti-fungus and water resistance, making it suitable for long term decoration and protection of metal and wood surfaces for both exterior and interior use.

BAOMA Gloss 是一种优质低气味醇酸树脂高光泽面漆。由长油醇酸树脂结合优质的耐光颜料精心配制而成，能够抵御最严峻的热带气候之考验。这高光泽面漆具有优异的持久性的颜色和光泽，抵抗真菌滋生以及良好的防水功能。适用于户外和室内的金属和木质表面，提供长久的装饰和保护。



Excellent Color & Gloss Retention / 优异持久性的颜色和光泽

For longer lasting colors and gloss that keeps your home looking fresh and vibrant. 让家居颜色和光泽更持久清新且富有活力。



Optimized Drying Time / 优化漆干时间

Enhances proper drying between each coat to ensure mirror-like smooth finish and tough paint film. 增强每个漆层之间的适当干化，以确保镜面般光滑的表面和坚韧的漆膜。



Weather Resistance / 耐候性

Provides outdoor durability for wood and metal against harsh weather. 为木材和金属提供户外保护，抵御恶劣的天气。




Fungus Resistance / 抗真菌

Prevents unsightly growth of surface fungus on painted substrates. 以防止真菌滋生在髹漆基材表面。



Low Odor / 低气味

No unpleasant smell during and after paint application, making your home ready for occupancy almost immediately. 于涂料应用过程中和过程后都没有难闻的气味，几乎可以立即为您的家居做好入住准备。



100% ALKYD HIGH GLOSS ENAMEL

BAOMA Satin Enamel is a premium quality low odor alkyd satin sheen enamel specially developed to withstand the most severe condition of tropical climate. It is made of long oil alkyd with superior light-fastness pigments. This enamel has excellent color retention, anti-fungus and water resistance, making it suitable for long term decoration and protection of metal and wood surfaces for both exterior and interior use.

BAOMA Satin Enamel 是一种优质低气味醇酸树脂丝绸光泽面漆。由长油醇酸树脂结合优质的耐光颜料精心配制而成，能够抵御最严峻的热带气候之考验。这丝绸光泽面漆具有优异持久性的颜色，抵抗真菌滋生和防水功能。适用于户外和室内的金属和木质表面，提供长久的装饰和保护。



Excellent Color Retention / 优异持久性的颜色

For longer lasting colors that keeps your home looking fresh and vibrant. 让家居颜色更持久清新且富有活力。



Optimized Drying Time / 优化漆干时间

Enhances proper drying between each coat to ensure satin-like smooth finish and tough paint film. 增强每个漆层之间的适当干化，以确保丝绸般光滑的表面和坚韧的漆膜。



Weather Resistance / 耐候性

Provides outdoor durability for wood and metal against harsh weather. 为木材和金属提供户外保护，抵御恶劣的天气。



Fungus Resistance / 抗真菌

Prevents unsightly growth of surface fungus on painted substrates. 以防止真菌滋生在髹漆基材表面。



Low Odor / 低气味

No unpleasant smell during and after paint application, making your home ready for occupancy almost immediately. 于涂料应用过程中和过程后都没有难闻的气味，几乎可以立即为您的家居做好入住准备。



100% ALKYD SATIN SHEEN ENAMEL

WOOD & GALVANIZED METAL

BAOMA Woodcolor is a premium quality water-based acrylic finish formulated with superior light fastness pigments to give excellent outdoor durability against harsh tropical climate. It is antifungal and water resistant, good hiding & easy-to-apply, having excellent adhesion property, making it suitable for exterior & interior wood finishing application such as fences, trusses, fascia boards, balconies & other wood substrates. Besides, it can be used on galvanized substrates such as rain gutters, roof sheets & etc.

BAOMA Woodcolor 是以丙烯酸配合优质耐光颜料特制而成的水性户外涂料。它持久耐用并经过热带恶劣气候之考验。它具有抗真菌和防水功能，遮盖力强和易于涂聚，优异的黏附力，适合涂饰户外和室内木质基材，如围栏，桁架，看板，阳台等。此外，它还可用于镀锌基材，如排水沟，屋顶板等。



Weather Resistance / 耐候性

Provides outdoor durability for wood and galvanized metal against harsh weather. 为木材和镀锌金属提供户外保护，抵御恶劣的天气。



Excellent Adhesion / 优异的黏附力

Ensures perfect binding with substrate surface for lasting paint performance. 确保与基材表面的完美黏合，利于更持久的涂料性能。




Good Hiding & Easy-To-Apply / 遮盖力强和易于涂聚

Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。



Fungus Resistance / 抗真菌

Prevents unsightly growth of surface fungus on painted substrates. 以防止真菌滋生在髹漆基材表面。



PROTECTIVE ACRYLIC FINISH FOR WOOD & GALVANIZED SUBSTRATE

WOOD



BAOMA Woodpaque is a premium quality water based pigmented wood varnish that provides a durable, smooth and luxurious finish with silky-touch feeling for timeless wood beauty. It is made of self-cross-linking acrylic polymer that features excellent hardness, low odor, fast drying, non-yellowing, excellent flow and levelling, exceptional scratch and stain resistance. It has good water resistance and ideal for interior wood finishing application such as wooden floors, parquet, millwork, furniture, cabinets and other wood substrates.

BAOMA Woodpaque 是一种优质水性有色木器清漆，具有持久光滑的奢华饰面，丝绸般的触感，提升永恒的木质美感。它是由自交联丙烯酸聚合物特制而成，具有优异的硬度，低气味，快干，不变黄，出色的流平性，特殊的耐刮擦和抗污性。它防水功能佳适合涂饰室内木质基材，如木地板，镶木地板，木制品，家具，橱柜等。



Smooth Luxurious Finish / 光滑的奢华饰面

Silky-touch feeling for timeless wood beauty. 丝绸般的触感，提升永恒的木质美感。




Low Odor / 低气味

No unpleasant smell during and after paint application, making your home ready for occupancy almost immediately. 于涂料应用过程中和过程后都没有难闻的气味，几乎可以立即为您的家居做好入住准备。



Scratch & Stain Resistance / 耐刮擦和抗污性

Reduces visible scratches and stains for enduring wood beauty without need for frequent finishing maintenance. 可减少可见的划痕和污渍，以延长木材的美感，无需经常性的涂饰维护。



FAST DRYING WATER BASED PIGMENTED WOOD VARNISH

WOOD



BAOMA Woodice is a premium quality low odor water based transparent wood varnish with superior dry-film clarity to highlight the natural beauty of the wood grain. It is made of self-cross-linking acrylic polymer that features excellent hardness, fast drying, non-yellowing, excellent flow and levelling, exceptional scratch and chemical resistance. It has good water resistance and ideal for interior wood finishing application such as wooden floors, parquet, millwork, furniture, cabinets and other wood substrates.


BAOMA Woodice 是一种优质水性透明木器清漆。它具有优异的干膜清晰度，有效突出木纹的自然美。它是由自交联丙烯酸聚合物特制而成，具有优异的硬度，快干，不变黄，出色的流平性，特殊的耐刮擦和抗化学性。它防水功能佳适合涂饰室内木质基材，如木地板，镶木地板，木制品，家具，橱柜等。

 **Scratch & Chemical Resistance / 耐刮擦和抗化学性**


Reduces visible scratches, high heels mark and chemical stains for enduring wood beauty without need for frequent finishing maintenance. 可减少可见的划痕，高跟鞋印和化学污渍，以延长木材的美感，无需经常性的涂饰维护。

 **Fast Drying / 快干**

Saves time, energy and manpower where budget and fast completion of works are of major concern. 能节省时间，精力和人力，当施工预算和快速完工是主要考量。

 **2x Dry Film Clarity & Hardness / 双倍干膜清晰度和硬度**

Highlights the natural beauty of the wood grain. 有效突出木纹的自然美。




FAST DRYING WATER BASED WOOD VARNISH

BAOMA Woodtone is a solvent based transparent pigmented wood varnish with excellent color and gloss retention to highlight the natural beauty of the wood grain. It is made of modified polyurethane alkyd that provides flexible protective barrier for wood against harsh tropical climate. It is antifungal and water resistant and contains preservatives against wood degradation, making it suitable for exterior and interior wood finishing application such as doors, windows, frames, railing, fences, balconies and other wood substrates.

BAOMA Woodtone 是一种油性透明有色木器清漆。具有优异持久性的颜色和光泽，有效突出木纹的自然美。它是由改良聚氨酯醇酸树脂特制而成，为木材提供柔韧性保护屏障，能够抵御恶劣的热带气候之考验。它具有抗真菌和防水功能，并含有防腐剂以防止木材腐朽，适合涂饰户外和室内木质基材，如门窗，框架，栏杆，围栏，阳台等。



 **Color & Gloss Retention / 持久性的颜色和光泽**

Highlights the natural beauty of the wood grain. 有效突出木纹的自然美。

 **Good Flexibility / 良好的柔韧性**


Withstands constant wood expansion and contraction to minimize paint defects like cracking, peeling or blistering. 可承受木材持续的膨胀和收缩，减少漆膜缺陷如开裂，剥落或起泡。

 **Fungus Resistance / 抗真菌**

Prevent unsightly growth of surface fungus on painted substrates. 防止真菌滋生在髹漆基材表面。

 **Weather Resistance / 耐候性**

Provides outdoor durability for wood against harsh weather. 为木材提供户外保护，抵御恶劣的天气。



WEATHER RESISTANT WOOD VARNISH

SURFACE PREPARATION

<p>STEP 1</p> <p>CLEAN WOOD SURFACE THOROUGHLY</p> <p>Wood surface must be suitably prepared, clean, dry and free from traces of dust, dirt, wax and grease. Sand the surface with 320-grit sandpaper. Always sand in the direction of the grain to avoid damage on wood surface.</p>	<p>STEP 2</p> <p>FILL HOLES & CRACKS</p> <p>Choose similar or nearest wood filler color. Apply with putty knife or scraper, carefully pack the wood filler into the hole/crack, mounding it slightly to allow shrinkage as it dries.</p>	<p>STEP 3</p> <p>SAND THE FILLED AREA</p> <p>Allow the wood filler to dry completely. Sand the filled area with 500-grit sandpaper until it is smooth and level with the surrounding wood.</p>	<p>STEP 4</p> <p>WIPE THE WOOD</p> <p>After sanding, wipe the wood surface with a tack cloth to remove dust and excess materials. Ensure the wood surface is totally clean before priming.</p>	<p>STEP 5</p> <p>APPLY THE FIRST FINISHING COAT</p> <p>For best finishing result, priming of one coat BAOMA Woodice Primer is highly recommended. Ensure full dry before over-coating with first coat of BAOMA Woodice.</p>	<p>STEP 6</p> <p>SMOOTH SANDING THE FINISHING COAT</p> <p>Sand the fully dried first coat using 1000-grit sandpaper in the direction of the grain for a smooth, uniform finish. Wipe off dust and followed by second finishing coat. Repeat the steps of sanded smooth and dusted off and followed by third finishing coat.</p>
---	--	--	--	---	---

MASONRY

BLUE-i SHIELD HS is a water-based high sheen acrylic exterior paint formulated with superior light fastness pigments to give excellent outdoor durability against tropical climate. It has excellent resistance to algae growth and withstands alkali on plastered wall. It has good water resistance and suitable for long term decoration and protection of exterior plastered wall, concrete, brick, gypsum board etc.

BLUE-i SHIELD HS 是以丙烯酸配合优质耐久颜料特制而成的高光泽水性户外涂料。它持久耐用并经得起热带气候之考验。它有效防止藻类滋长并承担得了碱性墙面。它防水功能佳适合涂刷在户外灰泥墙，混凝土，砖和石膏板等，以作长期性的装饰和保护。



UV Protection / 抗紫外线

For longer lasting colors that keeps your home looking fresh and vibrant. 让家居颜色更持久清新富有活力。




Algae Protection / 抗藻类

(Encapsulated Tech) To ensure long lasting protection against algae in tropical climate. (封装技术) 以确保在热带气候中长期保护免受藻类的侵害。



Dirt Resistance / 抗尘

With advanced binder technology resists dirt pick-up from the environment and easily washed away by rain. 采用先进粘合剂技术以防止尘埃黏贴 墙面并更容易被雨水冲洗。



WEATHER RESISTANT EXTERIOR WALL FINISH



Superior Washability & Scrub-resistance / 卓越的易洗耐磨性

Promises a lasting durable coating perfect for regular cleaning. 更持久耐用的涂层以便定期清洁维护。



Smooth Luxurious Finish / 光滑的奢华饰面

Enrich the elegant ambiance of your home. 提升家居的优雅氛围。



Easy-To-Applly / 易于涂聚

Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。



Fungus Resistance / 抗真菌

Prevent unsightly growth of surface fungus on painted walls. 以防止真菌滋长在髹漆墙面。



Excellent Washability / 优异的耐洗性

Promotes a clean conducive healthy environment. 有利于健康的生活环境。



Smooth Luxurious Finish / 光滑的奢华饰面

Enrich the elegant ambiance of your home. 提升家居的优雅氛围。



Good Hiding & Easy-To-Applly / 遮盖力强和易于涂聚

Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。



Fungus Resistance / 抗真菌


Prevent unsightly growth of surface fungus on painted walls. 以防止真菌滋长在髹漆墙面。



EASY CLEAN HIGH SHEEN INTERIOR WALL FINISH

BLUE-i EasyClean HS is a water based acrylic interior paint that provides a durable, smooth, luxurious finish with superior washability & scrub-resistance. It is capable to withstand regular cleaning with moderate detergents. Household stains can be easily cleaned and easy to maintain at all times. It is a specially designed green product that has less of an environmental impact & less detrimental to human health. It is antifungal, water resistant & easy-to-apply, making it suitable for decoration and protection of interior wall surfaces such as bedroom, study room, living room, dining room, kitchen, ceiling & etc.

BLUE-i EasyClean HS 是一种水性丙烯酸室内涂料，拥有持久光滑的奢华饰面以及卓越的易洗耐磨性，能够承受适度清洁剂的定期清洗，常见的家居污渍可以容易地从墙面清除，并且易于维护。它是经过特别设计的绿色产品，对环境的破坏和人体健康的危害影响较小。它具有抗真菌和防水功能，易于涂聚，适用于室内墙面的涂饰和保护，如卧室，书房，客厅，饭厅，厨房和天花板等。



EASY CLEAN MATT INTERIOR WALL FINISH

BLUE-i EasyClean Matt is a water based acrylic interior paint that provides a durable, smooth & luxurious finish to enrich the elegant ambiance of your home. It has excellent washability & is capable to withstand regular cleaning with moderate detergents. Household stains can be easily cleaned and easy to maintain at all times. It is a specially designed green product that has less of an environmental impact & less detrimental to human health. It is antifungal & water resistant, having good hiding & easy-to-apply, making it suitable for decoration and protection of interior wall surfaces such as bedroom, study room, living room, dining room, kitchen, ceiling & etc.

BLUE-i EasyClean Matt 是一种水性丙烯酸室内涂料，拥有持久光滑的奢华饰面，亮度柔和，以提升家居的优雅氛围。它具有优异的耐洗性，能够承受适度清洁剂的定期清洗，常见的家居污渍可以容易地从墙面清除，并且易于维护。它是经过特别设计的绿色产品，对环境的破坏和人体健康的危害影响较小。它具有抗真菌和防水功能，遮盖力强和易于涂聚，适用于室内墙面的涂饰和保护，如卧室，书房，客厅，饭厅，厨房和天花板等。



MASONRY



BLUE-i GOLD is a premium quality water-based modified acrylic paint that provides a durable & attractive smooth matt finish to enrich the elegant ambiance of your home. It is a specially designed green product that has less of an environmental impact & less detrimental to human health. It is antifungal & multicolor tint-able, having good hiding & easy-to-apply, making it suitable for decoration of interior plastered wall, concrete, brick, gypsum board & etc. Ideal to be used in repainting works or housing project where budget is of major concern.

BLUE-i GOLD 是一种优质水性改良丙烯酸涂料，拥有持久光滑的亚光饰面，以提升家居的优雅氛围。它是经过特别设计的绿色产品，对环境的破坏和人体健康的危害影响较小。它具有抗真菌和可调色性，遮盖力强和易于涂擦。适用于室内灰泥墙，混凝土，砖和石膏板等。重新粉刷项目或低预算房屋工程的理想选择。



Smooth Matt Finish / 光滑的亚光饰面

Enriching the elegant ambiance of your home. 提升家居的优雅氛围。




Fungus Resistance / 抗真菌

Prevents unsightly growth of surface fungus on painted walls. 以防止真菌滋生在髹漆墙面。



Good Hiding & Easy-To-Appl / 遮盖力强和易于涂擦

Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。



PREMIUM QUALITY INTERIOR WALL FINISH



Smooth Matt Finish / 光滑的亚光饰面

Enriching the elegant ambiance of your home. 提升家居的优雅氛围。



Good Hiding & Easy-To-Appl / 遮盖力强和易于涂擦

Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。



Fungus Resistance / 抗真菌

Prevents unsightly growth of surface fungus on painted walls. 以防止真菌滋生在髹漆墙面。



Smooth Matt Finish / 光滑的亚光饰面

Enriching the elegant ambiance of your home. 提升家居的优雅氛围。



Good Hiding & Easy-To-Appl / 遮盖力强和易于涂擦

Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。



Fungus Resistance / 抗真菌

Prevent unsightly growth of surface fungus on painted walls. 以防止真菌滋生在髹漆墙面。



HIGH QUALITY INTERIOR EMULSION PAINT

BLUE-i Emulsion is a high quality water-based interior emulsion paint that provides a durable & attractive smooth matt finish to enrich the elegant ambiance of your home. It is a specially designed green product that has less of an environmental impact & less detrimental to human health. It is antifungal, fast drying, good hiding & easy-to-apply, suitable for interior application on plastered wall, concrete, brick, gypsum board, ceiling etc. Ideal to be used in housing project where budget & fast completion of works are of major concern.

BLUE-i Emulsion 是一种高品质室内水性乳胶漆。它拥有持久光滑的亚光饰面，以提升家居的优雅氛围。它是经过特别设计的绿色产品，对环境的破坏和人体健康的危害影响较小。它具有抗真菌功能，快干，遮盖力强和易于涂擦，适用于室内的灰泥墙，混凝土，砖块，石膏板，天花板等。低预算和快速完工房屋项目的理想选择。



PROJECT INTERIOR EMULSION PAINT

BLUE-i Trade is a water-based interior emulsion paint specially formulated for economical needs that provides a smooth matt finish to enrich the ambiance of your home. It is a green product that has less of an environmental impact & less detrimental to human health. It is antifungal, fast drying, good hiding & easy-to-apply, suitable for interior application on plastered wall, concrete, brick, gypsum board, ceiling etc. Ideal to be used in housing project where budget & fast completion of works are of major concern.

BLUE-i Trade 是一种经济实惠的室内水性乳胶漆。它拥有平滑的亚光饰面，以提升家居的氛围。它是经过特别设计的绿色产品，对环境的破坏和人体健康的危害影响较小。它具有抗真菌功能，快干，遮盖力强和易于涂擦，适用于室内的灰泥墙，混凝土，砖块，石膏板，天花板等。低预算和快速完工房屋项目的理想选择。



MASONRY



BLUE-i Versa-Tile is a water-based inorganic polymer textured coat. It serves as an intermediate coat that can be formed in various textured patterns to suit design requirement. It is a specially designed green product that has less of an environmental impact & less detrimental to human health. It is highly durable, alkaline resistance, having excellent adhesion property, suitable for exterior & interior application on plastered wall, concrete, brick, asbestos board, fiber board & etc.

BLUE-i Versa-Tile 是一种水性无机聚合物纹理涂层。它作为中间涂层，可以形成各种纹理图样以满足设计要求。它是经过特别设计的绿色产品，对环境的破坏和人体健康的危害影响较小。它具有高度的耐用性，抗碱性和优异的黏附力，适用于户外和室内的灰泥墙，混凝土，砖块，石棉板和纤维板等。



Alkaline Resistance / 抗碱性

Prevents the effect of alkali that causes discoloration on wall surface. 以防止墙面因碱性影响而褪色之风险。




Highly Durable / 高度耐用性

For lasting paint performance. 利于更持久的涂料性能。



Excellent Adhesion / 优异的黏附力

Ensures perfect binding between substrate surface & topcoat. 确保基材表面和面漆之间的完美黏合。



INORGANIC POLYMER TEXTURED COAT

SEALER PRIMER



Alkaline Resistance / 抗碱性

Prevents the effect of alkali that causes discoloration on wall surface. 以防止墙面因碱性影响而褪色之风险。



Good Hiding & Easy-To-Applied / 遮盖力强和易于涂漆

Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。



Excellent Adhesion / 优异的黏附力

Ensures perfect binding between substrate surface & topcoat for lasting paint performance. 确保基材表面和面漆之间的完美黏合，利于更持久的涂料性能。



Alkaline Resistance / 抗碱性

Prevents the effect of alkali that causes discoloration on wall surface. 以防止墙面因碱性影响而褪色之风险。



Good Hiding & Easy-To-Applied / 遮盖力强和易于涂漆

Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。



Good Adhesion / 良好的黏附力

Ensures perfect binding between substrate surface & topcoat. 确保基材表面和面漆之间的完美黏合。



WATER BASED ALKALINE RESISTANCE WALL SEALER


BLUE-i SEALER 550 is a water-based alkaline resistance styrene acrylic sealer for exterior & interior application on plastered wall, concrete, brick, gypsum board & etc. It serves as a protective barrier for the finishing topcoat against alkaline effects & moisture from the substrate. It is a specially designed green product that has less of an environmental impact & less detrimental to human health. It is water resistant, fast drying, good hiding & easy-to-apply, having excellent adhesion property, making it ideal to be used in repainting works or fast-track projects where fast completion of works is of major concern.

BLUE-i SEALER 550 是一种水性抗碱苯乙烯丙烯酸底漆，适用于户外和室内的灰泥墙，混凝土，砖块和石膏板等。它作为基材表面和面漆之间的保护屏障，有效防止来自基材的碱性效应和水分。它是经过特别设计的绿色产品，对环境的破坏和人体健康的危害影响较小。它具有防水功能，快干，遮盖力强和易于涂漆，优异的黏附力，使其成为重新粉刷工程或快速完工项目的理想选择。

WATER BASED INTERIOR BASECOAT SEALER

BLUE-i BC Sealer 300 is a water-based alkaline resistance basecoat sealer for interior application on plastered wall, concrete, brick, gypsum board & etc. It provides adequate protection against mild alkali that causes discoloration on wall surface. It is a specially designed green product that has less of an environmental impact & less detrimental to human health. It is water resistant, fast drying, good hiding & easy-to-apply, having good adhesion property, making it ideal to be used in repainting works or housing projects where budget & fast completion of works are of major concern.


BLUE-i BC Sealer 300 是一种水性抗碱底漆，适用于室内的灰泥墙，混凝土，砖块和石膏板等。它提供足够的保护以防止墙面因碱性效应而褪色之风险。它是经过特别设计的绿色产品，对环境的破坏和人体健康的危害影响较小。它具有防水功能，快干，遮盖力强和易于涂漆，良好的黏附力，使其成为重新粉刷工程或低预算快速完工房屋项目的理想选择。





WOOD & METAL


BLUE-i Gloss 6600 is a high quality fast drying solvent-based alkyd high gloss enamel for exterior & interior application on metal & wood surfaces. It is antifungal and water resistant, good hiding & easy-to-apply, having excellent gloss retention, making it ideal to be used in repainting works or housing projects where budget & fast completion of works are of major concern.


BLUE-i Gloss 6600 是一种高品质快干油性醇酸树脂高光泽面漆，适用于于户外和室内的金属和木质表面。它具有抗真菌和防水功能，遮盖力强和易于涂擦，优异的光泽持久性，使其成为重新粉刷工程或低预算快速完工房屋项目的理想选择。

 **Excellent Gloss Retention / 优异的光泽持久性**
For longer lasting gloss that keeps your home looking fresh and vibrant. 让您的家居外观上持久清新且富有活力。

 **Good Hiding & Easy-To-Apply / 遮盖力强和易于涂擦**
Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。

 **Fast Drying / 快干**
Saves time & manpower where budget & fast completion of works are of major concern. 能节省时间和人力，当预算和快速完工是主要考量。


 **Fungus Resistance / 抗真菌**
Prevents unsightly growth of surface fungus on painted substrates. 以防止真菌滋生在髹漆基材表面。




FAST DRYING ALKYD HIGH GLOSS ENAMEL

BLUE-i Undercoat is a high quality fast drying solvent-based alkyd undercoat for exterior & interior application on metal & wood surfaces. It serves as an intermediate coat that provides a sound foundation with adhesive strength for subsequent topcoat. It is water resistant, good hiding & build, having excellent adhesion property, making it ideal to be used in repainting works or housing projects where fast completion of works is of major concern.

BLUE-i Undercoat 是一种高品质快干油性醇酸树脂底漆，适用于于户外和室内的金属和木质表面。它作为中间涂层，为后续的面漆提供坚实的底子和黏合强度。它具有防水功能，遮盖力强和厚层性，优异的黏附力，使其成为重新粉刷工程或快速完工房屋项目的理想选择。

 **Excellent Adhesion / 优异的黏附力**
Ensures perfect binding between substrate surface & topcoat for lasting paint performance. 确保基材表面和面漆之间的完美黏合，利于更持久的涂料性能。

 **Good Hiding & Build / 遮盖力强和厚层性**
Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。

 **Fast Drying / 快干**
Saves time & manpower where budget & fast completion of works are of major concern. 能节省时间和人力，当预算和快速完工是主要考量。



FAST DRYING ALKYD UNDERCOAT

MASONRY



- Algae Protection / 抗藻类**
Ensures lasting protection against algae in tropical climate. 以确保在热带气候中持久保护免受藻类的侵害。
- Dirt Resistance / 抗尘**
Resists dirt pick-up from the environment and easily washed away by rain. 防止尘埃黏贴墙面并更容易被雨水冲洗。
- Weather Resistance / 耐候性**
Provides outdoor durability against harsh weather. 提供户外保护以抵御恶劣的天气。
- Good Hiding & Easy-To-Apply / 遮盖力强和易于涂聚**
Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。

- Smooth Matt Finish / 光滑的亚光饰面**
Enriching the elegant ambiance of your home. 提升家居的优雅氛围。
- Good Hiding & Easy-To-Apply / 遮盖力强和易于涂聚**
Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。
- Fungus Resistance / 抗真菌**
Prevents unsightly growth of surface fungus on painted walls. 以防止真菌滋生在乳胶漆墙面。



MODIFIED ACRYLIC EXTERIOR WALL FINISH

BRUSH & ROLLER Ecoshield is a water-based modified acrylic paint for exterior application on plastered wall, concrete, brick, gypsum board & etc. It provides adequate outdoor durability against tropical climate. It is a specially designed green product that has less of an environmental impact & less detrimental to human health. It is anti-algae, water resistant, good hiding & easy-to-apply, having dirt resistance property, making it ideal to be used in repainting works or housing projects where budget is of major concern.

BRUSH & ROLLER Ecoshield 是一种水性改良丙烯酸涂料，适用于户外的灰泥墙，混凝土，砖块和石膏板等。它提供足够的户外耐久性以抵御热带气候之考验。它是经过特别设计的绿色产品，对环境的破坏和人体健康的危害影响较小。它具有抗藻和防水功能，遮盖力强和易于涂聚，兼具抗尘性，使其成为低预算重新粉刷工程或房屋项目的理想选择。



HIGH QUALITY INTERIOR WALL FINISH

BRUSH & ROLLER Ecotouch is a high quality water-based emulsion paint that provides a durable & attractive smooth matt finish to enrich the elegant ambiance of your home. It is a specially designed green product that has less of an environmental impact & less detrimental to human health. It is antifungal & multicolor tint-able, having good hiding & easy-to-apply, making it suitable for decoration of interior plastered wall, concrete, brick, gypsum board & etc. Ideal to be used in housing project where budget is of major concern.

BRUSH & ROLLER Ecotouch 是一种高品质水性乳胶漆，拥有持久光滑的亚光饰面，以提升家居的优雅氛围。它是经过特别设计的绿色产品，对环境的破坏和人体健康的危害影响较小。它具有抗真菌和可调色性，遮盖力强和易于涂聚。适用于室内灰泥墙，混凝土，砖和石膏板等。低预算房屋工程的理想选择。



SEALER PRIMER



- Alkaline Resistance / 抗碱性**
Prevents the effect of alkali that causes discoloration on wall surface. 以防止墙面因碱性影响而褪色之风险。
- Good Hiding & Easy-To-Apply / 遮盖力强和易于涂聚**
Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。
- Good Adhesion / 优异的黏附力**
Ensures perfect binding between substrate surface & topcoat. 确保基材表面和面漆之间的完美黏合。

WOOD & METAL

- Excellent Gloss Retention / 优异的光泽持久性**
For longer lasting gloss that keeps your home looking fresh and vibrant. 让您的家居外观上持久清新且富有活力。
- Good Hiding & Easy-To-Apply / 遮盖力强和易于涂聚**
Provides effortless application with smooth finish. 提供毫不费力的施工和完美的涂层饰面。
- Fast Drying / 快干**
Saves time & manpower where budget & fast completion of works are of major concern. 能节省时间和人力，当预算和快速完工是主要考量。
- Fungus Resistance / 抗真菌**
Prevents unsightly growth of surface fungus on painted substrates. 以防止真菌滋生在乳胶漆基材表面。



WATER BASED ALKALINE RESISTANCE WALL SEALER

BRUSH & ROLLER Ecosealer 5400 is a water-based alkaline resistance acrylic sealer for exterior & interior application on plastered wall, concrete, brick, gypsum board & etc. It serves as a protective barrier for the finishing topcoat against alkaline effects & moisture from the substrate. It is a specially designed green product that has less of an environmental impact & less detrimental to human health. It is water resistant, fast drying, good hiding & easy-to-apply, having good adhesion property and ideal for use in repainting works or fast-track projects where fast completion of works is of major concern.


BRUSH & ROLLER Ecosealer 5400 是一种水性抗碱丙烯酸底漆，适用于户外和室内的灰泥墙，混凝土，砖块和石膏板等。它作为基材表面和面漆之间的保护屏障，有效防止来自基材的碱性效应和水分。它是经过特别设计的绿色产品，对环境的破坏和人体健康的危害影响较小。它具有防水功能，快干，遮盖力强和易于涂聚，优异的黏附力，使其成为重新粉刷工程或快速完工项目的理想选择。



FAST DRYING ALKYD HIGH GLOSS ENAMEL

BRUSH & ROLLER Gloss 9000 is a high quality fast drying solvent-based alkyd high gloss enamel for exterior & interior application on metal & wood surfaces. It is antifungal and water resistant, good hiding & easy-to-apply, having excellent gloss retention, making it ideal to be used in repainting works or housing projects where budget & fast completion of works are of major concern.

BRUSH & ROLLER Gloss 9000 是一种高品质快干油性醇酸树脂高光泽面漆，适合于户外和室内的金属和木质表面。它具有抗真菌和防水功能，遮盖力强和易于涂聚，优异的光泽持久性，使其成为重新粉刷工程或低预算快速完工房屋项目的理想选择。



PRODUCT SELECTOR

TOPCOAT	WOOD & METAL				WOOD			STONE	
	SOLVENT-BASED				WATER-BASED			SOLVENT-BASED	
	1	2	3	4	5	6	7	8	9
	BAOMA Gloss	BAOMA Satin Enamel	BLUE-i Gloss 6600	B & R Gloss 9000	BAOMA Woodcolor	BAOMA Woodpaque	BAOMA Woodice	BAOMA Woodtone	BAOMA Mason Glaze
Exterior / Interior	Exterior & Interior				Interior			Exterior & Interior	
Finishing	High Gloss	Soft Matt	High Gloss	High Gloss	Low Sheen	Gloss/Matt	Transparent Gloss/Matt	Transparent Gloss/Matt	Transparent Gloss/Matt
Tintable Via	COLOR INFINITY TINTING SYSTEM								Clear Only

ENVIRONMENTAL FRIENDLY

Low Odor	✓	✓			✓	✓	✓		
Green Product					✓	✓	✓		
No Added Lead & Mercury	✓	✓	✓	✓	✓	✓	✓	✓	✓

FEATURES & BENEFITS

Product Highlights	Low odor polish gloss finish	Low odor luxurious satin finish	Fast drying, good hiding & easy-to-apply gloss finish	Fast drying, good hiding & easy-to-apply gloss finish	Protective finish for wood & galvanized substrate	Scratch resistant & luxurious smooth finish wood varnish	Scratch & chemical resistant wood varnish	Weather resistant wood varnish	Protective clear for stone & cementitious substrate
Weather Resistance	★★	★★	★	★	★★			★★	★★
Long Lasting Color	★★	★★	★	★	★★	★★	★★	★★	★★
Dry-film Clarify							★★	★	★
Scratch Resistance	★★	★★	★	★	★	★★	★★	★★	★★
Stain Resistance	★★	★★	★	★	★★	★★	★★	★★	★★
Good Flexibility	★	★	★	★	★	★	★	★★	★
Anti-Algae/Fungal	★	★	★	★	★	★	★	★	★
Water Resistance	★	★	★	★	★	★	★	★	★
Fast Drying			★	★	★	★	★		★

For best performance, it is highly recommended to apply 1 coat PRIMER, followed by 1 coat INTERMEDIATE COAT, then 2 coats TOPCOAT. (Any TOPCOAT product ranging from #1 to #5 listed above)

PRIMER				IMPORTANT NOTE	INTERMEDIATE COAT		
BENZI Aluminium Wood Primer For Wood Application SOLVENT BASED	BENZI Zinc Phosphate Primer For Metal Application SOLVENT BASED	BENZI Red Oxide Primer For Metal Application SOLVENT BASED	BENZI Etching Primer 100 For Galvanized Metal Application SOLVENT BASED		For Wood / Stone surfaces using TOPCOAT product ranging from #6 to #9 listed above, no PRIMER nor INTERMEDIATE COAT are required. Directly apply 3 coats TOPCOAT on the well-prepared surface & in accordance with painting procedures.	BLUE-i Undercoat For Wood & Metal Application SOLVENT BASED	BENZI Aluminium Paint For Metal Application SOLVENT BASED

PRODUCT SELECTOR

MASONRY - EXTERIOR

WATER-BASED

TOPCOAT						
	BAOMA Shield Flexicool	BAOMA Shield	BLUE-i Shield HS	B&R Ecoshield	BAOMA Roofcote	BAOMA Flexipruf 200
Years of Performance*	10	7	5	3	5	5
Finishing	Mid Sheen	Mid Sheen	High Sheen	Low Sheen	Mid Sheen	Matt
Tintable Via	COLOR INFINITY TINTING SYSTEM 					

ENVIRONMENTAL FRIENDLY

Low VOC	✓	✓	✓	✓	✓	✓
APEO Free	✓	✓	✓	✓	✓	✓
Formaldehyde Free	✓	✓	✓	✓	✓	✓
Heavy Metal Free	✓	✓	✓	✓	✓	✓

FEATURES & BENEFITS

Product Highlights	Ultimate performance against harsh weather/elastomeric & temprature reduction	Perfect perfomance against harsh weather	Excellent performance against harsh weather	Adequate performance against harsh weather	Excellent roof protection against harsh weather	Breatheble / high strength hard wearing/elastomeric & waterproofing without joints
UV Resistance	★★	★★	★		★★	★★
Dirt Pick-Up Resistance	★★	★★	★	★	★★	★
Efflorescence Resistance	★★	★★	★		★	★
Alkaline Resistance	★★	★★	★	★	★	★
Anti-Algae/Fungal	★★	★★	★	★	★★	★
Washability/Scrub-resistance	★	★	★		★	★
Long Lasting Colors	★★	★★	★	★	★★	★★
Good Hiding	★	★	★	★	★	★
Easy-to-Apply	★	★	★	★	★	★
Fast Drying	★	★	★	★	★	★
Non Chalking	★	★	★	★	★	★

RECOMMENDED WALL SEALER / PRIMER

 <p>BAOMA Chameleon Primer 2000 Best for hairline-crack wall surface & enhance good hiding for Subsequent topcoat</p> <p>    </p>	 <p>BAOMA Freshcon Primer 1500 Best for freshly plastered wall surface & prevent the effect of efflorescence</p> <p>   </p>	 <p>BAOMA Excila 1900 Best for powdery wall surface with superb penetrating power that provides excellent adhesive strength</p> <p> </p>	 <p>BAOMA Excila 1000 Easy & Effective Sealer</p> <p>   </p>
--	---	--	--

PRODUCT SELECTOR

MASONRY - INTERIOR

WATER-BASED

TOPCOAT										
Years of Performance*	5	5	5	5	5	5	3	3	2	1
Finishing	Mid Sheen	High Sheen	Matt	Mid Sheen	High Sheen	Matt	Matt	Matt	Matt	Matt
Tintable Via	COLOR INFINITY TINTING SYSTEM								Not Applicable	

ENVIRONMENTAL FRIENDLY

Low VOC	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
APEO Free	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Formaldehyde Free	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Heavy Metal Free	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓



FEATURES & BENEFITS

Product Highlights	Effective against viruses & bacteria 	Antibacterial coating for better living environment 	Smooth luxurious finish with egg luster 	Smooth luxurious finish with pearl luster	Excellent washability & scrub resistance	Excellent washability & good hiding	Classic smooth matt finish & good hiding	Attractive smooth matt finish & good hiding	Good hiding & coverage	Good hiding & coverage
UV Resistance										
Dirt Pick-Up Resistance										
Efflorescence Resistance										
Alkaline Resistance										
Anti-Algae/Fungal	★	★	★	★	★	★	★	★	★	★
Washability/Scrub-resistance	★	★★	★	★	★★	★				
Long Lasting Colors	★	★	★	★	★	★				
Good Hiding	★	★	★	★	★	★	★	★	★	★
Easy-to-Apply	★	★	★	★	★	★	★	★	★	★
Fast Drying	★	★	★	★	★	★	★	★	★	★
Non Chalking	★	★	★	★	★	★				

RECOMMENDED WALL SEALER / PRIMER

<p>BLUE-i Sealer 550 Good Quality @ Affordable Cost</p> <p> </p>	<p>BRUSH & ROLLER EcoSealer 5400 Value For Money</p> <p> </p>	<p>BLUE-i Sealer 300 Budget Is The Main Concern</p> <p> </p>	<p>BLUE-i Versa-Tile Serves as an intermediate coat that can be formed in various textured patterns to suit design requirement</p> <p> </p>
---	--	---	--

www.mcipaint.com.my



MCI PAINT SDN BHD (849155-P)

Lot 5189, Kawasan Perindustrian Balakong Jaya,
43300 Balakong, Selangor, Malaysia

Tel: +603 8962 2788 Fax: +603 8962 2798



CERTIFIED TO ISO 9001:2015
CERT. NO. : QMS 03230



CERTIFIED TO ISO 14001:2015
CERT. NO. : EMS 00899