HP Color LaserJet Managed Flow MFP E786z Printer Series



Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers 'you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity.

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.³
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.

Customizable solutions built to last.

- Your business needs met. Make the most of performance with unprecedented, flexible configurations built to support the demands of your business.
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.
- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate
 paper and digital workflows.²

Always on guard with HP Wolf Security. 5

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified ⁶ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ with active system monitoring is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the
 execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. 9 Printing that puts the planet first
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Silver, Energy Star, and Blue Angel.
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)
- 2. Flatbed scanner handles sheets up to 297 x 432 mm (11x17 in)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3 (11x17 in)
- 14. 300-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17 in)
- 20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17 in)



Series at a glance

Model	HP Color Laser Jet Managed Flow MFP E786z				
Product number	5QJ94A	5QJ94A (Base) + 8EP56AAE (Speed license)	5QJ94A (Base) + 8EP57AAE (Speed license)		
Print speed (A4 and letter, black and color) ³	Up to 25 ppm	Up to 30 ppm	Up to 35 ppm		
Scan speed(A4 and letter, black and color) ⁴	120 ppm/240 ipm, simplex/duplex				
Functions	Print, copy, and scan (fax and wireless optional) (all models)				
ADF capacity	200 sheets				
Input capacity	Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)				
Advanced workflow features	HP EveryPage technology ⁵ , full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation				

2 Solutions deployed through the Hardware Integration Pocket (HP) may require additional purchase.
3 An administrator must enable the easy-access USB port before use.
4 Measured using 50/EC 24734, excludes first set of test documents. For more information, seehp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
5 can speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
5 HP EveryPage Technology is powered by ultrasonic multi-feed detection.

Top features

Get more done faster with printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quad-core processor..

Optimize your workflows and help increase productivity with upgradeable hardware options and scalable solutions to support your workforce for today and tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats.

1 We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Silver, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	U03GVE HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03GWE HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03GXE HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03GXE HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03GZE HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H0E HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H1E HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H2E HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx U03H3E HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03H3E HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03H5E HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E786xx (Managed Component Only) U03H6PE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 2 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E786xx U03H8PE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H9PE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H9PE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H9PE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H9PE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E786xx U03H9PE HP 1 year Post Warr
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

Front panel optional colors



*Available with optional color panel accessories

```
**Available v

ISSPTANP Lazer let timer Prinche 2/3 HolePunch

15SPTANP Lazer let timer Prinche 2/3 HolePunch

15PANP PLazer let timer Prinche 2/3 HolePunch

1900AR4 PLazer let Workgroup JASC2 of site Reper Tray/Stand Luna Gray/Color Pand

1900AR4 PLazer let Workgroup Layer Lazer Styling Lazer Color Pand

1900AR4 PLazer let Workgroup Scand Luna Gray/Color Pand

1900AR4 PLazer let Workgroup Scand Luna Gray/Color Pand

1900AR4 PLazer let Workgroup Leth Capacity Paper Tray/Stand Connet Red Color Pand

1900AR4 PLazer let Workgroup Leth Capacity Paper Tray/Stand Connet Red Color Pand

1900CAR4 PLazer let Workgroup Leth Capacity Paper Tray/Stand Connet Red Color Pand

1900CAR4 PLazer let Workgroup Leth Capacity Paper Tray/Stand Connet Gene Color Pand

1900CAR4 PLazer let Workgroup Leth Capacity Paper Tray/Stand Connet Gene Color Pand

1900CAR4 PLazer let Workgroup Leth Capacity Paper Tray/Stand Connet Gene Color Pand

1900CAR4 PLazer let Workgroup Leth Capacity Paper Tray/Stand Connet Gene Color Pand

1900CAR4 PLazer let Workgroup Leth Capacity Paper Tray/Stand Connet Gene Color Pand

1900CAR4 PLazer let Workgroup Leth Capacity Paper Tray/Stand Connet Gene Color Pand

1900CAR4 PLazer let Workgroup Leth Capacity Paper Tray/Stand Connet Gene Color Pand

1900CAR4 PLazer let Workgroup Stand Connet Gene Color Pand

1900CAR4 PLazer let Workgroup Stand Connet Gene Color Pand

1900CAR4 PLazer let Workgroup Leth Capacity Paper Tray/Stand Connet Gene Color Pand

1900CAR4 PLazer let Workgroup Stand Connet Gene Color Pand

1900CAR4 PLazer let Workgroup Leth Capacity Paper Tray/Stand Connet Gene Color Pand

1900CAR4 PLazer let Workgroup Leth Capacity Paper Tray/Stand

660WAGAR4 PLazer let Zoos Color Bene Color Pand

1900CAR4 PLazer let Zoos Color Bene Color Pand

1900CAR4 PLazer let Zoos Color Bene Color Pand

1900CAR4 PLazer let Booked Erniche

660WAGAR4 PLazer let Workgroup Leth Capacity Paper Tray/Stand

660WAGAR4 PLa
```

8EP56AAE HP Color Laser Jet Managed MFP E786 25 to 30ppm License 8EP57AAE HP Color Laser Jet Managed MFP E786 25 to 35ppm License 8LB46AAE HP Color Laser Jet Managed MFP E786 30 to 35ppm License

^{*} HP LaserJet Workflow Accelerator Card, 6HN30A will be available in January 2023

Functions	Print, copy, scan, fax (optional)					
Print speed ^{3,4}	Letter Black	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)		
riint speed-	Letter Color	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)		
	A4 Black	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)		
	A4 Color	Up to 25 ppm	Up to 30 ppm (with 8EP56AAE)	Up to 35 ppm (with 8EP57AAE)		
	First page out Letter Black	As fast as 11.1 sec	As fast as 9.4 sec (with 8EP56AAE)	As fast as 9.1 sec (with 8EP57AAE)		
	First page out Letter Color	As fast as 13.0 sec	As fast as 11.4 sec (with 8EP56AAE)	As fast as 10.8 sec (with 8EP57AAE)		
	First page out A4 Black	As fast as 11.1 sec	As fast as 9.4 sec (with 8EP56AAE)	As fast as 9.1 sec (with 8EP57AAE)		
	First page out A4 Color	As fast as 13.0 sec	As fast as 11.4 sec (with 8EP56AAE)	As fast as 10.8 sec (with 8EP57AAE)		
rint resolution	Black (best): Up to 1200 x 1200 dpi red reduced speed; Color (normal): Up to 60		600 x 600 dpi; Black (fine lines): Up to 1200 x 120 to 1200 x 1200 dpi	0 dpi; Color (best): Up to 1200 x 1200 c		
rint technology	Laser; Optical: Normal (600 x 600 4 bit), Best (1200 x 1200 1 bit)					
rint cartridges number	4 (1 each black, cyan, magenta, yellow)					
tandard print languages	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible					
rinter smart software vatures	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB					
olor scanning	Voc					
can speed Normal ⁵	Yes (200) (2					
·	Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color); Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) Duplex: Up to 240 ipm (b&w), u 240 ipm (color); Up to 240 ipm (b&w), up to 240 ipm (color)					
can type / Technology	ADF; Flatbed / Platen Scanner CCD Digital	al-CIS				
can resolution	Hardware: UP to 600 x 600 dpi; Optical:	Up to 600 x 600 dpi				
can file format	Hi-Compression PDF; JPEG; MTIFF; PDF;	PDFA; RTF; TIFF; XPS				
can input modes			er; Scan to USB; Scan to Job Storage; Open Extensib	ility Platform (OXP) HP Worknath		
	applications	in to Email, Scan to Network Folde	., sear to ose, sear to sob storage, open exterisio	nacy i acronin (on), Hr workpach		
can Size	ADF Maximum: 297 x 420 mm; ADF Mini	mum: 68 x 127 mm: 2 7 x 5 in Fla i	tbed: 297 x 432 mm:			
canner advanced features	· · · · · · · · · · · · · · · · · · ·	auto); scan to multi-destination; a	automatic tone; auto orientation; multi-feed detecti	on; document editing; auto paper color		
uplex ADF scanning	Yes, single pass duplex scanning	, , , ,				
DF capacity	Standard, 200 sheets					
	,					
wain version	Version 2.4					
t depth / Grayscale levels	24-bit/256					
		Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to FTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; so to multi destination, embedded OCR; auto-tone, auto orientation, autopage-crop; multi-feed detection; document editing; auto paper color removal; job separation autopage-crop; multi-feed detection; document editing; auto paper color removal; job separation				
igital sending standard	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au	act PDF; image adjustments (dark prientation; ID scan; job build; wat	ness, contrast, background cleanup, sharpness); op ermark; stamps; book mode scans; erase edges; ima	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so		
gital sending standard atures	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa	ness, contrast, background cleanup, sharpness); oj ermark; stamps; book mode scans; erase edges; ima ige-crop; multi-feed detection; document editing; a	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separatior		
gital sending standard atures	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm	ness, contrast, background cleanup, sharpness); oj ermark; stamps; book mode scans; erase edges; ima ige-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE)	ptimized text/picture (auto, text, mixed age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE)		
gital sending standard atures	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm	ness, contrast, background cleanup, sharpness); oj ermark; stamps; book mode scans; erase edges; ima ige-crop; multi-feed detection; document editing; a	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separatior		
gital sending standard atures	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm	ness, contrast, background cleanup, sharpness); oj ermark; stamps; book mode scans; erase edges; ima ige-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 35 cpm (with 8EP57AAE)		
gital sending standard atures	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm	ness, contrast, background cleanup, sharpness); oj ermark; stamps; book mode scans; erase edges; ima ige-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 35 cpm (with 8EP57AAE) Up to 35 cpm (with 8EP57AAE)		
gital sending standard atures	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm	ness, contrast, background cleanup, sharpness); oj ermark; stamps; book mode scans; erase edges; ima ige-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE)		
gital sending standard atures	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 18 cpm	ness, contrast, background cleanup, sharpness); oj ermark; stamps; book mode scans; erase edges; ima ige-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE)		
igital sending standard vatures	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopated by to 25 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm	ness, contrast, background cleanup, sharpness); oj ermark; stamps; book mode scans; erase edges; ima ige-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE)		
igital sending standard Patures	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm	ness, contrast, background cleanup, sharpness); oj ermark; stamps; book mode scans; erase edges; ima ige-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE)		
igital sending standard vatures	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm	ness, contrast, background cleanup, sharpness); of ermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE)		
gital sending standard atures	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex First copy out Letter Black	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec	ness, contrast, background cleanup, sharpness); oj ermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE)		
gital sending standard atures	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Color Duplex A4 Color Duplex A5 Color Duplex A6 Color Duplex A7 Color Duplex A8 Color Duplex A8 Color Duplex A9 Color Duplex A9 Color Duplex A1 Color Duplex A1 Color Duplex A2 Color Duplex A3 Color Duplex A4 Color Duplex A5 Color Duplex A6 Color Duplex A7 Color Duplex A8 Color Duplex A8 Color Duplex A9 Color Duplex A1 Color Duplex	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec	ness, contrast, background cleanup, sharpness); of ermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE)		
gital sending standard atures opy speed	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec As fast as 8.9 sec	ness, contrast, background cleanup, sharpness); of ermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE)		
gital sending standard atures opy speed opy resolution	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 600 x	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec As fast as 8.9 sec	ness, contrast, background cleanup, sharpness); of ermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE)		
igital sending standard eatures opy speed opy resolution laximum number of copies	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 600 x Up to 9999 copies	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec As fast as 8.9 sec	ness, contrast, background cleanup, sharpness); of ermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE)		
gital sending standard actures opy speed opy resolution aximum number of copies opier resize	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex A5 Color Duplex A6 Color Duplex A7 Color Duplex A7 Color Duplex A8 Color Duplex A9 Color Duplex Birst copy out Letter Black Birst copy out Letter Color Black (text and graphics):; Up to 600 x Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; copy; Watermark; Scan mode (book, 2-s	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm Constant as 6.7 sec As fast as 6.7 sec As fast as 8.9 sec As fast as 8.9 sec As fast as 8.9 sec Constant as 6.7 sec	ness, contrast, background cleanup, sharpness); of ermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; sc uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE)		
gital sending standard actures opy speed opy resolution aximum number of copies opier resize opier settings	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex A5 Color Duplex A6 Color Duplex A7 Color Duplex A7 Color Duplex A8 Color Duplex A9 Color Duplex A9 Color Duplex A9 Color Duplex A9 Color Duplex Birst copy out Letter Black Birst copy out Letter Color Black (text and graphics):; Up to 600 x Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; copy; Watermark; Scan mode (book, 2-s	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm Constant as 6.7 sec As fast as 6.7 sec As fast as 8.9 sec As fast as 8.9 sec As fast as 8.9 sec Constant as 6.7	ness, contrast, background cleanup, sharpness); opermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; sc uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE)		
opy resolution laximum number of copies opier resize opier settings	SMTP over SSL; auto color sense; comp printed picture, photograph); content to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 600 x Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; copy; Watermark; Scan mode (book, 2-s detect color/monochrome; Auto tone; N Up to: 33.6 kbps / Letter: 3 sec per page	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec As fast as 8.9 sec As fast as 8.9 sec Crop; Edge Erase; ID Scan; Image sided ID); Stamps; Image shift; Imadulti-feed detection; Document ed	ness, contrast, background cleanup, sharpness); of ermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE)		
gital sending standard actures opy speed opy resolution aximum number of copies opier resize opier settings ax speed ax resolution	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Black Duplex A6 Color Duplex A7 Color Duplex A8 First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 600 x Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; copy; Watermark; Scan mode (book, 2-s detect color/monochrome; Auto tone; N Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400)	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec Crop; Edge Erase; ID Scan; Image sided ID); Stamps; Image shift; Imadulti-feed detection; Document edes	ness, contrast, background cleanup, sharpness); of ermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) (3; N-up; Scalability, Text/Photo; Two-sidn; Automatically strainghten;		
gital sending standard actures opy speed opy resolution aximum number of copies opier resize opier settings ax speed ax resolution	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex A7 Black Duplex A8 Black Duplex A9 Black Duplex Black Color Black Brist copy out Letter Black Brist copy out Letter Black Brist copy out A4 Black Brist copy out A4 Black Brist copy out A4 Color Black (text and graphics):; Up to 600 x Black (text and graphics):; Up to 600 x Black (text and graphics): Black (best): Up to 300 x 300 dpi (400): Black (best): Up to 500 pages; Up to 500 Fax forwarding supported: Yes Fax pho	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm As fast as 6.7 sec As fast as 6.7 sec As fast as 8.9 sec As fast as 8.9 sec Goo dpi; Color (text and graphics and ulti-feed detection; Document edulti-feed detection supported: No Fax Minterface supported: No Fax	ness, contrast, background cleanup, sharpness); of ermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE)	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) (g) Roughly Strainghten; Automatically strainghten; Automatically strainghten; Automatically strainghten; Automatically strainghten; Automaticallephone mode supported: No Junk bar		
gital sending standard atures opy resolution aximum number of copies opier resize opier settings x speed x resolution x Features	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 600 x Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; copy; Watermark; Scan mode (book, 2-s detect color/monochrom; Auto tone; N Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 s) Fax memory: Up to 500 pages; Up to 5pa forwarding supported: Yes Fax pho supported: Yes Maximum Speed dialing No Telephone handset supported: No	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm As fast as 6.7 sec As fast as 6.7 sec As fast as 8.9 sec As fast as 8.9 sec Goo dpi; Color (text and graphics) Crop; Edge Erase; ID Scan; Image sided ID); Stamps; Image shift; Image ided ID); Stamps; Image shift; Image ided ID); Stamps; Image shift; Image shift; Image ided ID); Stamps; Image shift; Image s	ness, contrast, background cleanup, sharpness); of ermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Bitup to 600 x 600 dpi Black (standard): 203 x 98 dpi orted: Yes Auto-redialing: Yes Fax delayed sending: xpolling supported: Yes (poll to receive only) Fax to the supported of the supported of the section of the supported of the section of the supported of the supported of the section of the supported of the supported of the section of the supported of the su	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) (I) As fast as 6.8 sec (with 8EP57AAE) (II) As fast as 6.8 sec (with 8EP57AAE) (III) As fast as 6.8 sec (with 8EP57AAE)		
opy resolution aximum number of copies opier resize opier settings ax speed ax resolution ax Features andard connectivity	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex A7 Color Duplex A8 Black Duplex A9 Black Duplex Black Color Duplex Black (text and graphics):; Up to 600 x	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec Crop; Edge Erase; ID Scan; Image sided ID); Stamps; Image shift; Imadulti-feed detection; Document edection; Document edection; Document edection; Document edection; Up to 18 cpm As fast as 8.9 sec	ness, contrast, background cleanup, sharpness); opermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Brack (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Brack (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Brack (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Brack (with 8EP56AAE) Bra	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) (g; N-up; Scalability; Text/Photo; Two-siden; Automatically strainghten; Automatically strainghten; Automatically strainghten; Automatically strainghten; No Junk bar: Yes Remote retrieval capability supported the properties of the properties o		
py resolution aximum number of copies appier settings ax speed ax resolution ax Features andard connectivity andard capabilities	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; auautomatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex A7 Color Duplex A8 Color Duplex A9 Color Du	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm As fast as 6.7 sec As fast as 6.7 sec As fast as 8.9 sec As fast as 8.9 sec As fast as 8.9 sec Coo dpi; Color (text and graphics ded ID); Stamps; Image shift; Image ided ID); Stamps; Image shift; Image shift; Image ided ID); Stamps; Image ided ID); Stamps; Image ided ID); Image ided ID); Stamps; Image ided	ness, contrast, background cleanup, sharpness); opermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Brack (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Brack (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Brack (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Brack (with 8EP56AAE) Bra	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) (I) As fast as 6.8 sec (with 8EP57AAE)		
gital sending standard atures opy resolution aximum number of copies opier resize opier settings ax speed ax resolution ax Features andard connectivity etwork capabilities ireless capability	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; auautomatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 600 x Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; copy; Watermark; Scan mode (book, 2-s detect color/monochrom; Auto tone; N Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 s Fax memory: Up to 500 pages; Up to 500 supported: Yes Maximum Speed dialing No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000TX net SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000TX net SuperSpeed USB 3.0 (host)	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm As fast as 6.7 sec As fast as 6.7 sec As fast as 8.9 sec As fast as 8.9 sec As fast as 8.9 sec Coo dpi; Color (text and graphics ded ID); Stamps; Image shift; Image ided ID); Stamps; Image ided ID); Stamps; Image ided ID); Stamps; Im	ness, contrast, background cleanup, sharpness); opermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) By: Up to 600 x 600 dpi adjustment; Job build; Job storage; N or Z-ordering ge preview; Paper selection; Blank page suppressio liting; Auto paper color removal; Job separation Black (standard): 203 x 98 dpi orted: Yes Auto-predialing: Yes Fax delayed sending: expolling supported: Yes (poll to receive only) Fax the section of the proported of the supported	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) (g; N-up; Scalability; Text/Photo; Two-siden; Automatically strainghten; Automatically strainghten; Automatically strainghten; Automatically strainghten; No Junk bar: Yes Remote retrieval capability supported the properties of the properties o		
gital sending standard actures opy resolution aximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity ectwork capabilities fireless capability obile printing capability	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 600 x Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; copy; Watermark; Scan mode (book, 2-s detect color/monochrome; Auto tone; N Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 s) Fax memory: Up to 500 pages; Up to 5 Fax memory: Up to 500 pages; Up to 5 Fax memory: Up to 500 pages; Up to 500 pages; Up to 500 pages; Up to 500 pages; Up to 58x forwarding supported: Yes Fax phores supported: Yes Maximum speed dialing No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000TX net SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000 Optional, enabled with purchase of a hard Apple Air Print Time; Mopria Marchast Certified; Wi-Fax Maximum Certified; Wi-Fax Maximu	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm As fast as 6.7 sec As fast as 6.7 sec As fast as 8.9 sec As fast as 8.9 sec As fast as 8.9 sec Coo dpi; Color (text and graphics ded ID); Stamps; Image shift; Image ided ID); Stamps; Image ided ID); Stamps; Image ided ID); Stamps; Im	ness, contrast, background cleanup, sharpness); opermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) By: Up to 600 x 600 dpi adjustment; Job build; Job storage; N or Z-ordering ge preview; Paper selection; Blank page suppressio liting; Auto paper color removal; Job separation Black (standard): 203 x 98 dpi orted: Yes Auto-predialing: Yes Fax delayed sending: expolling supported: Yes (poll to receive only) Fax the section of the proported of the supported	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) (g; N-up; Scalability; Text/Photo; Two-siden; Automatically strainghten; Automatically strainghten; Automatically strainghten; Automatically strainghten; No Junk bar: Yes Remote retrieval capability supported the properties of the properties o		
opy resolution aximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities fireless capability obile printing capability emory	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; au automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 600 x Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; copy; Watermark; Scan mode (book, 2-s detect color/monochrome; Auto tone; N Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 s) Fax memory: Up to 500 pages; Up to 5 pages; U	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec	ness, contrast, background cleanup, sharpness); opermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Bright and the second of the secon	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; so uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) (g; N-up; Scalability; Text/Photo; Two-sid n; Automatically strainghten; Automatically strainghten; Automatically strainghten; Automatically strainghten; Supported: No Junk bare: Yes Remote retrieval capability supported: No Jun		
opy resolution aximum number of copies opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities fireless capability obile printing capability emory	SMTP over SSL; auto color sense; comp printed picture, photograph); content of to multi destination, embedded OCR; auautomatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Black Duplex A4 Color Duplex First copy out Letter Black First copy out Letter Color First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 600 × Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; copy; Watermark; Scan mode (book, 2-s detect color/monochrome; Auto tone; N Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 s) Fax memory: Up to 500 pages; Up to 500 supported: Yes Maximum speed dialing No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000TX net SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Optional, enabled with purchase of a ha Apple AirPrint™; Mopria™ Certified; Wi-F Standard: 6 GB; Maximum: 6 GB Quad Core (1.6GHz), Dual Core (1.4GHz) hardware encryption; Secure erase capa	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm As fast as 6.7 sec As fast as 6.7 sec As fast as 8.9 sec	ness, contrast, background cleanup, sharpness); of ermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Bas fast as 7.6 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Bas fast as 7.6 sec (with 8EP56AAE) As fast as	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; sc uto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) (a) As fast as 4.8 sec (with 8EP57AAE) (b) As fast as 4.8 sec (with 8EP57AAE) (c) As fast as 6.8 sec (with 8EP57AAE) (c) As fast as 6.8 sec (with 8EP57AAE) (d) As fast as 6.8 sec (with 8EP57AAE) (e) As fast as 6.8 sec (with 8EP57AAE) (f) As fast as 6.8 sec (with 8EP57AAE) (g) As fast as 6.8		
opy resolution leximum number of copies opier resize opier settings	SMTP over SSL; auto color sense; comprinted picture, photograph); content of to multi destination, embedded OCR; auautomatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Black Duplex A4 Color Duplex First copy out Letter Black First copy out Letter Color First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 600 × Up to 9999 copies 25 to 400% Booklet; Collation; Content orientation; copy; Watermark; Scan mode (book, 2-se) detect color/monochrome; Auto tone; No Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 sep) augustical section of the supported: Yes Maximum speed dialing No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000TX net SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000TX net SuperSpeed USB 3.0 (host) Standard: 6 GB; Maximum: Certified; Wi-F Stan	act PDF; image adjustments (dark prientation; ID scan; job build; wat ito-tone, auto orientation, autopa Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 25 cpm Up to 18 cpm As fast as 6.7 sec As fast as 8.9 sec As fast as 6.7 sec As fast as 8.9 sec	ness, contrast, background cleanup, sharpness); of ermark; stamps; book mode scans; erase edges; image-crop; multi-feed detection; document editing; a Up to 30 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) Up to 22 cpm (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 5.4 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Bas fast as 7.6 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Bas fast as 7.6 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Bas fast as 7.6 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) As fast as 7.6 sec (with 8EP56AAE) Bas fast as 7.6 sec (with 8EP56AAE) As fast	ptimized text/picture (auto, text, mixed, age preview; blank page suppression; scuto paper color removal; job separation Up to 35 cpm (with 8EP57AAE) Up to 24 cpm (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) As fast as 4.8 sec (with 8EP57AAE) As fast as 6.8 sec (with 8EP57AAE) Strand S		

Technical specifications

Paper handling	Input Capadities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; Input Capadities, Max: Up to 3140 sheets; Output Capadities Up to 500 sheets Standard; Up to 100 sheets			
	Duplex Options Automatic Envelope feeder: No; Standard paper trays; 3			
Media types supported	Plain, HP EccEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Color Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored			
Media weight supported	Tray 1: 60 to 300 g/m²; Tray 2, 3: 60 to 220 g/m²			
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Postcard, Postcard (JIS), Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, Ra4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k			
Media Sizes Custom	Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm			
What's in the box	5QJ94A In box materials; Guide install; Flyer Regulatory; Power Cords; Keyboard/Overlay for Z model; Label; Drums.			
Replacement cartridges'	HP Black Managed LJ Toner Cartridge (ISO Yield 14,500) W9140MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 12,000) W9141MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 12,000) W9142MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 29,000) W9150MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 24,000) W9151MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 24,000) W9153MC W161D (ISO YIELD XIED XIED W161D (ISO YIELD XIED XIED XIED XIED XIED XIED XIED XIE			
Product dimensions	W x d x h: 640.8 x 725.5 x 908.1 mm; Maximum: 1681 x 1196 x 1241 mm;			
Product weight	~84.2 kg;			
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.			
Energy star certified	Yes			
Ecolabels	EPEAT® registered; Blue Angel; IT ECO Declaration			
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker			
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)			
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com			
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPV3, HTTPS, Certificates, Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Gredentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs			
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS			
Compatible network operating systems	Windows Server; Linux; Citrix; UNIX; Novell			
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com			
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 580 watts (25ppm, printing), 670 wat (30ppm, printing), 720 watts (35ppm, printing), 32.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)			
Acoustics	Acoustic power emissions: 6.60 Bel(A), printing color simplex A4 at 25ppm; 6.70 Bel(A), printing color simplex A4 at 30ppm; 6.75 Bel(A), printing color simplex A4 at 35ppm; Acoustic Pressure Emissions (active, printing): 50 dB(A), printing color simplex A4 at 25ppm; 51 dB(A), printing color simplex A4 at 35ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm			
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH			

Messaging Footnotes

¹ HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive inclass printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 quidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims

Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

4 HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details

6 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See <a href="http://www.epeat.netfor.org/literature/public/l

9 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
9 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic

10 HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Technical Specifications Footnotes

1 Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.

2 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application,

driver, and document complexity.

Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)













To learn more, visit

© Copyright 2023 HP Development Company, L.P. The information contained here is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty, HP shall not be liable for technical or editional errors or omissions contained herein. ENERGY STAR and the ENERGY STA Linus Torvalds. UNIX is a registered trademark of The Open Group.

