# HP LaserJet Managed MFP E730dn



#### Powerful, Flexible, Secure,

Change is the only constant in business. Advance your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers 'you'll stay secure and simplify fleet management for busy IT pros.



# Unleash peak productivity.

- Tackle anything with our powerful processor. Maximize your productivity and increase your overall print performance by copying, scanning and printing
  documents of all sizes at virtually full speed.
- Increase your day-to-day productivity with our industry leading, single pass 120 ipm <sup>2</sup> duplex scanning.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 8-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart <sup>3</sup> firmware.

#### Customizable solutions built to last.

- Make your day-to-day more productive with customized experiences with cloud-connected HP Workpath apps <sup>4</sup> that let you access personalized content, integrate paper and digital workflows.
- Unleash your creativity and match any office decor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform, containing hundreds of HP and third-party solutions as well as card reader support.

#### Always on guard with HP Wolf Security. 5

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified <sup>6</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

## Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content. 7
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. 8 Printing that puts the planet first
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Silver, Energy Star, and Blue Angel. 9
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

#### Product walkaround

- 1. Flatbed scanner handles sheets up to 11x17-inch (297 x 432 mm)
- 2. 500-sheet output bin
- 3. Automatic two-sided printing
- 4. Easy-access USB port<sup>1</sup>
- 5. Front door access to toner cartridges
- 6. Slot for cable-type security lock
- 7. Super Speed USB 3.0 Host Port
- 8. Hi-Speed USB 2.0 Host Port
- 9. Gigabit Ethernet Port
- 10. Hi-Speed USB 2.0 device port
- 11. 520-sheet tray 3 supports media sizes up to A3 (11x17-inch)
- 12. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17-inch)
- 13. 8.0-inch color touchscreen display (20.3 cm)
- 14. Power button
- 15. Hardware Integration Pocket(for connecting accessory and third-party devices)<sup>2</sup>
- 16. Right door access to the print path
- 17. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17-inch)
- 18. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 19. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17-inch)



# Series at a glance

Model	HP color Laser Jet Managed MFP E785dn	
Product number	5QJ87A	5QJ87A (Base) + 8EP55AAE (Speed license)
Print speed (A4 and letter, black and color) <sup>3</sup>	Up to 25 ppm	Up to 30 ppm
Scan speed(A4 and letter, black and color) <sup>4</sup>	60 ppm/120 ipm, simplex/duplex (both models)	
Functions	Print, copy, and scan (fax and wireless optional) (both models)	

# Top features

Get more done faster with leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quad-core processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Silver, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

## Services and Solutions

Service and Suppor	U9PR6E HP A3 E7xxxx/E8xxxx MFP Installation SVC U35JNE HP Mkrs LJ E730xx Fus110 Roller SVC U35JTE HP Mkrs LJ E730xx Fus220 Roller SVC U35JSE HP Mkrs LJ E730xx BID Roller SVC U35JWE HP Mkrs LJ E730xx BID Roller SVC U35JWE HP Mkrs LJ E730xx BID Roller SVC U04NTPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx U04NTPE HP 1 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E730xx U04NTPE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx U04NSPE HP 2 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E730xx U04NSPE HP 3 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx U04NDE HP 3 year Next Business Day with DMR Service for LaserJet Managed MFP E730xx U04NTPE HP 4 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx U04NTPE HP 4 year Next Business Day with DMR Service for LaserJet Managed MFP E730xx U04NTPE HP 5 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx U04NTPE HP 5 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx U04NTPE HP 5 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx U04NTPE HP 5 year 8 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx U04NTPE HP 5 year 8 hour 9x5 with DMR Service for LaserJet Managed MFP E730xx
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights  Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App  Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Smart Printer Administrator's Resource Kit

<sup>2</sup> An administrator must enable the easy-access USB port before use. 3 Solutions deployed through the Hardware htegration Pocket (HP) may require additional purchase. 4 Measured using 50/IEC 24734, excludes first set of test documents. For more information, seehp. com go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

8EP55AAE HP LaserJet Managed MFP E730 25 to 30ppm License

**5QK14A** HP MFP 810 Analog Dual Fax 5UKT4A HP MFP 810 Analog Dual Fax
72A08A HP MFP 800 Analog Single Fax
190ATA HP LaserJet Workgroup Lunar Gray Color Panel
190A6A HP LaserJet Workgroup Zx520 sheet Paper Tray/Stand Lunar Gray Color Panel
190A9A HP LaserJet Workgroup Stand Lunar Gray Color Panel
190B1A HP LaserJet Workgroup Comet Red Color Panel
190B6A HP LaserJet Workgroup Comet Red Color Panel
190B9A HP LaserJet Workgroup Stand Comet Red Color Panel
190B9A HP LaserJet Workgroup Stand Comet Red Color Panel
190C1A HJ LaserJet Workgroup Comet Red Color Panel 19053A HP Laser Jet Workgroup Staffa Cornect red Cool Fainet
190C1A HP Laser Jet Workgroup Cosmic Green Color Panel
190C3A HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel
190C3A HP Laser Jet Workgroup Stand Cosmic Green Color Panel
190C1A HP Laser Jet Workgroup Constellation Yellow Color Panel 1900TA HP Laser Jet Workgroup Constellation Yellow Color Panel
19006A HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel
19009A HP Laser Jet Workgroup Stand Constellation Yellow Color Panel
190F1A HP Laser Jet Workgroup Aurora Purple Color Panel
190F6A HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel
190F9A HP Laser Jet Workgroup Stand Aurora Purple Color Panel
190F9A HP Laser Jet Workgroup Stand Aurora Purple Color Panel
6GW46A HP Laser Jet Inner Finisher
6GW49A HP Laser Jet Inner Finisher 6GW54A HP LaserJet Workgroup Stand Y1G13A HP LaserJet Inner/Booklet Staples 155P7A HP Laser Jet Inner Finisher 2/3 Hole Punch 155P8A HP Laser Jet Inner Finisher 2/4 Hole Punch 15576A HP Laser Jet InnerFinisher 2/4 Hole Punch
GGWSZA HP Laser Jet Workgroup Job Separator
Y1622A HP Laser Jet Paper Tray Heaters Accessory
Y1623A HP Laser Jet Second Exit Accessory
9EQ11AHP 500GB CCC, FIPS Hard Disk Drive
4XN67A Internal USB Expansion Kit 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory BSL31A HP Foreign Interface Harness SFP31A HP Jetdirect LAN Accessory 4QL32A HP Legic Secure USB Reader X3D03A HP USB Universal Card Reader Y7C05A HP HIP2 Keystroke Reader Y7CO7A HP SIM for HID iClass for HIP2 Reader Speed Licenses

## Data sheet | HP LaserJet Managed MFP E730dn

# **Technical specifications**

Functions	Print, copy, scan, fax (optional)				
Print speed <sup>3,4</sup>	Letter Black	Up to 25 ppm	Up to 30 ppm (with 8EP55AAE)		
	A4 Black	Up to 25 ppm	Up to 30 ppm (with 8EP55AAE)		
	First page out Letter Black	As fast as 9.3 sec	As fast as 9.3 sec (with 8EP55AAE)		
	First page out A4 Black	As fast as 9.3 sec	As fast as 9.3 sec (with 8EP55AAE)		
Print resolution	Black (best): Up to 1200 x 1200 dpi reduced speed;	Black (normal): Up to 600 x 600 dpi; Black	(fine lines): Up to 1200 x 1200 dpi		
rint technology	Laser; <b>Optical:</b> Normal (600 x 600 4 bit); Best (1200	x 1200 1 bit)			
rint cartridges number	1 (black)				
tandard print languages	HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible				
Printer smart software eatures	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB				
Color scanning	Yes				
can speed Normal <sup>5</sup>	Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color); Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color) <b>Duplex</b> : Up to 120 ipm (b&w), up to 120 ipm (b&w), up to 120 ipm (color); Up to 120 ipm (b&w), up to 120 ipm (color)				
Scan type / Technology	ADF; Flatbed / Contact Image Sensor (CIS)				
can resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi				
ican file format					
ican input modes	Hi-Compression PDF; JPG; MTIFF; PDFA; TIFF; XPS				
•	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications				
ican Size	<b>ADF Maximum:</b> 297 x 420 mm; 11 x 17 in <b>ADF Minimum:</b> 105 x 127 mm; 4.1 x 5 in <b>Flatbed:</b> 297 x 432 mm; 11.69 x 17 in				
uplex ADF scanning	Yes, single pass duplex scanning				
DF capacity	Standard, 100 sheets				
wain version	Version 2.4				
it depth / Grayscale levels					
igital sending standard		trive: scan to SharePoint: scan to FTP: scar	n to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SM		
eatures	over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image previe page suppression; automatically straighten				
	page suppression; automatically straighten	·			
opy speed	page suppression; automatically straighten <b>Letter Black</b>	Up to 25 cpm	Up to 30 cpm (with 8EP55AAE)		
opy speed	page suppression; automatically straighten  Letter Black  A4 Black	Up to 25 cpm Up to 25 cpm	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE)		
opy speed	page suppression; automatically straighten  Letter Black  A4 Black  Letter Black Duplex	Up to 25 cpm Up to 25 cpm Up to 19 cpm	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE)		
opy speed	page suppression; automatically straighten  Letter Black  A4 Black  Letter Black Duplex  A4 Black Duplex	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm Up to 19 cpm	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE)		
Copy speed	page suppression; automatically straighten  Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)		
	page suppression; automatically straighten  Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm Up to 19 cpm	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE)		
iopy resolution	page suppression; automatically straighten  Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics); Up to 600 × 600 dpi	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)		
iopy resolution Naximum number of copies	page suppression; automatically straighten  Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 600 dpi  Up to 9999 copies	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)		
Copy resolution Maximum number of copies Copier resize	page suppression; automatically straighten  Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 600 dpi  Up to 9999 copies 25 to 400%	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec As fast as 5.5 sec	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)		
Copy resolution Haximum number of copies Copier resize Copier settings	page suppression; automatically straighten  Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 600 dpi  Up to 9999 copies 25 to 400%	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec As fast as 5.5 sec	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)  Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlare		
opy resolution laximum number of copies opier resize opier settings	page suppression; automatically straighten  Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Auto-fit; Booklet; Collation; Content orientation; Ed	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec As fast as 5.5 sec	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)  Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlare		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed	page suppression; automatically straighten  Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 600 dpi Up to 9999 copies 25 to 400% Auto-fit; Booklet; Collation; Content orientation; Ed Scan mode (book, 2-sided ID); Stamps; Image overlands	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec As fast as 5.5 sec ge Erase; Image adjustment; Job build; Noray; Image shift; Image preview; Paper select	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)		
Copy resolution  Maximum number of copies Copier resize Copier settings  Fax speed Fax resolution Fax Features	page suppression; automatically straighten  Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 600 dpi  Up to 9999 copies 25 to 400% Auto-fit; Booklet; Collation; Content orientation; Ed Scan mode (book, 2-sided ID); Stamps; Image overlup to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 400 dpi fo  Fax memory: Up to 500 pages; Up to 500 pages Aut Fax forwarding supported; Yes Fax phone TAM inter	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec As fast as 5.5 sec  Ge Erase; Image adjustment; Job build; Noray; Image shift; Image preview; Paper selection of ax reduction supported: Yes Auto-rediaface supported: No Fax polling supported:	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)		
opy resolution Aaximum number of copies Opier resize Opier settings Tax speed Tax resolution Tax Features	page suppression; automatically straighten  Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 600 dpi  Up to 9999 copies 25 to 400% Auto-fit; Booklet; Collation; Content orientation; Ed Scan mode (book, 2-sided ID); Stamps; Image overlup to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 400 dpi fo Fax memory: Up to 500 pages; Up to 500 pages Aut Fax forwarding supported: Yes Fax phone TAM inter supported: Yes Maximum speed dialing numbers: Up to Telephone handset supported: No	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec As fast as 5.5 sec  ge Erase; Image adjustment; Job build; Noray; Image shift; Image preview; Paper select received faxes only); Black (standard): 203 of fax reduction supported: Yes Auto-redial face supported: No Fax polling supported: to 1000 numbers (each with 210 destinations)	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)  Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlargion; Blank page suppression; Scan to job storage  3 x 98 dpi ing: Yes Fax delayed sending: No Distinctive ring detection supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barri		
opy resolution laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity	page suppression; automatically straighten  Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Auto-fit; Booklet; Collation; Content orientation; Ed Scan mode (book, 2-sided ID); Stamps; Image overlup to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 400 dpi fo Fax memory: Up to 500 pages Automatically forwarding supported: Yes Fax phone TAM intersupported: Yes Maximum speed dialing numbers: Up to Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network; 1 Hardworks A4 Black	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec As fast as 5.5 sec  ge Erase; Image adjustment; Job build; Noray; Image shift; Image preview; Paper select received faxes only); Black (standard): 203 of fax reduction supported: Yes Auto-redial face supported: No Fax polling supported: to 1000 numbers (each with 210 destinations)	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)  Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlargion; Blank page suppression; Scan to job storage  3 x 98 dpi ing: Yes Fax delayed sending: No Distinctive ring detection supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barritions) PC interface supported: Yes Remote retrieval capability supported:		
opy resolution laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities	page suppression; automatically straighten  Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 600 dpi Up to 9999 copies 25 to 400% Auto-fit; Booklet; Collation; Content orientation; Ed Scan mode (book, 2-sided ID); Stamps; Image overlup to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 400 dpi fo Fax memory: Up to 500 pages Aut Fax forwarding supported: Yes Fax phone TAM inter supported: Yes Maximum speed dialing numbers: Up to Telephone handset supported: No  1 Gigabit Ethernet 10/100/1000T network; 1 Hardy SuperSpeed USB 3.0 (host)	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec As fast as 5.5 sec  Ge Erase; Image adjustment; Job build; Nor ay; Image shift; Image preview; Paper select areceived faxes only); Black (standard): 201 of fax reduction supported: No Fax polling supported: to 1000 numbers (each with 210 destination are Integration Pocket 2nd generation (HIII)	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)  Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlandon; Blank page suppression; Scan to job storage  3 x 98 dpi ing: Yes Fax delayed sending: No Distinctive ring detection supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barr tions) PC interface supported: Yes Remote retrieval capability supported:		
opy resolution laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities	page suppression; automatically straighten  Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Auto-fit; Booklet; Collation; Content orientation; Ed Scan mode (book, 2-sided ID); Stamps; Image overlu Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 400 dpi fo Fax memory: Up to 500 pages; Up to 500 pages Aut Fax forwarding supported: Yes Fax phone TAM inter supported: Yes Maximum speed dialing numbers: U No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network; 1 Hardv Super Speed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Ethernet) Optional, enabled with purchase of a hardware acce	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec As fast as 5.5 sec As fast as 5.5 sec  ge Erase; Image adjustment; Job build; Noray; Image shift; Image preview; Paper select received faxes only); Black (standard): 202 of fax reduction supported: Yes Auto-redial face supported: No Fax polling supported: to 1000 numbers (each with 210 destination of the properties of the supported supported: No Fax polling supported: No 1000 numbers (each with 210 destination of the properties of the supported supported: No Fax polling supported: No 1000 numbers (each with 210 destination of the properties of the supported supported: No Fax polling supported: No Fax polling supported: No 1000 numbers (each with 210 destination of the support	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)  Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlarion; Blank page suppression; Scan to job storage  3 x 98 dpi ing: Yes Fax delayed sending: No Distinctive ring detection supported: Yes (poll to receive only) Fax telephone mode supported: No Junk bartions) PC interface supported: Yes Remote retrieval capability support		
Copy resolution  Aaximum number of copies Copier resize Copier settings  Fax speed Fax resolution Fax Features  Standard connectivity  Setwork capabilities  Vireless capability  Aobile printing capability	page suppression; automatically straighten  Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 600 dpi Up to 9999 copies 25 to 400% Auto-fit; Booklet; Collation; Content orientation; Ed Scan mode (book, 2-sided ID); Stamps; Image overlup to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 400 dpi for Fax memory: Up to 500 pages; Up to 500 pages Aut Fax forwarding supported; Yes Fax phone TAM inter supported: Yes Maximum speed dialing numbers: Up No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network; 1 Hardv Super Speed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Ethernet) Optional, enabled with purchase of a hardware acceed Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Print	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec As fast as 5.5 sec As fast as 5.5 sec  ge Erase; Image adjustment; Job build; Noray; Image shift; Image preview; Paper select received faxes only); Black (standard): 202 of fax reduction supported: Yes Auto-redial face supported: No Fax polling supported: to 1000 numbers (each with 210 destination of the properties of the supported supported: No Fax polling supported: No 1000 numbers (each with 210 destination of the properties of the supported supported: No Fax polling supported: No 1000 numbers (each with 210 destination of the properties of the supported supported: No Fax polling supported: No Fax polling supported: No 1000 numbers (each with 210 destination of the support	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)  Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlarion; Blank page suppression; Scan to job storage  3 x 98 dpi ing: Yes Fax delayed sending: No Distinctive ring detection supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barritions) PC interface supported: Yes Remote retrieval capability support		
Copy resolution  Maximum number of copies Copier resize Copier settings  Fax speed Fax resolution Fax Features  Standard connectivity  Network capabilities  Mireless capability  Memory	Letter Black A4 Black Letter Black Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 x 600 dpi Up to 9999 copies 25 to 400% Auto-fit; Booklet; Collation; Content orientation; Ed Scan mode (book, 2-sided ID); Stamps; Image overl Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 x 300 dpi (400 x 400 dpi fo Fax memory: Up to 500 pages; Up to 500 pages Aut Fax forwarding supported: Yes Fax phone TAM inter supported: Yes Maximum speed dialing numbers: Up No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network; 1 Hardv SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Ethernet) Optional, enabled with purchase of a hardware accee Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Prin Standard: GB; Maximum: GB	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec As fast as 5.5 sec As fast as 5.5 sec  ge Erase; Image adjustment; Job build; Noray; Image shift; Image preview; Paper select received faxes only); Black (standard): 20: of ax reduction supported: Yes Auto-rediaface supported: No Fax polling supported: to 1000 numbers (each with 210 destination of the control	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)  7Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlarion; Blank page suppression; Scan to job storage  8 x 98 dpi ing: Yes Fax delayed sending: No Distinctive ring detection supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barritions) PC interface supported: Yes Remote retrieval capability support		
Copy resolution  Asximum number of copies Copier resize Copier settings  C	Letter Black A4 Black Letter Black Duplex A4 Black Duplex A4 Black Duplex First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 600 dpi Up to 9999 copies 25 to 400% Auto-fit; Booklet; Collation; Content orientation; Ed Scan mode (book, 2-sided ID); Stamps; Image overlup to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 400 dpi fo Fax memory: Up to 500 pages; Up to 500 pages Auto-frax forwarding supported: Yes Fax phone TAM inter supported: Yes Maximum speed dialing numbers: Uno Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network; 1 Hardy SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Ethernet) Optional, enabled with purchase of a hardware acceed Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Prin Standard:6 GB; Maximum:6 GB Quad Core (1.6GHz)+Dual Core (1.4GHz) / Hard disk capabilities (Secure File Erase-Temporary Job Files, Scandard)	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec As fast as 5.5 sec As fast as 5.5 sec  Ge Erase; Image adjustment; Job build; Nor ay; Image shift; Image preview; Paper select Treceived faxes only); Black (standard): 203 of fax reduction supported: No Fax polling supported: to 1000 numbers (each with 210 destination of 1000 numbers (each with 210 destination); Printer Standard, 32 GB eMMC; Optional, HP Laser ecure Erase-Job Data, Secure ATA Erase-Dis	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)  Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlargion; Blank page suppression; Scan to job storage  3 x 98 dpi ing; Yes Fax delayed sending: No Distinctive ring detection supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barretions) PC interface supported: Yes Remote retrieval capability supportions) PC interface supported: Yes Remote retrieval capability supportions) PC interface Supported: Yes Remote retrieval capability supportions PC); 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1		
Copy resolution  Aaximum number of copies Copier resize Copier settings  Fax speed Fax resolution Fax Features  Standard connectivity  Setwork capabilities  Vireless capability  Aobile printing capability	Letter Black A4 Black Letter Black Duplex A4 Black Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out A4 Black Black (text and graphics):; Up to 600 × 600 dpi Up to 9999 copies 25 to 400% Auto-fit; Booklet; Collation; Content orientation; Ed Scan mode (book, 2-sided ID); Stamps; Image overlu Up to: 33.6 kbps / Letter: 3 sec per page Black (best): Up to 300 × 300 dpi (400 × 400 dpi fo Fax memory: Up to 500 pages; Up to 500 pages Auto-fax forwarding supported: Yes Fax phone TAM inter supported: Yes Maximum speed dialing numbers: U No Telephone handset supported: No 1 Gigabit Ethernet 10/100/1000T network; 1 Hardv SuperSpeed USB 3.0 (host) Standard (built-in Gigabit 10/100/1000T Ethernet) Optional, enabled with purchase of a hardware acce Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Prir Standard:6 GB; Maximum:6 GB Quad Core (1.6GHz)+Dual Core (1.4GHz) / Hard disk	Up to 25 cpm Up to 25 cpm Up to 19 cpm Up to 19 cpm As fast as 5.5 sec As fast as 5.5 sec As fast as 5.5 sec  ge Erase; Image adjustment; Job build; Nor ay; Image shift; Image preview; Paper select received faxes only); Black (standard): 203 of fax reduction supported: No Fax polling supported: to 1000 numbers (each with 210 destination of 1000 numbers) (each with 210 destinations; NFC Touch-to-print (optional); Printed Standard, 32 GB eMMC; Optional, HP Laser	Up to 30 cpm (with 8EP55AAE) Up to 30 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) Up to 20 cpm (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE) As fast as 5.5 sec (with 8EP55AAE)  Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlargion; Blank page suppression; Scan to job storage  3 x 98 dpi ing; Yes Fax delayed sending: No Distinctive ring detection supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barretions) PC interface supported: Yes Remote retrieval capability supportions) PC interface supported: Yes Remote retrieval capability supportions) PC interface Supported: Yes Remote retrieval capability supportions PC); 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1		

#### Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Trav1: up to 100 sheets; Trav2: up to 520 sheets; Trav3: up to 520 sheets) Standard; Up to 10 envelopes; Input Capacities, Max:			
raper nanding	Up to 2180 sheets (Tray1: up to 100 sheets; Tray 2, 3, 4 & 5: up to 520 sheets);			
	Output Capacities: Up to 500 sheets Standard; Up to 100 sheets;			
	Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3			
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stoc 176-220g, Mono Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored			
Media weight supported				
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio 8.5 x 13, 11 x 17, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, Envelope #9, Envelope #10, Envelope Monarch; Tray 2:			
	Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 16k; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 8k, 16k Tray 1: A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Postcard, Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, Ra4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k			
Media Sizes Custom	Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.48 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.48 x 8.27 to 11.69 x 17 inTray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm			
What's in the box	<b>5QJ87A</b> In box materials; Guide install, Flyer Regulatory, Power Cords, Label, Drums.			
Replacement cartridges <sup>1</sup>	HP Black Managed LaserJet Toner Cartridge (ISO Yield 18,000) W9034MC, HP Black Managed LaserJet Toner Cartridge (ISO Yield 33,000) W9035MC			
Product dimensions	<b>W x d x h:</b> 566 x 646 x 798 mm; 22.3 x 25.4 x 31.4 in <b>Maximum:</b> 1369 x 1196 x 1121 mm; 53.9 x 47.1 x 44.1 in			
Product weight	57.6 kg; 126.9 lb			
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.			
Energy star certified	Yes			
Ecolabels	EPEAT® registered; Blue Angel; IT ECO Declaration			
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker			
Display description	8-in (20.3 cm) touchscreen, XGA Color Graphic Display (CGD)			
Software included	No software solutions are included in the Box only on http://hp.com.http://123.hp.com			
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS			
Compatible network operating systems	Windows Server; Linux; Citrix; UNIX; Novell			
Minimum system	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available			
requirements	hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com			
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 510 watts (25ppm, printing), 560 watts (30ppm, printing), 29.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)			
Acoustics	Acoustic power emissions: 6.63 Bel(A), printing simplex A4 at 25ppm; 6.75 Bel(A), printing simplex A4 at 30ppm; Acoustic Pressure Emissions (active, printing): 51dB(A), printing simplex A4 at 25ppm; 52dB(A), printing simplex A4 at 30ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), ADF scan A4 at 60ipm			
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH			

#### **Messaging Footnotes**

HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive inclass printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software
Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

Some features enabled by future HP Future Smart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details.

Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf

100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list.
Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.
"HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT\* registered where applicable. EPEAT registration varies by country. See

http://www.epeat.net for registration status by country.

HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

#### Technical Specifications Footnotes

<sup>1</sup> Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

<sup>2</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application,

driver, and document complexity.

Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)













