HP LaserJet Managed MFP E731dn Printer Series



Powerful, Flexible, Secure

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers 'you'll stay secure and simplify fleet management for busy IT pros



Customizable solutions built to last.

- Your business needs met. Make the most of performance with unprecedented, flexible configurations built to support the demands of your business.
- Expand device functionality and performance with upgradeable options through any point in contract.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.²
- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate
 paper and digital workflows.²

Unleash peak productivity.

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.3
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.

Always on guard with HP Wolf Security. 5

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified⁶ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ with active system monitoring is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the
 execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁸
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. 9 Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Silver, Energy Star, and Blue Angel.⁹
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to $297 \times 432 \text{ mm} (11 \times 17 \text{ in})$
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3 (11x17 in)
- 14. 200-sheet dual side ADF supports media sizes up to A3 (11x17 in)
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17 in)
- 19. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17 in)



Series at a glance

	1				
Model	HP LaserJet Managed MFP E731dn				
Product number	5QJ98A	5QJ98A (Base) + 8EP58AAE (Speed license)	5QJ98A (Base) + 8EP59AAE (Speed license)		
Print speed (A4 and letter, black and color) ³	Up to 30 ppm	Up to 35 ppm	Up to 40 ppm		
Scan speed(A4 and letter, black and color) ⁴	90 ppm/180 ipm, simplex/duplex				
Functions	Print, copy, and scan (fax and wireless optional) (all models)				
ADF capacity	200 sheets				
Input capacity	Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)				
Advanced workflow features	No				

Top features

Optimize your workflows and help increase productivity with upgradeable hardware options and scalable solutions to support your workforce for today and tomorrow.

Get more done faster with printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quad-core processor.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Silver, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	U04NYE HP 1 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx U04NOE HP 3 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx U04POE HP 4 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx U04P1E HP 5 year Next Business Day with DMR Service for LaserJet Managed MFP E731xx U04P2E HP 3 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx U04P3E HP 4 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx U04P3E HP 5 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx U04P3E HP 1 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only) U04P8E HP 1 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only) U04PVE HP 5 year Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx (Managed Component Only) U04PVE HP 5 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E731xx (Managed Component Only) U04PVE HP 1 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E731xx U04PYPE HP 1 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E731xx U04PYPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx U04PYPE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E731xx U04PYPE HP 1 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx U04PYPE HP 2 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx U04Q4PE HP 2 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx U04Q4PE HP 2 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx U04Q4PE HP 2 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx U04Q4PE HP 2 year PW Parts Exchange w/DMR Service for LaserJet Managed MFP E731xx
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Smart Printer Administrator's Resource Kit

¹_2 Solutions deployed through the Hardware Integration Pocket (HP) may require additional purchase.
3 An administrator must enable the easy-access USB port before use.
4 Measured using 5 O/EC 24734, excludes Frissted first of tocuments. For more information, seeh p. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
5 can speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Front panel optional colors



*Available with optional color panel accessories

```
15SP7AHP Liser let time Finisher 2/3 HolePunch
15SP7AHP Liser let time Finisher 2/3 HolePunch
15SP7AHP Liser let time Finisher 2/3 HolePunch
15DAA1AP Liser let Workgroup Liber Gray Color Pand
15DAA1AP Liser let Workgroup High Gray Color Pand
15DAA1AP Liser let Workgroup High Capacity Paper Tray/Stand Lunar Gray Color Pand
15DAA1AP Liser let Workgroup Stand Lunar Gray Color Pand
15DAA1AP Liser let Workgroup Stand Lunar Gray Color Pand
15DBAA1P Liser let Workgroup Stand Lunar Gray Color Pand
15DBAA1P Liser let Workgroup Stand Come Red Color Pand
15DBAA1P Liser let Workgroup Coloric Ceren Color Pand
15DBAA1P Liser let Workgroup Stand Come Red Color Pand
15DBAA1P Liser let Workgroup Stand Come Red Color Pand
15DBAA1P Liser let Workgroup Stand Come Red Color Pand
15DBAA1P Liser let Workgroup Stand Come Red Color Pand
15DBAA1P Liser let Workgroup Stand Come Red Color Pand
15DBAA1P Liser let Workgroup Liber Stand Come Red Color Pand
15DBAA1P Liser let Workgroup Liber Stand Come Red Color Pand
15DBAA1P Liser let Workgroup Liber Capacity Paper Tray/Stand Considerior Gene Color Pand
15DBAA1P Liser let Workgroup Liber Capacity Paper Tray/Stand Considerior Pand
15DBAA1P Liser let Workgroup Liber Capacity Paper Tray/Stand Considerior Pand
15DBAA1P Liser let Workgroup Liber Capacity Paper Tray/Stand AuroraPurple Color Pand
15DBAA1P Liser let Workgroup Liber Capacity Paper Tray/Stand AuroraPurple Color Pand
15DBAA1P Liser let Workgroup Liber Color Pand
15DBAA1P Liser let X-Sca Sheet Workgroup Liber Color Pand
15DBAA1P Liser let X-Sca Sheet Workgroup Liber Color Pand
15DBAA1P Liser let X-Sca Sheet Workgroup Liber Color Pand
15DBAA1P Liser let X-Sca Sheet Workgroup Liber Color Pand
15DBAA1P Liser let X-Sca Sheet Workgroup Liber Color Pand
15DBAA1P Liser let Kolor Pand
15DBAA1P Liser let Kolor Pand
15DBAA1P Liser let Workgroup Liber Color Pand
15DB
```

8EP58AAE HP Laser Jet Managed MFP E731 30 to 35ppm License 8EP59AAE HP Laser Jet Managed MFP E731 30 to 40ppm License 8LB47AAE HP Laser Jet Managed MFP E731 35 to 40ppm License

^{*} HP LaserJet Workflow Accelerator Card. 6HN30A will be available in January 2023.

Functions	Print, copy, scan, fax (optional)					
Print speed ^{3,4}	Letter Black	Up to 30 ppm	Up to 35 ppm (with 8EP58AAE)	Up to 40 ppm (with 8EP59AAE)		
•	A4 Black	Up to 30 ppm	Up to 35 ppm (with 8EP58AAE)	Up to 40 ppm (with 8EP59AAE)		
	First page out Letter Black	As fast as 8.9 sec	As fast as 8.1sec (with 8EP58AAE)	As fast as 7.6sec (with 8EP59AAE)		
	First page out A4 Black	As fast as 8.9 sec	As fast as 8.1 sec (with 8EP58AAE)	As fast as 7.6 sec (with 8EP59AAE)		
Print resolution	Black (best): Up to 1200 x 1200 dp	i reduced speed; Black (normal): Up to	600 x 600 dpi; Black (fine lines): Up to 1200 x 120	00 dpi		
Print technology	Laser; Optical: Normal (600 x 600 4	bit); Best (1200 x 1200 1 bit)				
Print cartridges number	1 (black)					
Standard print languages	HP PCL 5e, HP PCL 6, HP Postscript	level 3 emulation, PDF (v 1.7), AirPrint	™ compatible			
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB					
Color scanning	Yes					
Scan speed Normal	Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color); Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color) Duplex : Up to 180 ipm (b&w), up to 18 ipm (color); Up to 180 ipm (b&w), up to 180 ipm (color)					
Scan type / Technology	ADF; Flatbed / Charge Coupled Device (CCD) Flatbed; Contact Image Sensor (CIS) ADF					
Scan resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi					
Scan file format	Hi-Compression PDF; JPEG; MTIFF; PDFA; TIFF; XPS					
Scan input modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications					
Scan Size		Minimum: 68 x 127 mm; 2.7 x 5 in Flat	hed: 297 x 432 mm:			
Duplex ADF scanning	Yes, single pass duplex scanning	· ····································	JCC. ESTATSE HILL	_		
ADF capacity						
	Standard, 200 sheets					
	Version 2.4					
Bit depth / Grayscale levels	24-bit/256					
Digital sending standard features	Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SM over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; bla page suppression; automatically straighten					
Copy speed	Letter Black	Up to 30 cpm	Up to 35 cpm (with 8EP58AAE)	Up to 40 cpm (with 8EP59AAE)		
	A4 Black	Up to 30 cpm	Up to 35 cpm (with 8EP58AAE)	Up to 40 cpm (with 8EP59AAE)		
	Letter Black Duplex	Up to 20 cpm	Up to 23 cpm (with 8EP58AAE)	Up to 25 cpm (with 8EP59AAE)		
	A4 Black Duplex	Up to 20 cpm	Up to 23 cpm (with 8EP58AAE)	Up to 25 cpm (with 8EP59AAE)		
	First copy out Letter Black First copy out A4 Black	As fast as 5.0 sec As fast as 5.0 sec	As fast as 4.6 sec (with 8EP58AAE) As fast as 4.6 sec (with 8EP58AAE)	As fast as 4.0 sec (with 8EP59AAE) As fast as 4.0 sec (with 8EP59AAE)		
Copy resolution	.,		AS Tast as 4.0 Sec (WILLI GEPSOARE)	AS Tast as 4.0 Set (WITH BEPSBARE)		
	Black (text and graphics):; Up to 60	JU X 600 dpl				
Maximum number of copies	Up to 9999 copies					
Copier resize	25 to 400%					
Copier settings	Booklet; Collation; Content orientation; Edge Erase; Image adjustment; Job build; N or Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlarge; Scan mode (book, 2-sided ID); Stamps; Image overlay; Image shift; Image preview; Paper selection; Blank page suppression; Scan to job storage; Automatically strainghter					
Fax speed	Up to: 33.6 kbps / Letter: 3 sec per	page				
Fax resolution	Black (best): Up to 300 x 300 dpi (4	100 x 400 dpi for received faxes only);	Black (standard): 203 x 98 dpi			
Fax Features	Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barn supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability support No Telephone handset supported: No					
Standard connectivity	1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)					
Network capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)					
Vireless capability	Optional, enabled with purchase of a hardware accessory					
	Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print					
Mobile printing capability	Standard:6GB: Maximum:6GB					
3 - 1 - 3	Stallualu.bub. Maxilliulli.bub	Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage Standard, embedded 500 GB hard disk drive / Hard disk : Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)				
Mobile printing capability Memory Processor speed	Quad Core (1.6GHz), Dual Core (1.4					
Memory	Quad Core (1.6GHz), Dual Core (1.4			se-Disk)		

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; Input Capacities, Max: Up to 3140 sheets;		
	Output Capacities: Up to 500 sheets Standard; Up to 100 sheets;		
	Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3		
Media types supported	Plain, HP EccEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-		
	WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock 176-220g, Light Paperboard 221-		
	255g, Paperboard 256-300g, Mono Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored		
Media weight supported	Tray 1: 60 to 300 g/m²; Tray 2, 3: 60 to 220 g/m²		
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Postcard, Postcard (JIS), Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, Ra4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; Tray 3: A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k		
Media Sizes Custom	Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm		
What's in the box	5QJ98A In box materials ; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums		
Replacement cartridges	HP Black Managed LJ Toner Cartridge (ISO Yield 24,000) W9064MC, HP Black Managed LJ Toner Cartridge (ISO Yield 48,000) W9065MC		
Product dimensions	W x d x h: 585 x 646 x 858.1 mm; Maximum: 1681 x 1196 x 1191 mm;		
Product weight	63 kg;		
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about		
-	HP award winning service and support options in your region		
Energy star certified	Yes		
Ecolabels	EPEAT® registered; IT ECO Dedaration; Blue Angel		
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker		
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)		
Software included	No software solutions are included in the Box only on http://hp.com.http://123.hp.com		
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network:		
	IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Data:		
	Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion		
	Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield [™] , Embedded Trusted Platform Module, HP Connection Inspector,		
	Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk		
	SIEMs		
Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS		
Compatible network operating			
systems	bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://ditrixready.citrix.com, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see		
	nttp://otrixready.atrix.com, Linux- For more information see http://developers.ph.com/np-inux-maging-and-printing, unix- For more information see http://developers.ph.com/np-linux-imaging-and-printing, unix- For more information see http://developers.ph.com/np-linux-imaging-and-printing, unix- For more information see http://developers.ph.com/np-linux-imaging-and-printing, unix- For more information see		
	http://hp.com/go/linknobelszi.pts.cmizer-for-mize-information-see-http://developers.inp.com/np-indx=maging-and-piniting, onix=-rol mize-information-see-http://hp.com/go/unixmobelszi.pts.cmizer-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmizer-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmizer-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmizer-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmizer-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmizer-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmizer-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmizer-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-for-mize-information-see-http://hp.com/go/unixmobelszi.pts.cmize-for-mize-for-mize		
Minimum system requirements			
Millinum system requirements	Space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com		
Power	Power supply type: Internal (Built-in) power supply: Power requirements (nput voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz),		
	5.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 560 watts (30ppm, printing), 620		
	watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)		
Acoustics	Acoustic power emissions: 6.65 Bel(A), printing simplex: A4 at 30ppm; 6.70 Bel(A), printing simplex: A4 at 35ppm; 6.75 Bel(A), printing simplex: A4 at 40ppm; Acoustic Pressure Emissions (active,		
	printing): 51 dB(A), printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF		
	scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm		
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH;		
-	Recommended humidity operating range: 20 to 80% RH		

Messaging Footnotes

- HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive indass printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterStatProtect.
- Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

 Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

 HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

- ⁵ HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details ⁶ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf

 HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label quidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See
- http://www.epeat.net for registration status by country. 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers
- 100% outer noer-based packaging and internal noer-based custions induction in sustainably sourced certified and recycled moets
 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-induced content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list.
 Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic
 HP printer, HP paper and Original HP supply Blue Angel DE-UZ 219 Emissions Criteria
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Technical Specifications Footnotes

- 1 Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

 2 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application,
- driver, and document complexity.

 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT)













To learn more, visit

© Copyright 2023 HP Development Company, L.P. The information contained here is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty, HP shall not be liable for technical or editional errors or omissions contained herein. ENERGY STAR and the ENERGY STA Linus Torvalds. UNIX is a registered trademark of The Open Group.

