HP LaserJet Managed Flow MFP E826z **Printer Series**



Powerful, Flexible, Secure,

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity.

- Experience speed and performance like no other with our fastest ever 300 ipm⁶ duplex scan technology.
- Work faster and without interruptions with reverse and retry technology that automatically detects and resolves double feed issues.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.

Customizable solutions built to last.

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.7
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader

Always on guard with HP Wolf Security.4


- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified to continually monitor memory activity to keep you safe, detecting and stopping
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.8
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. Printing that puts the planet first
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Silver, Energy Star, and Blue Angel.10
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.11

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 297 x 432 mm (11x17 in)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to SRA3 (12×18 in)
- 14. 300-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)³
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (12×18 in)
- 20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3 (12×18 in)



2 Solutions deployed through the Hardware Integration Pocket (HP) may require additional purchase.
3 An administrator must enable the easy-access USB port before use.
4 The EB26 series Flow models include a 300-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3).
5 Measured using SO/IEC 24734, excludes First set of test documents. For more information, seeh p. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
5 Carn Speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
6 HP EveryPage Technology is powered by ultrasonic multi-feed detection.

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor. Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble

Save resources with our energy efficient printing that meets EPEAT Silver, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	U03HZE HP 1 year Next Business Day with DMR Service for LaserJet Managed MFP E826xx U03J0E HP 3 year Next Business Day with DMR Service for LaserJet Managed MFP E826xx U04MWE HP 4 year Next Business Day with DMR Service for LaserJet Managed MFP E826xx U04MWE HP 5 year Next Business Day with DMR Service for LaserJet Managed MFP E826xx U04MYE HP 3 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04MDE HP 4 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04NDE HP 5 year 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04NDE HP 1 year Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx U04NDE HP 3 year Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx (Managed Component Only) U04N3E HP 3 year Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx (Managed Component Only) U04N3E HP 5 year Parts Exchange w/DMR Service for LaserJet Managed MFP E826xx (Managed Component Only) U04N3E HP 1 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E826xx (Managed Component Only) U04N3FE HP 1 year Post Warranty Next Business Day with DMR Service for LaserJet Managed MFP E826xx U04N7PE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04N9FE HP 2 year Post Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04N9FE HP 1 year POst Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04N9FE HP 1 year POst Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04N9FE HP 1 year POst Warranty MPM Service for LaserJet Managed MFP E826xx U04N9FE HP 2 year POst Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04N9FE HP 1 year POst Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx U04N9FE HP 1 year POst Warranty 4 hour 9x5 with DMR Service for LaserJet Managed MFP E826xx (Managed Component Only)
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Smart Printer Administrator's Resource Kit



Front panel optional colors



*Available with optional color panel accessories

```
**Available*

155P7AHP Lazer let honerPriche 2/3 HolePunch
155P8AHP Lazer let honerPriche 2/3 HolePunch
1900A3HP Lazer let Department Lacif Gray Color Pand
1900A3HP Lazer let Department Honer Gray Color Pand
1900A3HP Lazer let Department Honer Gray Color Pand
1900A3HP Lazer let Department Honer Capt Color Pand
1900A3HP Lazer let Department Stand Lunar Gray Color Pand
1900A3HP Lazer let Department Stand Lunar Gray Color Pand
1900A3HP Lazer let Department Stand Lunar Gray Color Pand
1900A3HP Lazer let Department Stand Lunar Gray Color Pand
1900A3HP Lazer let Department Stand Lunar Gray Color Pand
1900A3HP Lazer let Department Stand Come Red Color Pand
1900A3HP Lazer let Department Honer Lorant Geren Color Pand
1900A3HP Lazer let Department Honer Lorant Geren Color Pand
1900A3HP Lazer let Department Honer Lorant Geren Color Pand
1900A3HP Lazer let Department Honer Lorant Geren Color Pand
1900A3HP Lazer let Department Honer Lorant Geren Color Pand
1900A3HP Lazer let Department Honer Lorant Geren Color Pand
1900A3HP Lazer let Department Honer Lorant Geren Color Pand
1900A3HP Lazer let Department Honer Lorant Geren Color Pand
1900A3HP Lazer let Department Honer Lorant Geren Color Pand
1900A3HP Lazer let Department Honer Department Lorant Geren Color Pand
1900A3HP Lazer let Department Honer Department Lorant Geren Color Pand
1900A3HP Lazer let Department Honer Department Lorant L
```

Speed Licenses

BEP63AAE HP Laser Jet Managed MFP E826 50 to 60ppm License BEP64AAE HP Laser Jet Managed MFP E826 50 to 70ppm License BLB51AAE HP Laser Jet Managed MFP E826 60 to 70ppm License

^{*} Inner finisher/inner finisher hole punches are not compatible with 70 ppm ** HP Laser Jet Workflow Accelerator Card. 6HN30A will be available in January 2023.

Functions	Print, copy, scan, fax (optional)				
Print speed ^{3,4}	Letter Black	Up to 50ppm	Up to 60ppm (with 8EP63AAE)	Up to 70ppm (with 8EP64AAE)	
·	A4 Black	Up to 50ppm	Up to 60ppm (with 8EP63AAE)	Up to 70ppm (with 8EP64AAE)	
	First page out Letter Black	As fast as 7.2 sec	As fast as 6.9 sec (with 8EP63AAE)	As fast as 6.8 sec (with 8EP64AAE)	
	First page out A4 Black	As fast as 7.2 sec	As fast as 6.9 sec (with 8EP63AAE)	As fast as 6.8 sec (with 8EP64AAE)	
Print resolution	Black (best): Up to 1200 x 1200 dpi full	speed; Black (normal): Up to 600	× 600 dpi; Black (fine lines): Up to 1200 x 1200 d	oi	
Print technology	Laser; Optical: Normal (600 x 600 4 bit);	Best (1200 x 1200 1 bit)			
Print cartridges number	1 (black)				
Standard print languages	HP PCL 5e, HP PCL 6, HP Postscript level	3 emulation, PDF (v 1.7), AirPrint	t™ compatible		
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB				
Color scanning	Yes				
Scan speed Normal ⁵	Up to 150 ppm/300 ipm (b&w), up to 150 ppm/300 ipm (color); Up to 150 ppm/300 ipm (b&w), up to 150 ppm/300 ipm (color) Duplex : Up to 300 ipm (b&w), up to 300 ipm (color); Up to 300 ipm (color); Up to 300 ipm (b&w), up to 300 ipm (color)				
Scan type / Technology	Flatbed, ADF / Platen Scanner CCD Digital-CIS				
Scan resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi				
Scan file format	PDF, Hi-Compression PDF, PDF/A, Hi-Compression PDF/A, JPEG, TIFF, MTIFF, XPS, PDF (OCR), Hi-Compression PDF (OCR), PDF/A (OCR), Hi-Compression PDF/A (OCR), TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), HTML (OCR), CSV (OCR)				
Scan input modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications				
Scan Size	ADF Maximum: 305 x 864 mm; ADF Minin	num: 68 x 127 mm; 2.7 x 5 in Fla	tbed: 297 x 432 mm;		
Scanner advanced features	Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps				
Duplex ADF scanning	Yes, single pass duplex scanning				
ADF capacity	Standard, 300 sheets				
Twain version	Version 2.4				
Bit depth / Grayscale levels	24-bit/256				
Digital sending standard	,	aug to LICD drive; cond to Charen	point; send to FTP; send to sFTP; send to LAN fax;	cond to Internet Favi local address healt	
features	SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; scan to multi destination, embedded OCR; auto-tone, auto orientation, auto-page-crop; multi-feed detection; reverse and retry; document editing; auto paper color removi job separation; automatically straighten				
Copy speed	Letter Black	Up to 50 cpm	Up to 60 cpm (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE)	
	A4 Black	Up to 50 cpm	Up to 60 cpm (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE)	
	Letter Black Duplex	Up to 50 cpm	Up to 60 cpm (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE)	
	A4 Black Duplex	Up to 50 cpm	Up to 60 cpm (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE)	
	First copy out Letter Black	As fast as 3.9 sec	As fast as 3.4 sec (with 8EP63AAE)	As fast as 3.3 sec (with 8EP64AAE)	
Converselution	First copy out A4 Black	As fast as 3.9 sec	As fast as 3.4 sec (with 8EP63AAE)	As fast as 3.3 sec (with 8EP64AAE)	
Copy resolution	Black (text and graphics): ; Up to 600×6	000 dpi			
Maximum number of copies	op to 3333 copies				
Copier resize	25 to 400%				
Copier settings	Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (Auto, text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collation; booklet; ID scan; job build; job storage; watermark; stamps; book mode scans; erase edges; automatically detect color/monochrome; image preview; Image Shift; Paper Selection; collate; Blank Page Suppression; Multi-feed Detection; Reverse and Retry; Document Editing; Auto Paper Color Removal; Job Separation; Automatically Straighten;				
Fax speed	Up to: 33.6 kbps / Letter: 3 sec per page				
Fax resolution	Black (best): Up to 300 x 300 dpi (400 x	400 dpi for received faxes only);	Black (standard): 203 x 98 dpi		
Fax Features	Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barri supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported No Telephone handset supported: No				
Standard connectivity	1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)				
Network capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)				
Wireless capability	Optional, enabled with purchase of a hardware accessory				
Mobile printing capability	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print				
Memory	Standard:6 GB; Maximum:6 GB				
	Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage : Standard, embedded 500 GB hard disk drive / Hard disk : Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)				
Processor speed	Hardware ericryption, Decure erase capac	mines (Secure the Erase rempore		36 8.3.4	
	Letter:	Up to 200,000 pages	Up to 250,000 pages (with 8EP63AAI		
Processor speed Duty cycle (monthly)	***			Up to 300,000 pages (with 8EP64AAE	

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets, Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max: Up to 6,140 sheets; Output Capacities Up to 500 sheets Standard; Up to 100 sheets, Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3			
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Mono Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored			
Media weight supported	Tray 1, 2, 3: 60 to 325 g/m ²			
Media sizes supported	Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6(JIS), Oficio, 8K, 16k, Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k			
Media Sizes Custom	Tray 1: 98 × 139.7 to 320 × 457.2 mm; Tray 2: 98 × 139.7 to 241.5 × 297 mm; Tray 3: 140 × 182 to 320 × 457.2 mm			
What's in the box	50K13A In box materials; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums.			
Replacement cartridges	HP Black Managed LJ Toner Cartridge (ISO Yield 30,000) W9084MC, HP Black Managed LJ Toner Cartridge (ISO Yield 60,000) W9085MC			
Product dimensions	W x d x h : 638.8 x 745.9 x 933.9 mm; Maximum: 1656.7 x 1301 x 1503.9 mm;			
Product weight	82.9 kg;			
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.			
Energy star certified	Yes			
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel			
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker			
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)			
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com			
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPV3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs			
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS			
Compatible network operating				
systems	bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://ditrixready.citrix.com, Linux- For more information see			
	nttp://dtrixready.atrix.com, Linux- For more information see http://developers.bp.com/np-inux-imaging-and-printing, Unix- For more information see http://hp.com/np-linux-imaging-and-printing, Unix- For more information see http://hp.com/np-linux-imaging-and-printing, Unix- For more information see			
	http://hp.com/go/unixmodelscripts, fall operating systems with the latest updates)			
Minimum system requirements	PC 2 GB available hard disk space. Internet connection, or USB port. Internet browser. For additional OS hardware requirements see microsoft.com: Mac 2 GB available hard drive			
Timinan system equilibrium	space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com			
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz),			
	7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 870 watts (50ppm, printing), 1010			
	watts (60ppm, printing), 1090 watts (70ppm, printing), 36.0 watts (ready), 0.9 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)			
Acoustics	Acoustic power emissions: 6.85 Bel(A), printing simplex A4 at 50ppm; 6.95 Bel(A), printing simplex A4 at 60ppm; 7.10 Bel(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active,			
	printing): 53dB(A), printing simplex A4 at 50ppm; 54dB(A), printing simplex A4 at 60ppm; 55dB(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan): 54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm			
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH			

Messaging Footnotes

HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive inclass printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrinterSThatProtect. For more information, visit: hp.com/go/PrinterSthatProtect. For more

3 some reatures enabled by future HP HutterSmart firmware upgrades may not be available on loder devices, if for example, physical product characteristics limit the functionality of the new feature.

Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf

HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit hp.com/wolfsecurity. HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

7 Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps.

To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See

http://www.epeat.net for registration status by country.

HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

- 1 Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

 2 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application,

driver, and document complexity.

Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software













To learn more, visit

© Copyright 2023 HP Development Company, L.P. The information contained here is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty, HP shall not be liable for technical or editional errors or omissions contained herein. ENERGY STAR and the ENERGY STA Linus Torvalds. UNIX is a registered trademark of The Open Group.

