

Universal Absorbency

BradyID.com/s35

Universal Absorbency for Water- or Oil-Based Fluids

All-purpose absorbents clean-up oils, coolants, solvents and water-based fluids anywhere in your facility.

Around machinery, under leaky pipes or fittings, in messy traffic areas, for general maintenance projects – they are your first choice for indoor spill control. Plus, their gray color masks spills and stains, helping you resist the urge to pick up the absorbent before it is fully saturated.




Liquids Absorbed:

- Coolants
- Solvents
- Oils
- Latex paint
- Gasoline
- Vegetable oil
- Kerosene
- Water-based fluids

Popular Applications:

- Wiping tools
- Small spills
- Under leaky pipes
- Around liquid storage containers
- Around machinery
- In messy traffic areas
- Under dripping valves
- General purpose maintenance

Absorbents & Spill Control



MRO Plus® Absorbents

- Brady SPC's number one universal absorbent and the standard in all-purpose, gray maintenance absorbents.
- Universal absorbency handles most fluids (water, petroleum & chemical-based)
- 3-ply (MMM) meltblown polypropylene construction increases durability and reduces lint

Features:

- For Oils, Coolants, Solvents & Water-based Fluids
- Top & Bottom Overstock (3-Ply)
- High Durability
- Medium Linting
- Perforated & Dimpled
- Gray color masks spills
- Heavy, Medium & Light Weights
- Cost: \$\$\$

Recommended For:

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Under assembly lines or equipment
- Maintenance areas and liquid storage areas

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
MRO50	Heavy Wt. Pad	30"x30"	Yes, 15"	12.5	41	26.5	11	50/case
MRO150DND	Heavy Wt. Pad*	15"x19"	Yes, 7.5"	12.5	39	27	18	150/case
MRO100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	26	17.5	30	100/case
MRO100-2	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	13.5	8	36	50/bale
MRO300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14	30	100/case
Rolls								
MRO30-DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	49	32	12	1/case
MRO30P	Heavy Wt. Roll	30"x150'	Yes, every 30"	12.5	49	32	12	1/case
MRO30	Heavy Wt. Roll	30"x150'	No	12.5	49	33	12	1/case
MRO15-DP	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	24	17.5	24	1/case
MRO15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12.5	24	17.5	24	1/case
MRO15	Heavy Wt. Roll	15"x150'	No	12.5	24	17.5	24	1/case
MRO350-DP	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	38	26.5	12	1/case
MRO315P	Medium Wt. Roll	15"x150'	Yes, every 18"	12.5	20	14	24	1/case
MRO215P	Light Wt. Roll	15"x150'	Yes, every 18"	12.5	12	8	24	1/case

*Features Dispense-N-Dispose® System



GP - "General Purpose" Absorbents

- Economical general purpose absorbents offer the look, feel and performance of a premium product.
- Universal absorbency to handle most fluids (water, petroleum & chemical-based)
- Efficient single-ply construction with MAXX® Technology – absorption and strength without the extra weight

Features:

- For Oils, Coolants, Solvents & Water-based Fluids
- No Coverstock (1-Ply)
- Medium Durability
- Medium Linting
- Perforated & Dimpled
- Gray color masks spills
- Heavy, Medium & Light Weights
- Cost: \$ \$

Recommended For:

- Anywhere there is a leak, drip or spill
- Ideal for industrial settings such as machine shops, maintenance, manufacturing
- Under leaky pipes and machinery

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
GP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	18	30	11.5	30	100/case
GP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	20	25	10	30	100/bale
GP200	Light Wt. Pad	15"x19"	Yes, 7.5"	20	44	16	22	200/case
GP500	Light Wt. Pad	15"x19"	Yes, 7.5"	20	22	8.2	30	100/case
MXU1000	Light Wt. Pad (non-dimpled)	15"x19"	Yes, 7.5"	24	27	11	30	100/case
Rolls								
GP30	Heavy Wt. Roll	30"x150'	No	13	48	28	12	1/bale



BASIC Universal Absorbents

- Value-priced universal all-purpose absorbent
- Universal absorbency to handle most fluids (water, petroleum & chemical-based)
- Economical single-ply pads & rolls made of universal meltblown polypropylene

Features:

- For Oils, Coolants, Solvents & Water-based Fluids
- No Coverstock (1-Ply)
- Light Durability
- High Linting
- Perforated & Dimpled
- Gray color masks spills
- Heavy & Light Weights
- Cost: \$

Recommended For:

- Anywhere there is a leak, drip or spill
- General industrial applications
- Manufacturing, Printing and Transportation

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
BPU100	Heavy Wt. Pad	15"x17"	Yes, 7.5"	18	20.5	8.5	30	100/bale
BPU200	Light Wt. Pad	15"x17"	Yes, 7.5"	18	34	13.7	24	200/bale
BPU500	Light Wt. Pad	15"x17"	Yes, 7.5"	18	17	7	36	100/bale
Rolls								
BRU150	Heavy Wt. Roll	30"x150"	Yes, every 30"	14.5	38	19.5	18	1/bale
BRU152	Heavy Wt. Split Roll	15"x150"	Yes, every 30"	14.5	38	19.5	18	2/bale

Universal Absorbency

BradyID.com/s35



BattleMat® Absorbents

- Tough camouflage patterned roll hides leaks and drips and is ideal for areas with moderate foot traffic
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Durable 2-ply construction is ideal for use in high traffic areas - foot or forklift traffic
- Abrasion-resistant upper layer helps reduce linting while meltblown fibers grip the floor below

Features:

- For Oils, Coolants, Solvents & Water-based Fluids
- Camouflaged Printed Top Coverstock (2-Ply)
- High Durability & Low Linting
- Perforated
- Camouflaged pattern masks spills
- Cost: \$ \$ \$

Recommended For:

- Extra tough for foot & walkways
- Areas where absorbents are being prematurely discarded

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Rolls								
BM30	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	53	34.5	12	1/case
BM15	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	26	17	24	1/case

Absorbents & Spill Control



HT - "High Traffic" Absorbents

- Multi-use absorbent built for durability and high absorbency in "high traffic" and busy problem areas
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- 2-ply construction with safety printed coverstock reduces linting and increases durability while meltblown fibers grip the floor below
- Printed Safety Message: Warns of slip, trip and fall hazards due to liquid spills

Features:

- For Oils, Coolants, Solvents & Water-based Fluids
- Top Coverstock (2-Ply) with Safety Message
- Medium Durability & Low Linting
- Perforated & Dimpled
- Heavy, Medium & Light Weights
- Cost: \$ \$

Recommended For:

- Extra tough for foot & walkways
- Printed safety message for areas where slips, trips and falls may occur

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Rolls								
HT30	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	47	32	12	1/case
HT555	Heavy Wt. Roll*	15"x150'	Yes (3), 5" and every 18"	12.5	23	16	24	1/case
HT15	Heavy Wt. Roll	15"x150'	Yes, every 15"	12.5	23	16	24	1/case
HT303	Medium Wt. Roll	30"x300'	Yes, 15" and every 15"	12.5	63	40	8	1/bale
HT350	Medium Wt. Roll	30"x150'	Yes, 15" and every 18"	12.5	35	20	12	1/bale
HT153	Medium Wt. Roll	15"x300'	Yes, every 15"	12.5	32	20	16	1/bale
HT230	Light Wt. Roll	30"x300'	Yes, 15" and every 15"	12.5	42.5	29.5	8	1/bale
HT215	Light Wt. Roll	15"x300'	Yes, every 15"	12.5	21.5	15	16	1/bale

* Does not include printed safety message.



UXT - "Xtra Tough" Absorbents

- Extra tough absorbents for applications that require high durability, non-linting and abrasion-resistance such as when wiping tools or machinery
- 3-ply construction with 2 sides of coverstock for maximum durability and minimal linting
- Extra strength allows for wringing and re-use

Features:

- For Oils, Coolants, Solvents & Water-based Fluids
- Top & Bottom Coverstock (3-Ply)
- High Durability & Low Linting
- Perforated & Dimpled
- Heavy, Medium & Light Weights
- Cost: \$ \$ \$

Recommended For:

- Wiping highly abrasive surfaces such as tools and machinery
- Machining, maintenance or food processing

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
UXT100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	11	19.5	14.5	30	100/case
UXT300	Medium Wt. Pad	15"x19"	Yes, 7.5"	11	17	12	30	100/case
UXT200	Light Wt. Pad	15"x19"	Yes, 7.5"	11	31.5	18.5	22	200/case
Rolls								
UXT30DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	11	37	27.5	12	1/case
UXT15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	11	17	14.5	24	1/case



Spill Response Plus Universal Absorbents

- Convenient, portable size perfect for employees to fold or carry in their pockets for small spills
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Fine fiber coverstock on each side increases product versatility

Features:

- For Oils, Coolants, Solvents & Water-based Fluids
- Top & Bottom Coverstock (3-Ply)
- High Durability & Medium Linting
- Perforated & Dimpled
- Heavy Weight
- Cost: \$ \$

Recommended For:

- Anywhere there is a leak, drip or spill
- Janitorial & Maintenance
- Hospitality & Retail

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
SRP100	Heavy Wt. Pad	7.5"x10"	No	12.5	5.5	4	96	100/case
SRP200	Heavy Wt. Pad	7.5"x10"	No	12.5	11.1	7.5	48	200/case
Rolls								
SRP75P	Heavy Wt. Roll*	7.5" x 50'	Yes, 10"	12.5	3.3	1.85	60	1/bale

▶ Request a Free Sample Pack today.

With a Brady SPC sample pack, you can put absorbent pads to the test in your facility without making any commitments.

Request a sample today at: BradyID.com/SPC



Universal Absorbency

BradyID.com/s35



Re-Form™
Eco-Friendly Absorbents

Re-Form™ Eco-Friendly Universal Absorbents for Water- or Oil-Based Fluids

Re-Form absorbent pads and rolls are eco-friendly, green products made of recycled materials. They feature the same universal absorbency as their polypropylene counterparts, making them ideal for coolants, solvents, oils and other water-based or petroleum-based fluids.

Re-Form absorbent materials have been tested to absorb 25-50% more than polypropylene materials which means you'll use less product to absorb the same size spill.

Absorbents & Spill Control



Specialty Product:
Eco-Friendly

Re-Form™ Pro Plus Absorbents

- The look, feel and performance of a traditional absorbent, but made from 90% recycled fibers. Supports corporate sustainability and LEED initiatives
- Universal absorbency to handle most fluids including water, petroleum and non-aggressive chemicals
- Durable 3-ply construction is made of 90% recycled materials
- Extremely absorbent: absorbs 20 times its weight

Features:

- For Oils, Water-based Fluid & Non-Aggressive Chemicals
- Top & Bottom Coverstock (3-Ply)
- Medium Durability & Medium Linting
- Perforated & Dimpled
- Heavy Weight
- Cost: \$ \$ \$

Recommended For:

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Maintenance areas

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
RFPP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	26	17.5	30	100/case

Re-Form™ absorbents are not intended for use with aggressive chemicals.



Specialty Product:
Eco-Friendly

Re-Form™ XPlus Absorbents

- A medium weight absorbent with meltblown coverstock on both sides for added durability making it ideal for leaks, drips, spills or area with light foot traffic
- Universal absorbency to handle most fluids including water, petroleum and non-aggressive chemicals
- Durable 3-ply construction made from 80% recycled cellulose and absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

Features:

- For Oils, Water-based Fluid & Non-Aggressive Chemicals
- Top & Bottom Coverstock (3-Ply)
- Medium Durability & Medium Linting
- Perforated
- Medium Weight
- Cost: \$ \$ \$

Recommended For:

- Anywhere there is a leak, drip or spill
- General purpose absorbent
- Light foot traffic

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
RFDP300	Medium Wt. Pad	16"x18"	Yes, 7.5"	16.5	32	16.6	24	100/case
Rolls								
RFDP328-DP	Medium Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	16.5	55	33.3	8	1/case

Re-Form™ absorbents are not intended for use with aggressive chemicals.



Re-Form™ Plus Absorbents

- Eco-friendly, all-purpose absorbent for wiping, drips and leaks.
- Universal absorbency to handle most fluids including water, petroleum and non-aggressive chemicals
- Durable 2-ply construction made from 80% recycled cellulose and highly absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

Features:

- For Oils, Water-based Fluid & Non-Aggressive Chemicals
- Top Coverstock (2-Ply)
- Medium Durability & Medium Linting
- Perforated
- Heavy, Medium & Light Weight
- Cost: \$\$

Recommended For:

- Anywhere there is a leak, drip or spill
- Marine and environmental spills
- Oil refineries / fuel chemical
- General manufacturing

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
RFP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	17	40	19.5	18	100/case
RFP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	17	32	16	24	100/case
RFP500	Light Wt. Pad	15"x19"	Yes, 7.5"	17	24	12.7	30	100/case
Rolls								
RFP328-DP	Medium Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	17	54	30.5	8	1/case
RFP314P	Medium Wt. Roll	14.25"x150'	Yes, every 19"	17	30	15.5	20	1/case

Re-Form™ absorbents are not intended for use with aggressive chemicals.



Re-Form™ Absorbents

- Economical general purpose absorbent offering superior absorbency compared to meltblown polypropylene; up to 50% more absorbent
- Universal absorbency to handle most fluids including water, petroleum and non-aggressive chemicals
- Single-ply nylon mesh construction made from 80% recycled cellulose and highly absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

Features:

- For Oils, Water-based Fluid & Non-Aggressive Chemicals
- No Coverstock (1-Ply)
- Light Durability & High Linting
- Heavy, Medium & Light Weight
- Cost: \$

Recommended For:

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Maintenance areas with limited foot traffic

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Pads								
RF100	Heavy Wt. Pad	15"x19"	No	17.5	40	19	18	100/case
RF300	Medium Wt. Pad	15"x19"	No	17.5	32	14.8	24	100/case
RF500	Light Wt. Pad	15"x19"	No	17.5	24	12	30	100/case

Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.