

# Oil Only Absorbency

BradyID.com/s35

## Oil Only Absorbency For Oil- & Petroleum-Based Fluids Repels Water for Easy Clean-Up

Oil only absorbents are specially designed to clean-up oils and petroleum-based liquids while also repelling water and floating indefinitely.

Unaffected by temperature and impervious to rot and mildew, oil only absorbents are an ideal choice for outdoor use, in bodies of water or anywhere that water may be inadvertently absorbed.



### Liquids Absorbed:

- Drilling and cutting fluids
- Hydraulic and brake fluids
- Engine oils
- Transmission fluids
- Gasoline, diesel and aircraft fuels
- Lubricants
- Cooking oils
- Oil-based paints and solvents
- Other oils and petroleum-based fluids

### Popular Applications:

- Outdoors
- Around bodies of water
- Wiping tools
- Small spills
- Under leaky pipes
- Around machinery
- Outdoor storage containers
- Under dripping valves
- Other general purpose maintenance

Absorbents & Spill Control



### Oil Plus Absorbents

- Perfect for general everyday use and emergency spill clean-up.
- Oil only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- 3-ply meltblown polypropylene construction increases durability and reduces lint

#### Features:

- For Oils, Coolants, Solvents and Oil-based Fluids
- Top & Bottom Coverstock (3-Ply)
- Medium Durability
- Medium Linting
- Perforated & Dimpled
- Floats Indefinitely
- Heavy & Medium Weights
- Cost: \$ \$ \$

#### Recommended For:

- Anywhere there is a leak, drip or spill
- Fuel stations and automotive industries
- Precision engineering
- Printing industries



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Pads</b>								
OP50	Heavy Wt. Pad	30"x30"	Yes, 15"	12.5	41	24	11	50/case
OP150DND	Heavy Wt. Pad*	15"x19"	Yes, 7.5"	12.5	39	27	18	150/case
OP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	26	17.5	30	100/case
OP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14	30	100/case
<b>Rolls</b>								
OP30-DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	49	33	12	1/case
OP30P	Heavy Wt. Roll	30"x150'	Yes, every 30"	12.5	49	33	12	1/case
OP30	Heavy Wt. Roll	30"x150'	No	12.5	49	33	12	1/case
OP15-DP	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	24	17.5	24	1/case
OP15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12.5	24	17.5	24	1/case
OP15	Heavy Wt. Roll	15"x150'	No	12.5	24	17.5	24	1/case
OP350-DP	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	38	26.5	12	1/case
OP315P	Medium Wt. Roll	15"x150'	Yes, every 18"	12.5	19	14	24	1/case

\*Features Dispense-N-Dispose® System



SPC105 features blue coverstock on one side.

## SPC® Oil Absorbents

- Brady SPC's best-selling oil only pads for industrial or marine use
- Floats indefinitely even when saturated with oil
- Efficient single-ply construction of MAXX® Technology – absorption and strength without the extra weight
- Packaged in a blue bag to streamline absorbent identification in your facility

### Features:

- For Oils, Coolants, Solvents and Oil-based Fluids
- No Coverstock (1-Ply)
- Medium Durability
- Medium Linting
- Perforated & Dimpled
- Floats Indefinitely
- Heavy, Medium & Light Weights
- Cost: \$ \$

### Recommended For:

- Anywhere there is a leak, drip or spill
- Marine and environmental spills
- Oil refineries / fuel chemical
- General manufacturing

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Pads</b>								
SPC50	Heavy Wt. Pad	33"x39"	No	18	73	33.5	10	50/bale*
SPC100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	18	35	14	30	100/bale*
SPC105	Heavy Wt. Pad (1 side w/blue coverstock)	15"x19"	Yes, 7.5"	18	24	14	30	100/bale*
SPC300	Medium Wt. Pad	15"x19"	Yes, 7.5"	18	30	11	30	100/bale*
SPC200	Light Wt. Pad	15"x19"	Yes, 7.5"	18	40	16	24	200/bale*
SPC500	Light Wt. Pad	15"x19"	Yes, 7.5"	18	20	8.2	36	100/bale*
<b>Rolls</b>								
SPC150	Heavy Wt. Roll	38"x144"	No	15	70	33	18	1/bale*
SPC152	Heavy Wt. Roll	19"x144"	No	15	70	33	18	2/bale*

\*SPC Oil Absorbents packaged in a blue bag.



## BASIC Oil Absorbents

- Value-priced oil only absorbent
- Floats indefinitely even when saturated with oil
- Packaged in a clear bag to streamline absorbent identification in your facility
- Economical single-ply pads & rolls made of oil only meltblown polypropylene

### Features:

- For Oils, Coolants, Solvents and Oil-based Fluids
- No Coverstock (1-Ply)
- Light Durability
- High Linting
- Perforated & Dimpled
- Floats Indefinitely
- Heavy & Light Weights
- Cost: \$

### Recommended For:

- Anywhere there is a leak, drip or spill
- General industrial or manufacturing oil only applications
- Marine and environmental spills
- Coast guard or on-board vessels

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Pads</b>								
BPO100	Heavy Wt. Pad	15"x17"	Yes, 7.5"	18	20.5	8.5	30	100/bale
BPO200	Light Wt. Pad	15"x17"	Yes, 7.5"	18	34	14	24	200/bale
BPO500	Light Wt. Pad	15"x17"	Yes, 7.5"	18	17	7	36	100/bale
<b>Rolls</b>								
BRO150	Heavy Wt. Roll	30"x150"	Yes, every 30"	14.5	38	19.5	18	1/bale
BRO152	Heavy Wt. Split Roll	15"x150"	Yes, every 30"	14.5	38	19.5	18	2/bale

# Oil Only Absorbency

BradyID.com/s35




## SXT® Oil Only Absorbents

- Ideal absorbent where durability, abrasion resistance and low linting are required
- Floats indefinitely even when saturated with oil
- Durable 3-ply meltblown polypropylene construction with abrasion-resistant top and bottom coverstock layers
- Extra strength allows for wringing and re-use

### Features:

- For Oils, Coolants, Solvents and Oil-based Fluids
- Top & Bottom Coverstock (3-Ply)
- High Durability & Low Linting
- Floats Indefinitely
- Perforated & Dimpled
- Heavy, Medium & Light Weights
- Cost: \$\$\$

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Pads</b>								
SXT100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12	19.5	14.5	30	100/case
SXT300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12	17	10	30	100/case
SXT200	Light Wt. Pad	15"x19"	Yes, 7.5"	12	31.5	18	22	200/case
<b>Rolls</b>								
SXT30DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12	37	26.5	12	1/case
SXT15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12	18	14	24	1/case



## ENV® Oil Absorbents

- Highly economical, contractor grade absorbent for oil clean-up on land or water
- Floats indefinitely even when saturated with oil
- Efficient single-ply of MAXX® Technology – absorption and strength without the extra weight
- Packaged in a green bag to streamline absorbent identification in your facility

### Features:

- For Oils, Coolants, Solvents and Oil-based Fluids
- No Coverstock (1-Ply)
- Light Durability & High Linting
- Floats Indefinitely
- Non-Dimpled for max surface absorption area
- Heavy, Medium & Light Weights
- Cost: \$

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Pads</b>								
ENV50	Medium Wt. Pad	30"x30"	No	20	50	19	14	50/bale*
ENV100	Heavy Wt. Pad	15"x19"	No	20	33	12.5	30	100/bale*
ENV300	Medium Wt. Pad	15"x19"	No	18	23	10	30	100/bale*
ENV200	Light Wt. Pad	15"x19"	No	23	51	16	24	200/bale*
ENV500	Light Wt. Pad	15"x19"	No	23	24.5	8	30	100/bale*
MXO1000	Light Wt. Pad	15"x19"	Yes, 7.5"	23	24	11	30	100/case
<b>Rolls</b>								
ENV150	Medium Wt. Roll	30"x150'	No	15	44	22	18	1/bale*


\*ENV Oil Absorbents packaged in a green bag.

## Static Resistant Oil Absorbents

- Oil only absorbents specially treated to resist static electricity build up around flammable liquid or delicate electronics
- Oil only absorbency for petroleum-based oils, solvents and other non-water soluble liquids - making it idea for outdoor use
- Economical single-ply pads & rolls made of oil only meltblown polypropylene
- Meets National Fire Protection Association specifications

### Features:

- For Oils, Coolants, Solvents and Oil-based Fluids
- No Coverstock (1-Ply)
- Light Durability & High Linting
- Non-Dimpled for max surface absorption area
- Heavy Weights
- Cost: \$\$\$



Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Pads</b>								
SR3625	Heavy Wt. Pad	30"x30"	No	13	16	9	14	25/bale
SR100	Heavy Wt. Pad	15" x19"	No	13	26	14.5	30	100/bale
<b>Rolls</b>								
SR3600	Heavy Wt. Roll	30"x150'	No	15	44	22	18	1/bale



## Spill Response Plus Oil Absorbents

- Convenient, portable size that's perfect for employees to fold or carry in their pockets for small spills
- Floats indefinitely even when saturated with oil
- Fine fiber coverstock on each side increases product versatility
- Small Size: Clean up minor spills without wasting material

### Features:

- For Oils, Coolants, Solvents and Oil-based Fluids
- Top & Bottom Coverstock (3-Ply)
- Medium Durability & Medium Linting
- Perforated & Dimpled
- Heavy Weights
- Cost: \$ \$

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Pads</b>								
SRPO100	Heavy Wt. Pad	7.5"x10"	No	12.5	5.5	4	96	100/case
SRPO200	Heavy Wt. Pad	7.5"x10"	No	12.5	11.1	7.5	48	200/case
<b>Rolls</b>								
SRPO75P	Heavy Wt. Roll	7.5" x 50'	Yes, 10"	12.5	3.3	1.85	60	1/bale



## Re-Form™ Oil Only Absorbents

- Eco-friendly oil only absorbent offering superior absorbency - up to 30 times its weight.
- Floats indefinitely even when saturated with oil
- 3-ply construction with top and bottom coverstock, all made from 80% natural cellulose fibers
- Supports corporate sustainability and LEED initiatives
- Class A fire retardant

### Features:

- For Oils, Coolants, Solvents, Oil-based Fluids & Non-Aggressive Chemicals
- Top & Bottom Coverstock (3-Ply)
- Medium Durability & Low Linting
- Perforated
- Heavy Weight
- Cost: \$ \$ \$

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Pads</b>								
RFODP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	30	39	12	18	100/case

Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.

### ► Suitable for Outdoor Storage

Oil only absorbents are specifically designed to repel water, which means they can be stored outdoors and will not be affected by the weather, fluctuating outdoor temperatures or moisture.

