BradyID.com/s35

Create a Visual Workplace with Facility & Floor Marking Tapes

Visual Workplace is a lean concept that emphasizes putting critical information at the point of use. Companies that incorporate lean visuals throughout their facility are proven to have higher productivity, reduced waste, and improved safety.

Visuals can be something as simple as a line, shape or color band - whatever employees can understand at a glance. Or visuals can include signs, labels, displays and more.





Floor Marking & **Anti-Slip Tapes**

Floor Tapes help you identify egress pathways, perimeters and safely guide traffic through your facility. These tapes are available for aisle and floor marking in Anti-Slip, glowin-the-dark and polyester materials.



Facility Marking & Warning Tape

Facility ID tapes can help you identify areas and processes, as well as keep the workplace organized.

Brady tapes are important for maintenance, emergencies, organization and safety. Facility ID tapes are great for 5S lean management and pipe marking.



Barricades, Caution & Flagging Tapes

Barricade tapes are a great solution to mark off areas of your facility and property. Barricade flags are also available and can also be used to block off or color-code an area. Marking flags can also be used to identify buried cables and lines.



Lean Manufacturing can lead to a 40% INCREASE in productivity.

Learn more with our FREE Guides at: BradyID.com/VisualWorkplace



Free Download:

Create A Visual Workplace

Find out how to create an effective visual workplace.



Free Download:

50 Lean Visuals

50 examples of visuals that increase productivity and improve safety.

BradyID.com/s35



OSHA Regulations: Now Include Aisle Marking

OSHA has recently began requiring or implying the need for marking and color coding.

OSHA - Use of Mechanical Equipment

1910.176(a) Where mechanical handling equipment is used, sufficient safe clearances shall be allowed for aisles, at loading docks, through doorways and wherever turns or passage must be made. Aisles and passageways shall be kept clear and in good repair, with no obstruction across or in aisles that could create a hazard. Permanent aisles and passageways shall be appropriately marked.

OSHA - General Environmental Controls

1910.144 Red shall be the basic color for the identification of fire protection equipment and apparatus, containers of flammable liquids, stop buttons and electrical switches used for emergency stopping of equipment.

1910.144(a)(3) Yellow shall be the basic color for designating caution and marking physical hazards.

OSHA - Means of Egress

1910.35 OSHA will deem an employer demonstrating compliance with the exit route provisions of NFPA 101, Life Safety Code, or the exit route provisions of the IFC 2009, to be in compliance with 190.34, 1910.36 and 1910.37.

OSHA - Letter of Interpretation

1910.22(b) The lines used to delineate aisles may be any color so long as they clearly define the area considered as aisle space. The lines may be composed of dots, square, strip or continuous. The recommended width of aisle markings varies from 2" to 6", therefore any width 2" or more is considered acceptable.

IFC - International Fire Code 2009

1024.1 Approved luminous egress path markings delineating the exit path shall be provided...having occupied floors located more than 75ft above the lowest level of fire department vehicle access.

1024.2.1 A solid and continuous stripe shall be applied to the horizontal leading edge of each step and shall extend the full length of each step.

1024.2.4 Perimeter and floor mounted demarcation lines shall be placed within 4" of the wall and extend to within 2" of the markings on the leading edge of landings. Demarcation lines shall be 1" to 2" wide with interruptions not exceeding 4".

Floor Marking Color Guide While soveral regulations distate that sides must

While several regulations dictate that aisles must be clearly marked, there are no current government-mandated or even widely accepted industry standards that recommend what colors to use when marking floors. Use Brady's color guide to help establish floor marking color consistency in your workplace.



	Yellow	Aisle ways, traffic lanes and work cells	
	White	Equipment and fixtures not otherwise color coded (workstations, carts, floor stand displays, racks, etc.)	
	Blue, Green and/or Black	Materials and components, including raw materials, work-in-progress and finished goods	
Orange		Materials or products held for inspection	
	Red	Defects, scrap, rework and red tag areas	
	Photo- luminescent	Steps and perimeter demarcation to identify egress routes in a lights-out emergency	
	White & Red	Areas to be kept clear for safety/compliance (electrical panels, firefighting and safety equipment such as eyewash stations and first aid stations)	
	White & Black	Areas to be kept clear for operational purposes (not related to safety and compliance)	
	Yellow & Black	Areas that may expose employees to special physical or health hazards	

1-888-272-3946 BradyID.com/s35

PaintStripe® Floor Marking

BradyID.com/s35



PaintStripe™ Floor Marking Stencil

- Faster application, exact measurement & precise control
- Two adhesive types to securely mask edges and provide easy removal on concrete and other floor surfaces
- Printed cut-lines and a repeating 12-inch ruler facilitate accurate length measurement and rapid alignment of 90° corners

Ideal applications include:

- Areas where paint is preferred for line-marking, such as areas with aggressive or abrasive traffic conditions, or facilities that are unable to use aisle marking tapes due to wet floors, washdown conditions, floor-cleaning protocols or chemical exposures
- Aisle marking, Lean/5S initiatives, fire safety, high-traffic work areas, shipping and receiving docks, and area designation for finished goods, material waste, work-in-progress, raw materials, storage locations and more



Easily installed by one person.



Clean, precise lines.

Lower adhesion (B-518) ideal for clean, polished floors.



Catalog #	Description	Size	Qty
148820	Smooth Flooring	2" Line	100' roll
148808	Smooth Flooring	2" Line	500' roll
148815	Smooth Flooring	2" x 8" Dash	100' roll
148823	Smooth Flooring	2" x 8" Dash	500' roll
148814	Smooth Flooring	3" Line	100' roll
148819	Smooth Flooring	3" Line	500' roll
148806	Smooth Flooring	4" Line	100' roll
148816	Smooth Flooring	4" Line	500' roll

Higher adhesion (B-519) is ideal for dull or worn surfaces.



Catalog #	Description	Size	Qty
148813	Rough Flooring	2" Line	100' roll
148822	Rough Flooring	2" Line	500' roll
148812	Rough Flooring	2" x 8" Dash	100' roll
148818	Rough Flooring	2" x 8" Dash	500' roll
148809	Rough Flooring	3" Line	100' roll
148821	Rough Flooring	3" Line	500' roll
148810	Rough Flooring	4" Line	100' roll
148807	Rough Flooring	4" Line	500' roll

When planning projects, users should test the stencil and paint combination on the intended floor surface.

Try PaintStripe in Your Facility - Contact Brady for a sample!

Paint vs. ToughStripe® Tape

Consider the following attributes of paint and tape to help determine the best fit for your facility.

	Preparation & Execution	Surface	Durability	Environment	Water / Cleaning / Chemical Exposures	Permanency	Multi-Color Lines
Paint	Extensive planning for surface preparation, ventilation and control of ignition or contamination sources. Downtime to allow paint to bond to floor.	Adheres well across many surface types, including rough or pitted floors	Up to 10 years	Suitable for indoor and outdoor use	Better suited for wash down environments and frequent cleaning	Difficult to remove paint completely if the markings need to be rearranged	Difficult to paint two-color or striped lines
Таре	Typically requires less planning and preparation. Tape immediately bonds to floor	Adheres best to smooth surfaces	Up to 3 years	Suitable for indoor, dry environments	Not suitable for frequently wet conditions or liquid chemical exposure	Easier to remove if markings need to be rearranged	Tapes are available in two-color stripes

BradyID.com/s35



B-514 Toughstripe Floor Marking Tape

- ToughStripe products are ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths
- Exceeds safety standards for clean, dry non-slip surfaces per ANSI A1264.2-2006 and OSHA 1910.22
- 2mm thickness and service temperature range of 0°F – 129°F
- Resists harsh chemicals



Solid Colored ToughStripe® Tape

Black 104310 104340 104370 White 104311 104341 104371 Red 104313 104343 104373 Green 104315 104345 104375 Blue 104314 104344 104374 Orange 104316 104346 104372 Yellow 104312 104342 104372	0'
Red 104313 104343 104373 Green 104315 104345 104375 Blue 104314 104344 104374 Orange 104316 104346 104376	
Green 104315 104345 104375 Blue 104314 104344 104374 Orange 104316 104346 104376	
Blue 104314 104344 104374 Orange 104316 104346 104376	
Orange 104316 104346 104376	
Yellow 104312 104342 104372	
Purple 134086 134087 134088	
Brown 134089 134090 134091	
Grey 134092 134093 134094	

Die-Cut shapes & signs



Striped ToughStripe® Tape

		•	
	2" x 100'	3" x 100'	4" x 100'
Org/Blk Striped	132433	132434	132435
Ylw/Blk Striped	104317	104347	104377
Wht/Blk Striped	104319	104349	104379
Rd/Wht Striped	104318	104348	104378
Rd/Ylw Striped	132430	132431	132432
Grn/Wht Striped	132436	132437	132438
Blu/Ylw Striped	132439	132440	132441



Checkered ToughStripe® Tape

	2" x 100'	3" x 100'	4" x 100'
Blk/Wht Checkered	121913	121914	121915
Rd/Wht Checkered	121916	121917	121918



Overlaminate Tape

Catalog #	Description	Size
142134	Overlaminate	1" × 50'
142136	Overlaminate	1.125" x 100'
142135	Overlaminate	2" x 50'
142137	Overlaminate	2.250" x 100'
142138	Over l aminate	3" x 100'
142139	Overlaminate	4" × 100'

available on the next page!

ToughStripe® Tape Adhesion Rates

ToughStripe floor tape is easy to apply and remove, yet, it lasts where other factory and warehouse floor marking tapes simply don't.

Gilca Grit hithin Oxide Grit Epoxy Danond Metal

Small Hexagonal Metal Hexagonal Head

Ceranic Tile In Tile Urethane Ceranic Tile Frecked Urethane

Low Adhesion

Moderate Adhesion

Strong Adhesion

Questions about your floor type?

We recommend testing a small area before purchasing. To request a free sample, visit BradylD.com/toughstripe.

* For maximum performance, apply ToughStripe Floor Marking products to flat, non-coated concrete.

BradyID.com/s35

ToughStripe® Floor Marking Diecut Shapes

- All the durability and high visibility of ToughStripe Floor marking tape, but in diecut shapes
- Easy installation; lay down the continuous tape, and then remove the clear transfer tape. No need to apply markings one by one













Dots

	3.5" Dia. 350/roll
	104404
White	104405
Red	104400
Green	104401
Blue	104402
Yellow	104403

Arrows

	2" x 5" 100/pack	3" x 8" 100/pack	4" x 10" 100/pack
	104416	104422	104428
White	104417	104423	104429
Red	104412	104418	104424
Green	104413	104419	104425
Blue	104414	104420	104426
Yellow	104415	104421	104427

Footprints

	10' x 3.5" 5 right & 5 left/pack
	104410
White	104411
Red	104406
Green	104407
Blue	104408
Yellow	104409













Corner "L" Marks

	2" x 5" 20/pack	3" x 8" 20/pack	4" x 10" 20/pack
	104434	104446	104458
White	104435	104447	104459
Red	104430	104442	104454
Green	104431	104443	104455
Blue	104432	104444	104456
Yellow	104433	104445	104457

Center "+" Marks

	2" x 5" 20/pack	3" x 8" 20/pack	4" x 10" 20/pack
	104470	104476	104482
White	104471	104477	104483
Red	104466	104472	104478
Green	104467	104473	104479
Blue	104468	104474	104480
Yellow	104469	104475	104481

Divider "T" Marks

	2" x 5" 20/pack	3" x 8" 20/pack	4" x 10" 20/pack
	104440	104452	104464
White	104441	104453	104465
Red	104436	104448	104460
Green	104437	104449	104461
Blue	104438	104450	104462
Yellow	104439	104451	104463



Pre-Spaced ToughStripe® Shapes

- Quickly lay straight, evenly spaced shapes
- Packaged in rolls (not individually) and spaced 18" apart on a continuous liner
- Easy installation; lay down the continuous tape, and then remove the clear transfer tape. No need to apply markings one by one

Pre-Spaced Shapes

	3.5" x 100' 55 dots/18" apart	2" x 5" x 100' 52 arrows/18" apart	2" x 8" x 100' 46 dashes/18" apart
	104525	104554	142178
White	104522	104555	142177
Red	104521	104526	142179
Green	104520	104527	142181
Blue	104524	104528	142180
Yellow	104523	104529	104556

ToughStripe® Floor Marking BradyID.com/s35

B-534 Floor Marking Signs with Anti-Slip Tread

Toughstripe B-534 polyester floor signs resist harsh chemicals and are specifically designed to alert workers of potential dangers and enforce protective equipment requirements.

- Exceeds safety standards for clean, dry non-slip surfaces per ANSI A1264.2-2006 and OSHA 1910.22
- Black areas of signs are coated with anti-slip tread
- 3 mil thickness; Service temperature range of 0°F 129°F
- US Patent No 8.302.337



Arrow Symbol 104489 - 17" dia.



Emergency Exit 104495 - 17" dia.



Emergency Stairs 104496 - 17" dia.



Exit Arrow 104490 - 17" dia.



Fire Extinguisher 104492 - 17" dia.



Fire Alarm 104493 - 17" dia.



Fire Hose



Pedestrian Traffic Only 104509 - 17" dia



Watch Out For Fork Lift 104501 - 17" dia.



Warning Forklift Traffic 104512 - 17" dia.



Production Area 104513 - 17" dia.



First Aid w/Arrow



Safety Shower



Eye Wash 104507 - 17" dia



Stop 1045**11 -** 17" dia



Keep Aisles Clear 104508 - 17" dia.



Radiation Area 104488 - 14" x 18"



First Aid 104491 - 14" x 18"



Do Not Enter 104497 - 14" x 18"



Chemical Storage 104498 - 14" x 18"



Watch Your Step 104499 - 14" x 18"



No Smoking 104500 - 14" x 18"



Ear Protection Area 104502 - 14" x 18"



Eye Protection Area 104503 - 14" x 18"



Hard Hat Area 104504 - 14" x 18"



Safety Goggles Required 104505 - 14" x 18"



Biohazard 104506 - 14" x 18"



Safety Glasses Required 104510 - 14" x 18"

BradyID.com/s35



Legend	Black	White	Red	Green	Blue	Yellow
А	121691	121692	121693	121694	121695	121696
В	121697	121698	121699	121700	121701	121702
С	121703	121704	121705	121706	121707	121708
D	121709	121710	121711	121712	121713	121714
Е	121715	121716	121717	121718	121719	121720
F	121721	121722	121723	121724	121725	121726
G	121727	121728	121729	121730	121731	121732
Н	121733	121734	121735	121736	121737	121738
T	121739	121740	121741	121742	121743	121744
J	121745	121746	121747	121748	121749	121750
K	121751	121752	121753	121754	121755	121756
L	121757	121758	121759	121760	121761	121762
M	121763	121764	121765	121766	121767	121768
Ν	121769	121770	121771	121772	121773	121774
0	121775	121776	121777	121778	121779	121780
Р	121781	121782	121783	121784	121785	121786
Q	121787	121788	121789	121790	121791	121792
R	121793	121794	121795	121796	121797	121798
S	121799	121800	121801	121802	121803	121804

ToughStripe® Numbers and Letters

- Ideal for marking aisle-ways, shipping and receiving docks, distribution centers, or other areas of your facility
- Easy-to-see 6"W x 8"H numbers and letters available in six high visibility colors
- · Each pack contains 20 sheets of the designated legend or Punctuation Set
- Each Punctuation Set includes: two periods, one comma, one exclamation point, one question mark, one forward slash, one dash, and one ampersand (&)

		_			_	
Legend	Black	White	Red	Green	Blue	Yellow
Т	121805	121806	121807	121808	121809	121810
U	121811	121812	121813	121814	121815	121816
V	121817	121818	121819	121820	121821	121822
W	121823	121824	121825	121826	121827	121828
Χ	121829	121830	121831	121832	121833	121834
Υ	121835	121836	121837	121838	121839	121840
Z	121841	121842	121843	121844	121845	121846
0	121847	121848	121849	121850	121851	121852
1	121853	121854	121855	121856	121857	121858
2	121859	121860	121861	121862	121863	121864
3	121865	121866	121867	121868	121869	121870
4	121871	121872	121873	121874	121875	121876
5	121877	121878	121879	121880	121881	121882
6	121883	121884	121885	121886	121887	121888
7	121889	121890	121891	121892	121893	121894
8	121895	121896	121897	121898	121899	121900
9	121901	121902	121903	121904	121905	121906
Punctuation Set	121907	121908	121909	121910	121911	121912

Premium 5S Marking Kits with ToughStripe® Floor Marking Tape

Brady's Premium 5S Marking Kits provide everything you need to 5S your facility, enhancing workplace organization & efficiency.

Premium 5S Marking Kit Includes:

- ToughStripe® Floor Marking Tape
- 4 Rolls of 2" ToughStripe floor tape (1 yellow, 1 red, 1 blue, 1 green)
- 4 Packages of 2" L-shaped corner marks (1 yellow, 1 red, 1 blue, 1 green)
- Toolboard / Workbench Marking Tapes
 4 Rolls of 12" shadow vinyl (1 black, 1 red, 1 blue, 1 green)
 4 Rolls of ½" border tape (1 black, 1 red, 1 blue, 1 green)

 - 4 Rolls of 1/2" L-shaped corner marks (1 black, 1 red, 1 blue, 1 green)

Premium 5S Kit with BMP®71 Label Printer Includes:

- · All contents of Premium 5S Marking Kit above, plus:
- BMP®71 Printer with hard carrying case and charger/AC power adaptor
- 3 White vinyl tape cartridges (1/2", 1", 2")
- 1 Yellow vinyl tape cartridge (2")
- · 2 Ribbon cartridges (1 black, 1 red)

For more information on the BMP®71 Label Printer, view page 356

Catalog #	Description	
142109	Premium 5S Kit	
142111	Premium 5S Kit with BMP71 Label Printer	

The Perfect Starter Kit for **Your Visual Workplace Journey!**



BradyID.com/s35



Print-On-Demand ToughStripe® Tape (B-483)

ToughStripe is also available as printable label rolls which can be used to create custom floor labels, making them an ideal solution for identifying storage locations and providing visual instructions on the shop floor.

Easy 3-step process: Print desired label from a select Brady printer, position label on floor and apply included B-634 polyester overlaminate for print protection.



BBP®35/37 ToughStripe Tape w/ Overlaminate

	1.125" x 100'	2.25" x 100'	3" x 100'	4" x 100'
White	B30C-1125-483WT-KT	B30C-2250-483WT-KT	B30C-3000-483WT-KT	B30C-4000-483WT-KT
Yellow	B30C-1125-483YL-KT	B30C-2250-483YL-KT	B30C-3000-483YL-KT	B30C-4000-483YL-KT
Red	B30C-1125-483RD-KT	B30C-2250-483RD-KT	=	B30C-4000-483RD-KT
Orange	B30C-1125-483OR-KT	B30C-2250-483OR-KT	-	B30C-4000-483OR-KT
Blue	B30C-1125-483BL-KT	B30C-2250-483BL-KT	-	B30C-4000-483BL-KT
Green	B30C-1125-483GN-KT	B30C-2250-483GN-KT	-	B30C-4000-483GN-KT
Black	B30C-1125-483BK-KT	B30C-2250-483BK-KT	-	B30C-4000-483BK-KT

Specialty black ribbon catalog #B30-R6000 required to print on ToughStripe floor tape. Use standard white ribbon catalog #B30-R4400-WT for white text.



Page 438

GlobalMark®2 ToughStripe Tape w/ Overlaminate

	1.125" x 100'	2.25" x 100'	3" x 100'	4" x 100'
White	142155	142154	142156	142157
Yellow	142162	142161	142163	142164
Red	142166	142165	-	142167
Orange	142175	142174	-	142176
Blue	142169	142168	-	142170
Green	142172	142171	-	142173
Black	142159	142158	-	142160

^{*} Specialty black ribbon catalog #96089 required to print on ToughStripe floor tape. Use standard white ribbon catalog #76741 for white text.



BMP®71 ToughStripe Tape w/ Overlaminate

	1" x 50'	2" x 50'
White	M71-1000-483-WT-KT	M71-2000-483-WT-KT
Yellow	M71-1000-483-YL-KT	M71-2000-483-YL-KT
Red	M71-1000-483-RD-KT	M71-2000-483-RD-KT
Orange	M71-1000-483-OR-KT	M71-2000-483-OR-KT
Blue	M71-1000-483-BL-KT	M71-2000-483-BL-KT
Green	M71-1000-483-GN-KT	M71-2000-483-GN-KT
Black	M71-1000-483-BK-KT	M71-2000-483-BK-KT

^{*} Specialty black ribbon catalog #M71-R6000 required to print on ToughStripe floor tape Use standard white ribbon catalog #M71-R4400-WT for white text.

No Printer? No Problem!

Custom & Pre-Printed ToughStripe® Tape

- Custom colored ToughStripe tape (just supply the PMS#)
- Custom text and legends on the ToughStripe tape
 - Communicate why the area is marked or blocked off
 - Provides more of a visual workplace and helps productivity
 - 18 character limit, can also include pictograms

Call Brady Customer Service today to order your custom ToughStripe Tape!



Pre-printed legends

Custom legends and colors available

ToughStripe Stock Legends

	2" x 100'	3" x 100'	4" x 100'
Orange "QA Inspection Area"	121364	121365	121366
Yellow "Caution ESD Area"	121367	121368	121369

BradyID.com/s35



Reflective Tape

- Made of B-957 reflective tape
- Give an extra margin of safety in low light conditions

Color	2" x 15'	3" x 15'
Solid Tape		
Yellow	78986	78988
White	78985	78987
Orange	78989	78990
Striped Tape		
Blk/Ylw	76308	76312
Rd/Wht	76309	76313
B l k/Wht	76310	-
Checkered Tape		
Blk/Ylw	76321	



Aisle Marking Tapes

- Long-wearing B-726 vinyl tape
- Applies quickly and sticks tightly
- Not compatible with Universal Line Applicator

Color	2" x 36 yd.	3" x 36 yd.	4" x 36 yd.					
Solid Tape								
Yellow	58200	58250	102838					
Red	58201	58251	102836					
Green	58202	58252	102834					
White	58203	58253	102837					
Blue	58220	58221	102833					
Black	58222	58223	102839					
Orange	102825	102829	102835					
Brown	102828	102832	102840					
Purple	102827	102831	-					
Grey	102826	102830	-					



Warning Tape

- B-950 vinyl with permanent adhesive stands up to tough indoor conditions
- Colors sealed beneath protective layer of abrasion resistant clear vinyl

Color	1"x18 yd.	1.5"x18 yd.	2"x18 yd.	3"x18 yd.			
Striped Ta	Striped Tape						
Blk/Ylw	55300	55301	55302	55303			
B l k/Wt	55290	55291	55292	55293			
Mag/Ylw	-	55312	55313	55314			
Rd/Wht	55294	55295	55296	55297			
Grn/Wht	-	-	90019	90020			
Checkered Tape							
Blk/Ylw	-	-	76317	76319			
B l k/Wt	-	-	76316	76318			



L-Shaped Corner Markings

 Use corner marks to quickly define storage locations on workbenches, desktops & shelves

Catalog #	Size	Color	Qty.
121413	1" x 1" L-Shaped	Red	750/roll
121416	1" x 1" L-Shaped	Green	750/roll
121417	1" x 1" L-Shaped	Black	750/roll
121415	1" x 1" L-Shaped	Yellow	750/roll
121414	1" x 1" L-Shaped	Blue	750/roll



Border Marking Tape

- Ideal for solid borders, dividing lines
- Place color-coded bands on tools for easy identification

Catalog #	Size	Color
121122	1/4" x 50' tape	Red
121127	1/2" x 50' tape	Red
121125	1/4" x 50' tape	Green
121130	1/2" x 50' tape	Green
121126	1/4" x 50' tape	Black
121131	1/2" x 50' tape	Black
121124	1/4" x 50' tape	Yellow
121129	1/2" x 50' tape	Yellow
121128	1/2" x 50' tape	Blue
121123	1/4" x 50' tape	Blue



T-Shaped Corner Markings

 Use corner marks to quickly define storage locations on workbenches, desktops & shelves

Catalog #	Size	Color	Qty.
121418	1.5" x 1" T-Shaped	Red	545/roll
121421	1.5" x 1" T-Shaped	Green	545/roll
121422	1.5" x 1" T-Shaped	Black	545/roll
121420	1.5" x 1" T-Shaped	Yellow	545/roll
121419	1.5" x 1" T-Shaped	Blue	545/roll



Shadow Vinyl Rolls

- Quickly and easily create tool shadows to exact size and shape
- Simply place tool on vinyl, trace outline with pen and cut out with scissors

Catalog #	Size	Color
121117	12" x 12'	Red
121120	12" x 12'	Green
121121	12" x 12'	Black
121119	12" x 12'	Yellow
121118	12" x 12'	Blue



Warn of Safety Hazards



BradyID.com/s35



Footprints

 Single footprints made of vinyl and designed for easy hand application

Color	Size	Qty.	Catalog #	
			Left Foot	Right Foot
Yellow	12"	1 ea.	121405	121406
Green	12"	1 ea.	121407	121408
Red	12"	1 ea.	121409	121410
White	12"	1 ea.	121411	121412
Blue	12"	1 ea.	121400	121399
Orange	12"	1 ea.	121402	121401
Black	12"	1 ea.	121404	121403



Vinyl Aisle Marking Dots

• B-7569 aisle marking vinyl dots are designed for easy hand application

Catalog #	Size	Color	Qty.
121033	2" dia. Dot	Yellow	500
121034	3" dia. Dot	Yellow	500
121035	4" dia. Dot	Yellow	500
121036	5" dia. Dot	Yellow	500
121039	2" dia. Dot	Red	500
121139	3" dia. Dot	Red	500
121040	2" dia. Dot	Green	500
121041	3" dia. Dot	Green	500
121042	2" dia. Dot	White	500
121043	3" dia. Dot	White	500



Vinyl Aisle Marking Arrows

- B-7569 vinyl is ideal for floor application
- Aisle marking arrows are designed for easy hand application.

Catalog #	Size	Color	Qty.
121051	3" Arrow	Red	100
121046	2" Arrow	Yellow	100
121047	3" Arrow	Yellow	100
121048	4" Arrow	Yellow	100
121049	5" Arrow	Yellow	100



Removable Footprints

- Durable, skid-resistant footprints with removable back
- Standard package: 5 left and 5 right

Catalog #	Description	Size	Qty.
31550	Yellow Feet	11.875" x 3.75"	5 sets
31551	Green Feet	11.875" x 3.75"	5 sets
31552	Blue Feet	11.875" x 3.75"	5 sets
31553	Red Feet	11.875" x 3.75"	5 sets



Roll Mounted Dots

• B-7569 vinyl dots are designed for machine application

	Color	Qty.
2" dia.	Yellow	1,000/roll
3" dia.	Yellow	1,000/roll
2" dia.	White	1,000/roll
3" dia.	White	1,000/roll
3" dia.	Green	1,000/roll
	3" dia. 2" dia. 3" dia.	3" dia. Yellow 2" dia. White 3" dia. White



Glow-In-The-Dark Arrows

- Photoluminescent arrows designed for safe exit during power outages and emergency situations
- 10+ hour glow life

Catalog #	Description	Size	Qty.
93275	Glow Arrows	3"	100



Glow-In-The-Dark Footprints

- Photoluminescent footprints designed for safe exit during power outages and emergency situations
- 10+ hour glow life

Catalog #	Color	Size	Qty.
55358	Left Foot	12"	1 ea.
55359	Right Foot	12"	1 ea



Color-Coded Dots

• Pressure-sensitive paper labels are ideal creating a visual workplace

Catalog #	Size	Color	Qty.
30661	1.5"	Blue	500
30665	3"	Blue	500
30662	1.5"	Red	500
30666	3"	Red	500
30663	1.5"	Green	500
30667	3"	Green	500
30664	1.5"	Yellow	500
30668	3"	Yellow	500

^{*} Dispensers not included



Write-On Magnetic Labels

- Re-useable labels with a water-soluble pen that wipes off with a wet cloth
- For a permanent label, use our permanent marking pen (87052)

Catalog #	Size	Color
56957	1" x 50'	Blue
56958	1" x 50'	Green
56959	1" x 50'	Orange
56960	1" × 50'	Red
56961	1" x 50'	White
56962	1" x 50'	Yellow

BradyID.com/s35



Warning Message Tapes

- B-950 vinyl with permanent adhesive
- Colors sealed beneath protective layer of abrasion resistant clear vinyl

Catalog #	Legend	Size	Color
58255	Caution w/ Blk/Ylw Stripes	3" x 60'	Blk/Ylw
58257	Blk/Ylw Stripes Only	3" x 60'	Blk/Ylw



Anti-Slip Floor Tape

- B-916 adhesive-backed polyester tape coated with aluminum oxide grit
- Bonds permanently to clean, dry floors both indoors and outdoors

Color	1" x 60'	2" x 60'	4" x 60'	6" x 60'	12" x 60'
Blk	78189	78190	78191	78193	78194
Rd	78197	78198	78199	-	-
Ylw	-	78091	78092	-	-
Wht	-	78187	-	-	-
Clear	-	78188	-	-	-



Anti-Slip Hazard Marking

• Made of B-819 matte anti-slip overlaminate

Catalog #	Legend	Size	Color
92414	Caution	3" x 54'	Blk/Ylw
92415	Caution/Do Not Enter	3" x 54'	Blk/Ylw
92416	Caution/Watch Your Step	3" x 54'	Blk/Ylw
92417	Blank (striped only)	3" x 54'	Blk/Ylw



Anti-Slip Striped Tape

• Rugged B-916 adhesive-backed polyester tape coated with durable aluminum oxide grit is ideal for indoor and outdoor use

Catalog #	Size	Color
78146	1" x 60'	Black/Yellow
78147	2" x 60'	Black/Yellow
78148	3" x 60'	Black/Yellow
78149	4" x 60'	Black/Yellow
78150	6" x 60'	Black/Yellow



Heavy Duty Anti-Slip Tapes

- Aggressive adhesive withstands harsh elements such as oil, fuel and grease
- High slip resistance with deeply textured silicon carbide grit
- Ideal on loading docks and ramps

Catalog #	Size	Color	
110020	2" x 60'	Black	
110019	4" x 60'	Black	
110018	6" x 60'	Black	
110017	12" x 60'	Black	



Anti-Slip Hazard Cleats

- Durable grit-coated polyester diecuts
- Ideal for use on steps and in entryways

Catalog #	Legend	Size	Qty.
78160	Caution	6" x 24"	24
78163	Watch Your Step	6" x 24"	24



Safety Track® Resilient Tape

- Kinder, gentler product without sacrificing performance
- Easily cleaned can be mopped

Catalog #	Size	Color	Qty.
98455	4" x 60'	Black	1 roll
98459	4" x 60'	Gray	1 roll
98457	6" x 24"	Black	50 cleats



Anti-Slip Diecut Cleats

• Durable grit-coated polyester diecuts

Catalog #	Legend	Size	Qty.
78161	Reflective Stripe	6" x 24"	24
78162	Photo-Lum Stripe	6" x 24"	24
78195	Black	6" x 24"	50
78196	Black	5.5" x 5.5"	50



Glow-In-The-Dark Cleats

• Durable B-918 grit-coated polyester diecuts offer photoluminescent safety

Catalog #	Description	Size	Qty.
99048	Tape	1" x 60'	1 roll
99049	Tape	2" x 60'	1 roll
99050	Tape	4" x 60'	1 roll
99052	Tape	6" x 60'	1 roll
99053	Tape	12" x 60'	1 roll
99054	Diecut cleat	6" x 24"	50 cleats
99055	Diecut cleat	6" x 24"	10 cleats



The 2015 versions of the International Building Code (IBC), International Fire Code (IFC) and the National Fire Protection Agency's (NFPA) 101 Life Safety Code contain new provisions for the means of egress in most new and pre-existing buildings with five or more stories.

Luminous (glow-in-the-dark) egress path markings are now required for the full width of every stair and handrail, among other markings. Brady offers a complete line of egress marking products that meet the current requirements for the 2015 means of egress regulations.



BradyGlo™ Floor Tapes

- B-324 phosphorescent surface printed polyester
- Designed for safe low level lighting egress pathway marking during power outages and emergency situations
- 10+ hours glow life

Striped Tape	2" x 15'
Striped Tape	2" x 15'
Solid Tape	2" x 15'
Solid Tape	3" x 15'
	Striped Tape Solid Tape



High Intensity Marking Tape

- Self Sticking Polyester in IBC/IFC compliant or NYC approved styles
- Ideal for marking steps and landings, door frames, and handrails
- 10+ hours glow life

Catalog #	Size	Color
114634	114634 IBC/IFC Marking Tape	
114636	IBC/IFC Anti-Slip Marking Tape	1" x 50'
81873	NYC Approved Marking Tape	1" x 50'
81729	NYC Approved Anti-Slip Tape	1" x 50'



High Intensity Obstacle Tape

- Self Sticking Polyester in IBC/IFC compliant or NYC approved styles
- Clearly marks obstacles that protrude into the egress path
- 10+ hours glow life

Catalog #	Style	Size
114635	IBC/IFC Compliant Obstacle Tape	1" x 50
81869	NYC Approved Obstacle Tape	1" x 50



BradyGlo[™] Arrow Tape

- Exceeds ASTM E 2072-00 standard
- Designed for safe low level lighting egress pathway marking during power outages and emergency situations
- 10+ hours glow life

Catalog #	Style	Size
90971	V-Arrow Tape	2" x 15'
90972	V-Arrow Tape	3" x 15'
90973	Arrow Tape	2" x 15'
90974	Arrow Tape	3" x 15'
76430	Striped Arrow	2" x 15'

Regulations

OSHA 29 CFR 1910.1030 Bloodborne Pathogens:

Labels required for containers and shipments. Employers to post biohazard signs at the entrance to work areas.

DOT 49 CFR 172.400(b):

Labeling is required for infectious substances which meets one or more hazard classifications.

UN2814 Infectious Substances:

Ebola virus defined as Category A infectious substance.

Biohazard Identification

An essential step towards safety is the clear and instantly-readable identification of all biohazard areas and waste products.



Biohazard Labels

 Labels effectively identify and warn of biohazard materials

Catalog #	Size	Qty
LH625E	4" x 2-7/8"	25/pk.



Biohazard Waste Disposal Bags

 3-mil polyethylene bags to package and dispose of biohazardous waste

Catalog #	Size	Qty
145586	16" x 14" x 36"	100/pk
145587	30" x 14" x 39"	100/pk



Biohazard Tape

 Self-sticking vinyl tape is ideal for clearly identifying biohazard areas

Catalog #	Size	uty
88051	2" x 108'	1 roll



Clearly identify hazardous areas with Brady Biohazard Signs available on page 65.

297

Barricade Tape

BradyID.com/s35



Woven Barricade Tape

- Made of B-903 polypropylene
- Contains ultraviolet inhibitors for permanent outdoor marking

Catalog #	Legend	Size
91172	0.75" x 150'	Black/Yellow
91173	0.75" x 150'	Magenta/Yellow
91175	0.75" x 150'	Black/Red
91176	2" x 200'	Black/Yellow
91179	2" x 200'	Black/Red



Reinforced Barricade Tape

- Provides fast, on-the-spot warning
- 250 lbs tensile strength
- Standard package: one roll

Catalog #	Legend	Size	Color
91100	Caution/Cuidado	3" x 500'	Blk/Ylw
91101	Caution Construction Area	3" x 500'	Blk/Ylw
91102	Caution Do Not Enter	3" x 500'	Blk/Ylw
91103	Caution Men Working	3" x 500'	Blk/Ylw
91104	Striped	3" x 500'	Blk/Ylw



Re-Pulpable Barricade Tape

- Made of 100% strong woven, biodegradable cotton material
- Tape will break down if accidentally introduced into the system

2" x 150'	3" x 150'	Legend	Color
91082	91083	Caution	Blk/Ylw
91086	91084	Danger	Blk/Red
-	91087	Danger Do Not Enter	Blk/Ylw
-	91085	Danger Do Not Enter	Blk/Red



Economy Barricade Tape

- Made of lightweight non-adhesive polyethylene
- Ideal for temporary use outdoors or permanent indoor warning

Catalog #	Size	Color
91228	1" x 100'	Blk/Ylw
91237	1" x 500'	Blk/Ylw
91229	2" x 200'	Blk/Ylw
91238	3" x 500'	Blk/Ylw

Regulations

Safety Color Code for Marking Physical Hazards 1910.144(a):

Use yellow and black for physical hazards, red and white for fire protection equipment, black and white for traffic and housekeeping markings, magenta and yellow for radiation hazards.



Tape Tender

- Lightweight, indestructible construction
- Dispenses any 2" or 3" plastic tape rolls up to 1,000'
- Tape advances as needed using thumb
- Steel cutting blade cuts fast and smooth

Catalog #	Legend	Qty.	
72412	Tape Tender	1	



- Non-adhesive B-912 Polyethylene tapes provide fast, on-the-spot warning
- Use for temporary outdoor or permanent indoor use
- Lightweight tape can be tied, stapled or nailed to posts, fences or metal barricades
- Custom legends also available

3" x 200'	3" x 1000'	Legend	Color
91468	91462	Authorized Personnel Only	Blk/Ylw
91214	91454	(Blank - Blk/Yellow Stripes Only)	Blk/Ylw
91212	-	Caution	Blk/Ylw
91447	91448	Caution Biohazard	B l k/Org
91469	91463	Caution Chemical Hazard	Blk/Ylw
91217	91453	Caution Construction Area	Blk/Ylw
91224	91451	Caution Do Not Enter	Blk/Ylw
91220	91458	Caution High Voltage	Blk/Ylw
91215	91452	Caution Men Working	Blk/Ylw
91227	91457	Caution Open Trench	Blk/Ylw
91470	91464	Caution Radiation Hazard	Mag/Ylw
91256	91257	Confined Space Do Not Enter	Blk/Ylw
91200	91201	Danger	Blk/Red
91213	91455	Danger	Blk/Ylw
91255	91456	Danger Asbestos Dust Hazard	Blk/Ylw
-	102823	Danger Asbestos Dust Hazard (w/Stripes)	Blk/Red/Wht
-	102822	Danger Confined Space (w/Stripes)	Blk/Red/Wht
-	101349	Danger Keep Out	Blk/Red
102821	-	Do Not Enter (w/Stripes)	Blk/Red
102824	-	Do Not Enter	Blk/Red

Biodegradable Flagging Tape

- Made of 70% wood fiber
- Non-toxic; will not harm wildlife, livestock or the environment
- Complete degradation will occur in 6-12 months depending on environment conditions

Catalog #	Legend	Size	Color
91090	Caution	3" x 150'	Blk/Ylw
91091	Caution Do Not Enter	3" x 150'	Blk/Ylw
91092	Caution Men Working Overhead	3" x 150'	Blk/Ylw
91088	Danger	3" x 150'	Blk/Rd
91089	Danger Do Not Enter	3" x 150'	Blk/Rd



Flagging Tape

- Flag boundary stakes, trees and hazardous areas
- Non-adhesive

Catalog #	Size	Color
58347	1.187" x 300'	Yellow
58342	1.187" x 300'	White
58343	1.187" x 300'	Green
58344	1.187" x 300'	Orange
58345	1.187" x 300'	Blue
58346	1.187" x 300'	Red
58348	1.187" x 150'	Fluor. Yellow
58349	1.187" x 150'	Fluor, Red
58351	1.187" x 150'	Fluor. Blue
58352	1.187" x 150'	Fluor. Orange
58353	1.187" x 150'	Fluor. Green
58354	1.187" x 150'	Fluor. Pink



Pennant Barricade Tape

- Tough and durable flag barricade can be used repeatedly
- Pennants are 18" x 18" triangles spaced evenly across tape

Catalog #	Legend
58388	83' Tape with 15 Pennants
58389	113' Tape with 25 Pennants



Identoline® Underground **Warning Tape**

- Made of heavy-duty B-720 polyethylene
- Tape is 4.0 mil. thick with a tough tensile strength of 1750 psi
- Easily identified APWA (American Public Works Association) color coding
- Overcoated graphics provide longlasting legibility and hold color values

Catalog #	Utility Class	Size	APWA Color
63009	Cable T.V.	6" x 1,000'	Orange
91295	Electric*	3" x 1,000'	Red
91296	Electric	6" x 1,000'	Red
91294	Gas	6" x 1,000'	Yellow
91299	Sewer	6" x 1,000'	Green
91297	Telephone	6" x 1,000'	Orange
63050	Reclaimed Water	6" x 1,000'	Purple
91298	Water	6" x 1,000'	Blue

^{*}Legend appears on one line



Detectable Identoline® Warning Tape

- B-721 metal detectable polyester; foil is 4.5 mils
- Subsurface graphics seal the legend from acids, alkalis and soil substances
- Easily identified legend on APWA color-coded background
- Meets OSHA regulation covering location or underground utility lines
- Manual or automatic installation at 4"-6" below surface for max, dectectability

Catalog #	Utility Class	Size	APWA Color
91601	Electric	2" x 1,000'	Red
91606	Fiber Optic	2" x 1,000'	Orange
91600	Gas	2" x 1,000'	Yellow
91604	Sewer	2" x 1,000'	Green
91603	Water	2" x 1,000'	Blue



Utility Marking Flags

- Ideal for identifying possible hazards buried underground
- 4" x 5" flags attached to 30", 15.5 gauge steel rod
- Custom legends available

Catalog #	Legend	Color	Qty.
Galainy #			
98165	Buried Sewer Line	Blk/Grn	100
98166	Buried Cable	Blk/Rd	100
98167	Buried Water Line	Wht/Blu	100
98168	Buried Electric Line	Blk/Rd	100
98169	Buried Fiber Optic Cable	Blk/Org	100
98170	Buried Pipeline	Wht/Blu	100
98171	Buried Gas Line	Blk/Ylw	100
98172	(Blank)	Orange	100
98173	(Blank)	Red	100
98174	(Blank)	Yellow	100
98175	(Blank)	Blue	100
98176	(Blank)	White	100
98177	(Blank)	Green	100
98178	(Blank)	Fluor, Red	100

Facility Marking Tape

Barricades

BradyID.com/s35



BradyLink® Warning Post System

- Portable, non-rusting posts & chain for designating restricted areas or to guide foot and forklift traffic pathways
- Made of colorful polystyrene and polyethylene and are a decorative alternative to metal posts
- Non-conductive so can be safely used in electrically hazardous areas. Hollow base can be filled for a more stable application
- Not intended to support heavy weight

BradyLink Posts

- Includes base, top and c-hook for each post
- Small with Flat Base: 2.5" dia. post; 40" tall; 14" dia. base
- Large with Dome Base: 3" dia. post; 41" tall; 16" dia. base



Small with Flat Base 40" tall; 2.5" dia. post; 14" dia. base

Color		1 pack	6 pack
Standard Solid Co	or		
Black	Small	80937	80943
Yellow	Small	80938	80944
White	Small	-	-
Non-Reflective Str	iped		
Blk/Ylw Striped	Small	80940	80946
Ylw/Mag Striped	Small	80947	-
Reflective Striped			
Blk/Ylw Striped	Small	80942	80948

Includes base, top and c-hook for each post.



Large with dome base

Large with Dome Base 41" tall; 3" dia. post; 16" dia. base

,	• ′				
Color		1 pack	6 pack		
Standard Solid Col	Standard Solid Color				
Black	Large	92116	92119		
Yellow	Large	92118	92121		
White	Large	92117	92120		
Non-Reflective Stri	ped				
Blk/Ylw Striped	Large	92122	92123		
Ylw/Mag Striped	Large	92126	92127		
Reflective Striped					
Blk/Ylw Striped	Large	-	92125		

Includes base, top and c-hook for each post.



BradyLink Chain

- Polyethylene chain for indoor use only
- Link design prevents kinking

Catalog #	1.5" x 100'	2" x 100'	3" x 100'
Yellow	78234	78238	37860
Black/Yellow	-	78254	37864
White	78235	78239	37861
Black	-	78268	-
Orange	-	78241	-
Yellow/Magenta	-	-	37865



Links, C-Hooks & S-Hooks

- S-hooks temporarily attach lengths of chain together
- C-hooks are installed on the post to allow chain or s-hook to attach to post

Catalog #	Description	Color	Qty.		
C-Hooks for	C-Hooks for post tops				
92011	C-Hook	Black	36		
92012	C-Hook	Yellow	36		
92010	C-Hook	White	36		
S-Hooks for	S-Hooks for chain				
78259	2" S-Hook	Black	36		
78257	2" S - Hook	Yellow	36		
78258	2" S - Hook	White	36		
Individual C	Individual Chain Links				
78248	2" Links	Black	36		
78246	2" Links	Yellow	36		
78247	2" Links	White	36		



Post Sign Adapter

 Adaptor locks in place on top of BradyLink Warning Posts

Color	Size	1 pack	6 pack
Black	5" 1.75"	80958	80960
Black	6" x 2"	92135	92137
Yellow	5" 1.75"	80959	80961
Yellow	6" x 2"	92134	92136



Bradycone™ Warning Cones System

- Bradycone™ Warning System is the perfect solution for your indoor or outdoor hazardous warning needs
- Cones are designed to communicate temporary slip, trip and fall hazards
- Cones are light weight, portable and stackable
- Hazard message is on all four-sides of the cone, so your message can't be missed
- Enhance your message with the Lock-in Sign Frame with pictogram labels



Bradycone™ Warning Cones

- Stackable for easy storage
- High impact, weather-resistant cones
- Includes notch at top of cone to attach Bradycone chain (sold separately)

Catalog #	Description		Size
77204	B l ank	Orange	35"
77198	B l ank	Yellow	25"
77205	B l ank	Yellow	35"
103681	Do Not Enter	Yellow	35"
103682	Icy Areas	Yellow	35"
103683	No Parking	Yellow	35"
77201	Safety First	Yellow	25"
77203	Safety First	Yellow	35"
77200	Wet Floor	Yellow	25"
77202	Wet Floor	Yellow	35"
103680	Wet Floor/ Piso Mojado	Yellow	35"



Bradycone™ Accessories

- Accessories to complete your Bradycone[™] Warning System
- Chain can be hooked into cone notch at any position along the chain

Catalog #	Description	Size
77207	Lock-in-Chain	20"
77208	Weight Ring	9 lbs



Bradycone™ Picto Labels

- Lock-In frame easily fits to the top of the cone
- Self-sticking labels can be applied to the front of the frame

Catalog #	Legend	Size	Qty
94917	Falling Ice	8.25" x 8.25"	1
77221	Electrical Hazard	8.25" x 8.25"	1
77224	No Entry Construction	8.25" x 8.25"	1
77217	No Smoking	8.25" x 8.25"	1
77219	Out Of Service	8.25" x 8.25"	1
77216	Slippery	8.25" x 8.25"	1
77226	Watch Your Step	8.25" x 8.25"	1
77210	Lock-in-Frame (Face: 8-1/4" x 8-1/4")	10" x 10"	1



 Vinyl construction assures flexible, yet rugged durability

Catalog #	Description	Size	Qty.
80111	18" Cone	18"	1
80112	24" Cone	24"	1



Traffic Cones Signs

- Easy to install plastic sign fits any standard traffic cone or delineator
- Legend on one side only

Catalog #	Legend	Size	Qty.
80117	Do Not Enter	10.5" x 12.75"	1
80118	Wet Floor	10.5" x 12.75"	1



Additional Traffic Barricades on page 199

BradyID.com/s35

Reversible Floor Stands

- Reversible signs contain two legends, to change legend simply detach at the bottom and flip over
- Lightweight corrugated polypropylene material makes it portable and easy to handle
- 12" x 20" when closed















92283











Floor Stands

- Made of durable polystyrene plastic
- Printing appears on both panels

Catalog #	Legend	Size
47243	Caution Tripping Hazard	12"x20"
47239	Danger Persons Working Above	12"x20"
47251	Notice Restroom Closed For	12"x20"



Heavy Duty Floor Stands

- Alert employees and visitors of potential floor hazards
- Made of heavy-duty polypropylene
- Wording appears on both panels

Catalog #	Legend	Height	
104808	Blank	24.5"	
104810	Caution	24.5"	
104811	Closed	24.5"	
104809	Wet Floor	24.5"	



BradyID.com/s35







Bradystake™ Warning Stakes

- Rugged and flexible reinforced polymer
- Stakes available with pointed end to help drive stake into ground
- · Blank stakes with no sign assembly

Catalog ·	# Color	Color	Size		
Stakes w	Stakes with Pointed End				
96950	Pointed End	Orange	3.75" x 66"		
96951	Pointed End	Yellow	3.75" x 66"		
96952	Pointed End	Blue	3.75" x 66"		
96953	Pointed End	Green	3.75" x 66"		
96954	Pointed End	White	3.75" x 66"		
96955	Pointed End	Red	3.75" x 66"		
Stakes w	ith Square End				
96920	Square End	Orange	3.75" x 66"		
96921	Square End	Yellow	3.75" x 66"		
Reflectiv	Reflective Stakes (Striped)				
96922	Reflective	Org/Wht	3.75" x 66"		
96923	Reflective	Blk/Ylw	3.75" x 66"		

Bradystake™ Warning Stakes

- Bradystake™ Warning Stakes are ideal for outdoor marking applications
- Rugged and flexible stakes bend, not break, if accidentally run over with a vehicle
- Stakes are available in highly visible standard APWA colors and reflective stripes so the are easy to see. Their durable graphics are ideal for harsh environments and because they are flat on both sides you get two-way readability.
- Stakes are six times lighter than conventional signs and posts, so installation is easy and shipping costs are greatly reduced.






Bradystake™ Labels

- B-302 self-sticking polyester suitable
- 1" blank area at bottom accommodates a company label with contact info
- Labels can also be custom ordered with your own legend

Catalog #	Legend	Size
85406	Caution Gas Pipeline	14" x 3"
85551	Warning Natural Gas Pipeline	14" x 3"



Bradystake™ Anchors

- Anchors catch soil around the stake adding extra stability when used in loose or sandy soil
- Resilient, long-lasting spring steel withstands outdoor conditions
- Can be custom ordered to be applied to stakes at the factory allowing for quick field installation

Catalog #	Legend	Qty
97084	Bradystake™ Anchors	1



Tensabarrier™ Barricades

- 40" post with 14" dia. (26lbs) base
- Pull-out belt is 7.5' long

Catalog #	Legend
80125	Post w/ Black/White Stripe Belt
80127	Post w/ Black/Yellow "CAUTION-DO NOT ENTER" Belt
58413	Wall-mount End



Tensabarrier™ Signs

- Made of durable plexiglass
- 11" x 7" sign feature white letters on black background

Catalog #	Legend
80129	Please Wait Here For Next Available Teller
80130	Please Wait Here For Next Available Clerk
80131	Please Wait Here For Next Available Agent





Half Dome

Safety Mirrors

- Impact-resistant plastic mirrors improve visibility and safety by providing a wide or field of vision
- Mounting hardware included

Catalog #	Description	Size	Qty.
86340	Outdoor Convex	26"	1
86341	Indoor Convex	18"	1
86344	Full Dome 360°	48"	1
86342	Half Dome 180°	18"	1
86343	Quarter Dome 90°	18"	1