

No Lesen : PC002488

Licence No:

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada SIRIM QAS International Sdn. Bhd. hereby grants to

WORLDWIDE COMPETENCE SDN. BHD. NO 5, JALAN HI-TECH 3/3 KAWASAN PERINDUSTRIAN HI TECH 3 43500 SEMENYIH SELANGOR, MALAYSIA



Lesen untuk menggunakan Tanda Pensijilan di atas barangan a licence to use the Certification Mark on

GLASS-FIBRE REINFORCED POLYESTER (GRP) SECTIONAL WATER TANKS

Please refer to detail in the SCHEDULE



sebagai mematuhi keperluan

as complying with

MS 1390: 2010

maulu.

Certified Since

Sah Sehingga

Nur Fadhilah binti Muhammad

Ketua Pegawai Eksekutif

Chief Executive Officer

SIRIM QAS International Sdn. Bhd.



SIRIM QAS International Sdn. Bhd. (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri Seksyen 2, Peti Surat 7035 40700 Shah Alam Selangor Darul Ehsan MALAYSIA.

Tel: 603-5544 6400 Emel: cserviceqas@sirim.my Tarikh Mula Pensijilan : 26 August 2016

Tarikh Dikeluarkan : 22 September 2023

Issue Date

No Siri : 089392

Valid Until Serial No

: 26 August 2024

Lesen ini dianug erahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd. This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.



No Lesen : PC002488

Licence No:

SCHEDULE

WORLDWIDE COMPETENCE SDN. BHD.



SIRIM



ACB 001



:WSK Trade Mark

Model :BASE PANEL

Rating :LB1, MB1, HB1, SHB1 Size :PANEL SIZE (1mX1m)

Trade Mark :WSK

Model :WALL PANEL

Rating :LW2, MW2, HW2, SHW2 Size :PANEL SIZE (1mX1m)

Trade Mark :WSK

Model :ROOF TOP

Rating :R1

Size :PANEL SIZE (1mX1m)

Trade Mark :WSK Model :MANHOLE

Rating :MH

Size : PANEL SIZE (1mX1m)

:MAXIMUM TANK CAPACITY (WITHOUT PARTITION) 500,000 LITRES MAXIMUM Type

DEPTH: 4 METRES

End of page -

SIRIM QAS International Sdn. Bhd. (No. Syarikat 199601037981(410334-X))

> 1, Persiaran Dato' Menteri Seksyen 2, Peti Surat 7035 40700 Shah Alam Selangor Darul Ehsan MALAYSIA.

Tel: 603-5544 6400 Emel: cserviceqas@sirim.my Tarikh Mula Pensijilan : 26 August 2016

Tarikh Dikeluarkan : 22 September 2023

Certified Since Sah Sehingga Issue Date

No Siri : 089392

Valid Until

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd. This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

: 26 August 2024



Print

SPAN Listing

: 300-10/635/A/W-2

No.

Supplier : WORLDWIDE COMPETENCE SDN BHD - 825713-A

NO 5,JALAN HI-TECH 3/3 KAWASAN PERINDUSTRIAN HI-TECH 3 43500 SEMENYIH, SELANGOR 43500 KAJANG SELANGOR DARUL EHSAN Tel:

0169123863 /Fax:

Manufacturer : WORLDWIDE COMPETENCE SDN BHD NO.22, JALAN INDUSTRI MAS 9

TAMAN MAS 47100 PUCHONG SELANGOR DARUL EHSAN

Principal : WORLDWIDE COMPETENCE SDN BHD NO 5, JALAN HI-TECH 3/3

KAWASAN PERINDUSTRIAN HI-TECH 3 43500 SEMENYIH, SELANGOR

Category A (WATER)

Group : STORAGE OF WATER

Product : STORAGE CISTERN / TANK

Type : FRP WATER TANK

Sub-type : SECTIONAL

Details

Information

Model	Series	Description	
BASE PANEL	LB1,MB1,HB1,SHB1	PANEL SIZE (1MX1M).	
MANHOLE	МН	PANEL SIZE (1MX1M).	
NA	NA	MAXIMUM TANK CAPACITY (WITHOUT PARTITION) 500,000 LITERS MAXIMUM DEPTH: 4 METER	
ROOF PANEL	R1	PANEL SIZE (1MX1M).	
WALL PANEL	LW2,MW2,HW2,SHW2	PANEL SIZE (1MX1M).	

Brands : WSK

Standard : MS 1390:2010

: Sirim PC002488

Certificate body


& Certificate No

: STORAGE CISTERN / TANK-FRP WATER TANK-SECTIONAL

Certification

Scope

Valid Until : 2024/08/26







FRP(GRP) SECTIONAL WATER STORAGE TANK





WELLTECH (M) SDN BHD 202101004212 (1404511-H)
No 5 , Jln Hi-Tech 3/3 ,
Kawasan Perindustian Hi-Tech 3 ,
43500 Semenyih,Selangor.
Tel: 017-3992322 Winnie (Sales) / 016-9123863 Alvin (Technical)

Email: info@welltech.my Website: welltech.my

GALLERY























ACCESSORIES

Internal Ladder

- 1. Aluminum (Standard)
- 2. Fiber GFRP
- 3. Stainless Steel SS 304 / SS 316

Water Lever Indicator

1. Hot Dip Galvanize

Skid Base

- 1. Black Oxide Paint (Standard)
- 2. Hot Dip Galvanize

Internal Fastener

- 1. SS 304 M10 x 45 Bolt & Nut
- 2. SS 304 M10 Flat Washer

External Ladder

- 1. Hot Dip Galvanize (Standard)
- 2. Stainless Steel SS 304 / SS 316
- 3.Safe Cage Ladder

Sealant

1. Non-Toxic PVC Foam

External Fastener

- 1. HDG M10 x 45 Bolt & Nut
- 2. HDG M10 Flat Washer



SS 304 Tie Rod



Stay Bracket



Flat Bar



Reinforce Angle



Air Ventilation



Hollow Steel

Welltech (M) Sdn Bhd is a reputable company specializing in the manufacturing and distribution of high-quality water tanks. With years of experience in the industry, Welltech (M)Sdn Bhd Tanks has established itself as a trusted provider of reliable and durable water storage solutions.

Our company is committed to delivering top-notch products that meet the diverse needs of our customers. We offer a wide range of water tanks, including both above-ground and ground options, designed to cater to various residential, commercial, and industrial applications.

At Welltech water tanks, we prioritize quality and ensure that our water tanks are manufactured using the finest materials and advanced production techniques. Our team of skilled professionals works diligently to maintain strict quality control standards throughout the manufacturing process, ensuring that each tank meets or exceeds industry standards.

In addition to our exceptional products, we also provide excellent customer service. Our knowledgeable and friendly staff is always ready to assist customers in selecting the right water tank for their specific requirements. We strive to build long-lasting relationships with our clients by offering reliable support and timely assistance.

Welltech (M) Sdn Bhd is dedicated to sustainability and environmental responsibility. Our tanks are designed to be efficient, durable, and environmentally friendly, promoting water conservation.

Choose Welltech (M) Sdn Bhd for your water storage needs and experience the reliability, durability, and quality that our company is known for.

Welltech (M) Sdn Bhd is a reputable company specializing in the manufacturing and distribution of tanks for various industries. With a focus on quality and customer satisfaction, Welltech (M) Sdn Bhd Tanks offers a diverse range of tank solutions to meet the specific needs of their clients.

Their product line includes storage tanks, water tanks, and other specialized tanks designed for different applications. Welltech (M) Sdn Bhd Tanks utilizes advanced manufacturing techniques and high-quality materials to ensure the durability, reliability, and compliance of their tanks with industry standards.

In addition to manufacturing tanks, Welltech (M) Sdn Bhd Tanks also provides installation services to ensure proper setup and functionality. They prioritize customer support and strive to deliver exceptional service throughout the entire customer journey.

Welltech (M) Sdn Bhd Tanks is known for its commitment to innovation and continuous improvement. They stay updated with the latest industry trends and technologies to offer cutting-edge tank solutions to their clients. Their team of experienced professionals ensures that each tank is manufactured with precision and attention to detail.

With a strong reputation for delivering reliable and high-quality tanks, Welltech (M) Sdn Bhd Tanks has established itself as a trusted name in the industry. They aim to build long-term relationships with their clients by providing excellent products and exceptional customer service.



^{*}FRP = Fibre Glass Reinforced Polyester *GRP = Glass Reinforced Polyester


WEIGHT OF TANK

NOMINAL TANK SIZE.		1-Meter Height			
	LENGTH BY BREADTH	PANELS IN TANK	NOMINAL CAPACITY	APPROX. WT. WATER	APPROX. WT. PANELS
ı	Meter	Pcs	Gallons	Tons	Tons
	1 x 1	6	220	0.98	0.09
	1 x 2	10	440	1.96	0.15
	1 x 3	14	660	2.94	0.22
	1 x 4	18	880	3.92	0.28
	1 x 5	22	1100	4.90	0.34
	2 x 2	16	880	3.92	0.25
	2 x 3	22	1320	5.87	0.34
	2 x 4	28	1760	7.83	0.43
,	2 x 5	34	2200	9.79	0.52
	2 x 6	40	2640	11.75	0.62
	3 x 3	30	1980	8.81	0.46
	3 x 4	38	2640	11.75	0.59
	3 x 5	46	3300	14.69	0.71
	3 x 6	54	3960	17.62	0.83
	3 x 7	62	4620	20.56	0.95
	4 x 4	48	3520	15.66	0.74
	4 x 5	58	4400	19.58	0.89
۹	4 x 6	68	5280	23.50	1.05
٠	4 x 7	78	6160	27.41	1.20
V	4 x 8	88	7040	31.33	1.36
	5 x 5	70	5500	24.48	1.08
	5 x 6	82	6600	29.37	1.26
	5 x 7	94	7700	34.27	1.45
	5 x 8	106	8800	39.16	1.63
	5 x 9	118	9900	44.06	1.82
	6 x 6	96	7920	35.24	1.48
	6 x 8	124	10560	46.99	1.91
	6 x 9	138	11880	52.87	2.13
	7 x 7	126	10780	47.97	1.94
	7 x 8	142	12320	54.82	2.19
	7 x 9	158	13860	61.68	2.43
	8 x 8	160	14080	62.66	2.46
	8 x 9	178	15840	70.49	2.74
	9 x 9	198	17820	79.30	3.05

NOMINAL TANK SIZE.	2-Meter Height				
LENGTH BY BREADTH	PANELS IN TANK	NOMINAL CAPACITY	APPROX. WT. WATER	APPROX. WT. PANELS	
Meter	Pcs	Gallons	Tons	Tons	
1 x 1	10	440	1.96	0.18	
1 x 2	16	880	3.92	0.28	
1 x 3	22	1320	5.87	0.39	
1 x 4	28	1760	7.83	0.49	
1 x 5	34	2200	9.79	0.60	
2 x 2	24	1760	7.83	0.42	
2 x 3	32	2640	11.75	0.56	
2 x 4	40	3520	15.66	0.70	
2 x 5	48	4400	19.58	0.84	
2 x 6	56	5280	23.50	0.99	
3 x 3	42	3960	17.62	0.74	
3 x 4	52	5280	23.50	0.92	
3 x 5	62	6600	29.37	1.09	
3 x 6	72	7920	35.24	1.27	
3 x 7	82	9240	41.12	1.44	
4 x 4	64	7040	31.33	1.13	
4 x 5	76	8800	39.16	1.34	
4 x 6	88	10560	46.99	1.55	
4 x 7	100	12320	54.82	1.76	
4 x 8	112	14080	62.66	1.97	
5 x 5	90	11000	48.95	1.58	
5 x 6	104	13200	58.74	1.83	
5 x 7	118	15400	68.53	2.08	
5 x 8	132	17600	78.32	2.32	
5 x 9	146	19800	88.11	2.57	
6 x 6	120	15840	70.49	2.11	
6 x 8	152	21120	93.98	2.68	
6 x 9	168	23760	105.73	2.96	
7 x 7	154	21560	95.94	2.71	
7 x 8	172	24640	109.65	3.03	
7 x 9	190	27720	123.35	3.34	
8 x 8	192	28160	125.31	3.38	
8 x 9	212	31680	140.98	3.73	
9 x 9	234	35640	158.60	4.12	
	1/4	/ 1			

NOMINAL TANK SIZE,	3-Meter Height			
LENGTH BY BREADTH	PANELS IN TANK	NOMINAL CAPACITY	APPROX. WT. WATER	APPROX. WT. PANEL
Meter	Pcs	Gallons	Tons	Tons
1 x 1	14	660	2.94	0.28
1 x 2	22	1320	5.87	0.44
1 x 3	30	1980	8.81	0.59
1 x 4	38	2640	11.75	0.75
1 x 5	46	3300	14.69	0.91
2 x 2	32	2640	11.75	0.63
2 x 3	42	3960	17.62	0.83
2 x 4	52	5280	23.50	1.03
2 x 5	62	6600	29.37	1.23
2 x 6	72	7920	35.24	1.43
3 x 3	54	5940	26.43	1.07
3 x 4	66	7920	35.24	1.31
3 x 5	78	9900	44.06	1.54
3 x 6	90	11880	52.87	1.78
3 x 7	102	13860	61.68	2.02
4 x 4	80	10560	46.99	1.58
4 x 5	94	13200	58.74	1.86
4 x 6	108	15840	70.49	2.14
4 x 7	122	18480	82.22	2.42
4 x 8	136	21120	93.98	2.69
5 x 5	110 126	16500 19800	73.43 88.11	2.18 2.49
5 x 6 5 x 7	142	23100	102.80	2.49
5 x 8	158	26400	117.48	3.13
5 x 9	174	29700	132.17	3.45
6 x 6	144	23760	105.73	2.85
6 x 8	180	31680	140.98	3.56
6 x 9	198	35640	158.60	3.92
7 × 7	182	32340	143.91	3.60
7 x 8	202	36960	164.47	4.00
7 x 9	222	41580	185.03	4.40
8 x 8	224	42240	187.97	4.44
8 x 9	246	47520	211.46	4.87
9 x 9	270	53460	237.90	5.35
		/	V	100

		- AN		
NOMINAL TANK SIZE,	4-Meter Height			
LENGTH BY BREADTH	PANELS IN TANK	NOMINAL CAPACITY	APPROX. WT. WATER	APPROX. WT. PANELS
Meter	Pcs	Gallons	Tons	Tons
1 x 1	18	880	3.92	0.44
1 x 2	28	1760	7.83	0.68
1 x 3	- 38	2640	11.75	0.92
1 x 4	48	3520	15.66	1.16
1 x 5	58	4400	19.58	1.40
2 x 2	40	3520	15.66	0.97
2 x 3	52	5280	23.50	1.26
2 x 4	64	7040	31.33	1.55
2 x 5	76	8800	39.16	1.84
2 x 6	88	10560	46.99	2.13
3 x 3	66	7920	35.24	1.60
3 x 4	80	10560	46.99	1.94
3 x 5	94	13200	58.74	2.27
3 x 6	108	15840	70.49	2.61
3 x 7	122	18480	82.24	2.95
4 x 4	96	14080	62.66	2.32
4 x 5	112	17600	78.32	2.71
4 x 6	128	21120	93.98	3.10
4 x 7	144	24640	109.65	3.48
4 x 8	160	28160	125.31	3.87
5 x 5	130	22000	97.90	3.15
5 x 6	148	26400	117.48	3.58
5 x 7	166	30800	137.06	4.02
5 x 8	184	35200	156.64	4.45
5 x 9	202	39600	176.22	4.89
6 x 6	168	31680	140.98	4.07
6 x 8	208	42240	187.97	5.03
6 x 9	228	47520	211.46	5.52
7 x 7	210	43120	161.88	5.08
7 x 8	232	49280	219.30	5.61
7 x 9	254	55440	246.71	6.15
8 x 8	256	56320	250.62	6.20
8 x 9	280	63360	281.95	6.78
9 x 9	306	71280	317.20	7.41
		A 10		



WELLTECH (M) SDN BHD WE ARE WATER TANK MANUFACTURER & SPECIALIST OF M&E We offer a complete range of water tank maintenance and M&E services in Malaysia, especially in KL and Klang Valley, We are providing water tank cleaning, water tank repairing, water tank refurbishment, water tank coating service, water tank lining, water tank sectional panel replacement service, water tank plumbing works, Water tank corrosion treatment and also centralized water filter system for buildings WATER TANK STORAGE & SYSTEM SOLUTION MS



