

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name	Aromatic Free Acrylic Coating
Product Code(s)	AFA-a, EAFA200, ZE
Safety data sheet number	01472
Unique Formula Identifier (UFI)	JC24-C0PU-Q00C-S3EW
Pure substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Appliance protection.
Uses advised against	No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

<u>Manufacturer</u>	<u>Supplier</u>
ELECTROLUBE MacDermid Alpha Electronics Solutions ASHBY PARK, COALFIELD WAY, ASHBY DE LA ZOUCH, LEICESTERSHIRE LE65 1JR UNITED KINGDOM	HK WENTWORTH LIMITED 32 RUE DE TOURNENFILS 91540 MENNECY FRANCE
+44 (0)1530 419600 +44 (0)1530 416640 info@electrolube.com	+33 (0) 1 82 88 47 94 info@electrolube.com

For further information, please contact

E-mail address info@electrolube.com

1.4. Emergency telephone number

Emergency Telephone	POISON INFORMATION CENTRE (Beaumont Hospital, Republic of Ireland only) +353 (0)1 809 2166 (08:00 - 22:00)
---------------------	--

Emergency Telephone - IN CASE OF EMERGENCY CALL:+44 1865 407333 (24hr, Provided by Carechem 24)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aerosols	Category 1 - (H222, H229)
Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity — single exposure	Category 3 - (H336)
Category 3 Narcotic effects	

2.2. Label elements

Contains n-Butyl acetate, butanone



Signal word
Danger

Hazard statements

- H222 - Extremely flammable aerosol
- H229 - Pressurised container: May burst if heated
- H319 - Causes serious eye irritation
- H336 - May cause drowsiness or dizziness
- EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - EU (§28, 1272/2008)

- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 - Do not spray on an open flame or other ignition source.
- P251 - Do not pierce or burn, even after use.
- P261 - Avoid breathing spray.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)

Dimethylether 115-10-6	30-60	01-2119472128-37-00 00	204-065-8	Flam. Gas 1A (H220) (Press. Gas)	-	-	-
n-Butyl acetate 123-86-4	30-60	01-2119485493-29-00 00	204-658-1	Flam. Liq. 3 (H226) STOT SE 3 (H336)	-	-	-
butanone 78-93-3	10-30	01-2119457290-43-00 00	201-159-0	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	-	-	-
n-butyl methacrylate 97-88-1	<0.1	No data available	202-615-1	Flam. Liq. 3 (H226) Skin Sens. 1 (H317) Eye Irrit. 2 (H319) Skin Irrit. 2 (H315) STOT SE 3 (H335)	STOT SE 3 :: C>=10%	-	-

Full text of H- and EUH-phrases: see section 16Acute Toxicity Estimate

No information available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
n-Butyl acetate 123-86-4	10768	17600	0.74	No data available	No data available
butanone 78-93-3	2483	5000	No data available	34.5018	No data available
n-butyl methacrylate 97-88-1	16000	11300	No data available	28.5543	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures**4.1. Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a doctor.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO₂). Water spray.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Keep out of drains, sewers, ditches and waterways. Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Flood with water to complete polymerization and scrape off floor.

- Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
- Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.
- 6.4. Reference to other sections**
- Reference to other sections** See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapours or mists. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Dimethylether 115-10-6	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1910 mg/m ³ STEL 2000 ppm	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³

		STEL 3820 mg/m ³			
n-Butyl acetate 123-86-4	STEL: 723 mg/m ³ STEL: 150 ppm TWA: 241 mg/m ³ TWA: 50 ppm	TWA: 50 ppm TWA: 241 mg/m ³ STEL 100 ppm STEL 480 mg/m ³	TWA: 50 ppm TWA: 238 mg/m ³ STEL: 150 ppm STEL: 712 mg/m ³	STEL: 723 mg/m ³ STEL: 150 ppm TWA: 241 mg/m ³ TWA: 50 ppm	TWA: 50 ppm TWA: 241 mg/m ³ STEL: 150 ppm STEL: 723 mg/m ³
butanone 78-93-3	TWA: 200 ppm TWA: 600 mg/m ³ STEL: 300 ppm STEL: 900 mg/m ³	TWA: 100 ppm TWA: 295 mg/m ³ STEL 200 ppm STEL 590 mg/m ³ H*	TWA: 200 ppm TWA: 600 mg/m ³ STEL: 300 ppm STEL: 900 mg/m ³	STEL: 885 mg/m ³ TWA: 590 mg/m ³	TWA: 200 ppm TWA: 600 mg/m ³ STEL: 300 ppm STEL: 900 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Dimethylether 115-10-6	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 mg/m ³ Ceiling: 2000 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³ STEL: 2000 ppm STEL: 3840 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 2000 mg/m ³
n-Butyl acetate 123-86-4	STEL: 723 mg/m ³ STEL: 150 ppm TWA: 241 mg/m ³ TWA: 50 ppm	TWA: 241 mg/m ³ Ceiling: 723 mg/m ³	TWA: 50 ppm TWA: 241 mg/m ³ STEL: 723 mg/m ³ STEL: 150 ppm	TWA: 241 mg/m ³ TWA: 50 ppm STEL: 723 mg/m ³ STEL: 150 ppm	TWA: 50 ppm TWA: 240 mg/m ³ STEL: 150 ppm STEL: 725 mg/m ³
butanone 78-93-3	STEL: 300 ppm STEL: 900 mg/m ³ TWA: 200 ppm TWA: 600 mg/m ³	TWA: 600 mg/m ³ Ceiling: 900 mg/m ³	TWA: 50 ppm TWA: 145 mg/m ³ H* STEL: 900 mg/m ³ STEL: 300 ppm	TWA: 200 ppm TWA: 600 mg/m ³ STEL: 300 ppm STEL: 900 mg/m ³	TWA: 20 ppm TWA: 60 mg/m ³ STEL: 100 ppm STEL: 300 mg/m ³ iho*
n-butyl methacrylate 97-88-1	-	-	TWA: 25 ppm TWA: 145 mg/m ³ STEL: 50 ppm STEL: 290 mg/m ³	S+ TWA: 50 ppm TWA: 300 mg/m ³ STEL: 75 ppm STEL: 450 mg/m ³	-
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Dimethylether 115-10-6	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ Peak: 8000 ppm Peak: 15200 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³
n-Butyl acetate 123-86-4	TWA: 50 ppm TWA: 241 mg/m ³ STEL: 150 ppm STEL: 723 mg/m ³	TWA: 62 ppm TWA: 300 mg/m ³	TWA: 100 ppm TWA: 480 mg/m ³ Peak: 200 ppm Peak: 960 mg/m ³	TWA: 50 ppm TWA: 241 mg/m ³ STEL: 150 ppm STEL: 723 mg/m ³	sz+ TWA: 50 ppm TWA: 241 mg/m ³ STEL: 150 ppm STEL: 723 mg/m ³
butanone 78-93-3	TWA: 200 ppm TWA: 600 mg/m ³ STEL: 300 ppm STEL: 900 mg/m ³ *	TWA: 200 ppm TWA: 600 mg/m ³ H*	TWA: 200 ppm TWA: 600 mg/m ³ Peak: 200 ppm Peak: 600 mg/m ³ *	TWA: 200 ppm TWA: 600 mg/m ³ STEL: 300 ppm STEL: 900 mg/m ³	TWA: 600 mg/m ³ TWA: 200 ppm STEL: 900 mg/m ³ STEL: 300 ppm b*
n-butyl methacrylate 97-88-1	-	-	skin sensitizer	-	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Dimethylether 115-10-6	TWA: 1000 ppm TWA: 1920 mg/m ³ STEL: 3000 ppm STEL: 5760 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³	-	TWA: 1000 ppm TWA: 1920 mg/m ³	STEL: 1500 ppm STEL: 2280 mg/m ³ TWA: 1000 ppm TWA: 1920 mg/m ³
n-Butyl acetate 123-86-4	STEL: 150 ppm STEL: 723 mg/m ³	TWA: 241 mg/m ³ TWA: 50 ppm STEL: 723 mg/m ³ STEL: 150 ppm	TWA: 50 ppm TWA: 238 mg/m ³ STEL: 200 ppm STEL: 950 mg/m ³	TWA: 241 mg/m ³ TWA: 50 ppm STEL: 723 mg/m ³ STEL: 150 ppm	STEL: 723 mg/m ³ STEL: 150 ppm TWA: 241 mg/m ³ TWA: 50 ppm
butanone 78-93-3	TWA: 200 ppm TWA: 600 mg/m ³ STEL: 300 ppm	TWA: 200 ppm TWA: 600 mg/m ³ STEL: 300 ppm	TWA: 200 ppm TWA: 590 mg/m ³ STEL: 300 ppm	TWA: 67 ppm TWA: 200 mg/m ³ STEL: 300 ppm	-

	STEL: 900 mg/m ³ Sk*	STEL: 900 mg/m ³	STEL: 885 mg/m ³	STEL: 900 mg/m ³	
n-butyl methacrylate 97-88-1	-	-	-	TWA: 30 mg/m ³	STEL: 75 ppm STEL: 450 mg/m ³ J+ TWA: 50 ppm TWA: 300 mg/m ³
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Dimethylether 115-10-6	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 495 ppm TWA: 950 mg/m ³ STEL: 781 ppm STEL: 1500 mg/m ³	TWA: 200 ppm TWA: 384 mg/m ³ STEL: 250 ppm STEL: 480 mg/m ³	TWA: 1000 mg/m ³
n-Butyl acetate 123-86-4	STEL: 723 mg/m ³ STEL: 150 ppm TWA: 241 mg/m ³ TWA: 50 ppm	STEL: 150 ppm STEL: 723 mg/m ³ TWA: 50 ppm TWA: 214 mg/m ³	TWA: 50 ppm TWA: 241 mg/m ³ STEL: 150 ppm STEL: 723 mg/m ³	TWA: 241 mg/m ³ TWA: 50 ppm STEL: 723 mg/m ³ STEL: 150 ppm	STEL: 720 mg/m ³ TWA: 240 mg/m ³
butanone 78-93-3	STEL: 300 ppm STEL: 900 mg/m ³ TWA: 200 ppm TWA: 600 mg/m ³	STEL: 300 ppm STEL: 900 mg/m ³ TWA: 200 ppm TWA: 600 mg/m ³	TWA: 197 ppm TWA: 590 mg/m ³ STEL: 300 ppm STEL: 900 mg/m ³ H*	TWA: 75 ppm TWA: 220 mg/m ³ STEL: 112.5 ppm STEL: 275 mg/m ³	STEL: 900 mg/m ³ TWA: 450 mg/m ³ skóra*
n-butyl methacrylate 97-88-1	-	-	-	TWA: 10 ppm TWA: 59 mg/m ³ A+ STEL: 20 ppm STEL: 88.5 mg/m ³	STEL: 300 mg/m ³ TWA: 100 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Dimethylether 115-10-6	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1920 mg/m ³ STEL: 15360 mg/m ³ STEL: 8000 ppm	TWA: 1000 ppm TWA: 1920 mg/m ³
n-Butyl acetate 123-86-4	TWA: 50 ppm TWA: 241 mg/m ³ STEL: 150 ppm STEL: 723 mg/m ³	TWA: 150 ppm TWA: 715 mg/m ³ STEL: 200 ppm STEL: 950 mg/m ³	TWA: 100 ppm TWA: 500 mg/m ³ Ceiling: 700 mg/m ³	TWA: 241 mg/m ³ TWA: 50 ppm STEL: 150 ppm STEL: 723 mg/m ³	TWA: 50 ppm TWA: 241 mg/m ³ STEL: 150 ppm STEL: 723 mg/m ³
butanone 78-93-3	TWA: 200 ppm TWA: 600 mg/m ³ STEL: 300 ppm STEL: 900 mg/m ³	TWA: 200 ppm TWA: 600 mg/m ³ STEL: 300 ppm STEL: 900 mg/m ³	TWA: 200 ppm TWA: 600 mg/m ³ Ceiling: 900 mg/m ³	TWA: 200 ppm TWA: 600 mg/m ³ STEL: 300 ppm STEL: 900 mg/m ³ K*	TWA: 200 ppm TWA: 600 mg/m ³ STEL: 300 ppm STEL: 900 mg/m ³
n-butyl methacrylate 97-88-1	-	TWA: 25 ppm TWA: 150 mg/m ³ STEL: 43 ppm STEL: 250 mg/m ³	-	-	-
Chemical name	Sweden		Switzerland	United Kingdom	
Dimethylether 115-10-6	Vägledande KGV: 800 ppm Vägledande KGV: 1500 mg/m ³ NGV: 500 ppm NGV: 950 mg/m ³		TWA: 1000 ppm TWA: 1910 mg/m ³	TWA: 400 ppm TWA: 766 mg/m ³ STEL: 500 ppm STEL: 958 mg/m ³	
n-Butyl acetate 123-86-4	Bindande KGV: 150 ppm Bindande KGV: 723 mg/m ³ NGV: 50 ppm NGV: 241 mg/m ³		TWA: 50 ppm TWA: 240 mg/m ³ STEL: 150 ppm STEL: 720 mg/m ³	TWA: 150 ppm TWA: 724 mg/m ³ STEL: 200 ppm STEL: 966 mg/m ³	
butanone 78-93-3	Bindande KGV: 300 ppm Bindande KGV: 900 mg/m ³ NGV: 50 ppm NGV: 150 mg/m ³		TWA: 200 ppm TWA: 590 mg/m ³ STEL: 200 ppm STEL: 590 mg/m ³ H*	TWA: 200 ppm TWA: 600 mg/m ³ STEL: 300 ppm STEL: 899 mg/m ³ Sk*	

n-butyl methacrylate 97-88-1	Vägledande KGV: 75 ppm Vägledande KGV: 450 mg/m ³ S+ NGV: 50 ppm NGV: 300 mg/m ³	S+	-
---------------------------------	--	----	---

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
butanone 78-93-3	-	-	-	2.6 mg/g Creatinine - urine (Ethyl methyl ketone) - at the end of the work shift	-
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
butanone 78-93-3	-	-	2 mg/L - urine (Methylethylketone) - end of shift	2 mg/L (urine - 2-Butanone end of shift) 2 mg/L - BAT (end of exposure or end of shift) urine	2 mg/L (urine - 2-Butanone end of shift)
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII	
butanone 78-93-3	-	70 µmol/L (urine - Butan-2-one post shift)	-	2 mg/L - urine (MEK) - end of shift	
Chemical name	Latvia	Luxembourg	Romania	Slovakia	
butanone 78-93-3	-	-	2 mg/L - urine (Methylethylketone) - end of shift	-	
Chemical name	Slovenia	Spain	Switzerland	United Kingdom	
butanone 78-93-3	2 mg/L - urine (2-Butanone) - at the end of the work shift	2 mg/L (urine - Methyl ethyl ketone end of shift)	2 mg/L (urine - 2-Butanone end of shift, before subsequent shift or 16 hour) 27.7 µmol/L (urine - 2-Butanone end of shift, before subsequent shift or 16 hour)	70 µmol/L - urine (Butan-2-one) - post shift	

Derived No Effect Level (DNEL) - Workers No information available

Chemical name	Oral	Dermal	Inhalation
Dimethylether 115-10-6	-	-	1894 mg/m ³ [4] [6]
butanone 78-93-3	-	1161 mg/kg bw/day [4] [6]	600 mg/m ³ [4] [6]
Solvent naphtha (petroleum), light arom. 64742-95-6	-	-	1286.4 mg/m ³ [4] [7] 837.5 mg/m ³ [5] [6] 1066.67 mg/m ³ [5] [7]
2,5-thiophenediylbis(5-tert-butyl-1,3-benzoxazole) 7128-64-5	-	7.1 mg/kg bw/day [4] [6]	3 mg/m ³ [4] [6] 3 mg/m ³ [5] [6]
n-butyl methacrylate 97-88-1	-	5 mg/kg bw/day [4] [6] 1 % in mixture (weight basis) [5] [6] 1 % in mixture (weight basis) [5] [7]	415.9 mg/m ³ [4] [6] 409 mg/m ³ [5] [6]

Derived No Effect Level (DNEL) - General Public No information available.

Chemical name	Oral	Dermal	Inhalation
Dimethylether 115-10-6	-	-	471 mg/m ³ [4] [6]
butanone 78-93-3	31 mg/kg bw/day [4] [6]	-	106 mg/m ³ [4] [6]
Solvent naphtha (petroleum), light arom. 64742-95-6	-	-	1152 mg/m ³ [4] [7] 178.57 mg/m ³ [5] [6] 640 mg/m ³ [5] [7]
2,5-thiophenediylbis(5-tert-butyl-1,3-benzoxazole) 7128-64-5	3.5 mg/kg bw/day [4] [6]	-	-
n-butyl methacrylate 97-88-1	-	1 % in mixture (weight basis) [5] [6] 1 % in mixture (weight basis) [5] [7]	66.5 mg/m ³ [4] [6] 366.4 mg/m ³ [5] [6]

Predicted No Effect Concentration (PNEC) No information available.

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Dimethylether 115-10-6	0.155 mg/L	1.549 mg/L	0.016 mg/L	-	-
n-Butyl acetate 123-86-4	0.18 mg/L	0.36 mg/L	0.018 mg/L	-	-
butanone 78-93-3	55.8 mg/L	55.8 mg/L	55.8 mg/L	-	-
2,5-thiophenediylbis(5-tert-butyl-1,3-benzoxazole) 7128-64-5	0.2 mg/L	-	0.02 mg/L	-	-
n-butyl methacrylate 97-88-1	0.0169 mg/L	0.056 mg/L	0.00169 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Dimethylether 115-10-6	0.681 mg/kg sediment dw	0.069 mg/kg sediment dw	160 mg/L	0.045 mg/kg soil dw	-
n-Butyl acetate 123-86-4	0.981 mg/kg sediment dw	0.0981 mg/kg sediment dw	35.6 mg/L	0.0903 mg/kg soil dw	-
butanone 78-93-3	284.74 mg/kg sediment dw	284.7 mg/kg sediment dw	709 mg/L	22.5 mg/kg soil dw	1000 mg/kg food
2,5-thiophenediylbis(5-tert-butyl-1,3-benzoxazole) 7128-64-5	-	316000 mg/kg sediment dw	1 mg/L	629000 mg/kg soil dw	-
n-butyl methacrylate 97-88-1	4.73 mg/kg sediment dw	0.473 mg/kg sediment dw	31.7 mg/L	0.935 mg/kg soil dw	-

8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment	
Eye/face protection	Tight sealing safety goggles. Safety glasses with side shields are recommended for medical or industrial exposures.
Hand protection	Impervious gloves. Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Aerosol
Appearance	Aerosol
Colour	Colourless
Odour	Characteristic.
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	~ -7 °C	Closed cup
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	~175 mPa s @ 25°C/77°F	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	0.78 kg/l	
Liquid Density	No data available	

Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regards to physical hazard classes

Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidizing.

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No information available.
------------	---------------------------

10.2. Chemical stability

Stability	Stable under normal conditions.
-----------	---------------------------------

Explosion data

Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None under normal processing.
------------------------------------	-------------------------------

10.4. Conditions to avoid

Conditions to avoid	Heat, flames and sparks.
---------------------	--------------------------

10.5. Incompatible materials

Incompatible materials	None known based on information supplied.
------------------------	---

10.6. Hazardous decomposition products

Hazardous decomposition products	None known based on information supplied.
----------------------------------	---

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 4,638.20 mg/kg
 ATEmix (dermal) 8,814.70 mg/kg
 ATEmix (inhalation-gas) 99,999.00 ppm
 ATEmix (inhalation-vapour) 86.7168 mg/l
 ATEmix (inhalation-dust/mist) 99,999.00 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethylether	-	-	= 164000 ppm (Rat) 4 h
n-Butyl acetate	= 10768 mg/kg (Rat)	> 17600 mg/kg (Rabbit)	= 0.74 mg/L (Rat) 4 h
butanone	= 2483 mg/kg (Rat)	= 5000 mg/kg (Rabbit)	= 11700 ppm (Rat) 4 h
n-butyl methacrylate	= 16 g/kg (Rat)	= 11300 mg/kg (Rabbit)	= 4910 ppm (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Dimethylether	-	LC50: >4.1g/L (96h, <i>Poecilia reticulata</i>)	-	-
n-Butyl acetate	EC50: =674.7mg/L (72h, <i>Desmodesmus subspicatus</i>)	LC50: =100mg/L (96h, <i>Lepomis macrochirus</i>) LC50: 17 - 19mg/L (96h, <i>Pimephales promelas</i>)	-	-
butanone	-	LC50: 3130 - 3320mg/L (96h, <i>Pimephales promelas</i>)	-	EC50: >520mg/L (48h, <i>Daphnia magna</i>) EC50: =5091mg/L (48h, <i>Daphnia magna</i>) EC50: 4025 - 6440mg/L (48h, <i>Daphnia magna</i>)
n-butyl methacrylate	EC50: =57mg/L (96h, <i>Pseudokirchneriella subcapitata</i>)	LC50: =11mg/L (96h, <i>Pimephales promelas</i>)	-	EC50: =32mg/L (48h, <i>Daphnia magna</i>)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Chemical name	Partition coefficient
Dimethylether	-0.18
n-Butyl acetate	2.3
butanone	0.3
n-butyl methacrylate	2.99

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Dimethylether	The substance is not PBT / vPvB
n-Butyl acetate	The substance is not PBT / vPvB
butanone	The substance is not PBT / vPvB
n-butyl methacrylate	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

IATA

- 14.1 UN number or ID number UN1950
- 14.2 UN proper shipping name AEROSOLS, FLAMMABLE
- 14.3 Transport hazard class(es) 2.1
- 14.4 Packing group None
- 14.5 Environmental hazards No
- 14.6 Special precautions for user
Special Provisions None

IMDG

- 14.1 UN number or ID number UN1950
- 14.2 UN proper shipping name AEROSOLS, FLAMMABLE
- 14.3 Transport hazard class(es) 2.1
- 14.4 Packing group None
- 14.5 Environmental hazards No
- 14.6 Special precautions for user
Special Provisions None
EmS-No F-D, S-U

14.7 Maritime transport in bulk according to IMO instruments No information available

RID

14.1 UN number or ID number UN1950
 14.2 UN proper shipping name AEROSOLS, FLAMMABLE
 14.3 Transport hazard class(es) 2.1
 14.4 Packing group None
 14.5 Environmental hazards No
 14.6 Special precautions for user
 Special Provisions None

ADR

14.1 UN number or ID number UN1950
 14.2 UN proper shipping name AEROSOLS, FLAMMABLE
 14.3 Transport hazard class(es) 2.1
 14.4 Packing group None
 14.5 Environmental hazards No
 14.6 Special precautions for user
 Special Provisions None
 Tunnel restriction code (D)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	French RG number
n-Butyl acetate - 123-86-4	RG 84
butanone - 78-93-3	RG 84
n-butyl methacrylate - 97-88-1	RG 65

Water hazard class (WGK) slightly hazardous to water (WGK 1)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
butanone - 78-93-3	Use restricted. See item 75.	-
n-butyl methacrylate - 97-88-1	Use restricted. See item 75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AIIC** - Australian Inventory of Industrial Chemicals
- NZIoC** - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- H220 - Extremely flammable gas
- H225 - Highly flammable liquid and vapour
- H226 - Flammable liquid and vapour
- H315 - Causes skin irritation
- H317 - May cause an allergic skin reaction
- H319 - Causes serious eye irritation
- H335 - May cause respiratory irritation
- H336 - May cause drowsiness or dizziness

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method

Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable aerosol	On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGl(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
 Organisation for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision date 26/07/2023

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet