

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Name	Fluxclene
Product Code(s)	FLU-a, EFLU200D, EFLU400D, EFLU400DB, ZE
Safety data sheet number	00804
Unique Formula Identifier (UFI)	X072-80MP-300S-W25T
Pure substance/mixture	Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Cleaning agent
Uses advised against	No specific uses advised against are identified

### 1.3. Details of the supplier of the safety data sheet

<u>Manufacturer</u>	<u>Supplier</u>
ELECTROLUBE MacDermid Alpha Electronics Solutions ASHBY PARK, COALFIELD WAY, ASHBY DE LA ZOUCH, LEICESTERSHIRE LE65 1JR UNITED KINGDOM	HK WENTWORTH LIMITED 32 RUE DE TOURNENFILS 91540 MENNECY FRANCE
+44 (0)1530 419600 +44 (0)1530 416640 info@electrolube.com	+33 (0) 1 82 88 47 94 info@electrolube.com

For further information, please contact

**E-mail address** info@electrolube.com

### 1.4. Emergency telephone number

Emergency Telephone	POISON INFORMATION CENTRE (Beaumont Hospital, Republic of Ireland only) +353 (0)1 809 2166 (08:00 - 22:00)
---------------------	--

**Emergency Telephone - IN CASE OF EMERGENCY CALL: +44 1865 407333 (24hr, Provided by Carechem 24)**

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to

Regulation (EC) No. 1272/2008 [CLP]

<b>Aerosols</b>	Category 1 - (H222, H229)
<b>Skin corrosion/irritation</b>	Category 2 - (H315)
<b>Serious eye damage/eye irritation</b>	Category 2 - (H319)
<b>Skin sensitisation</b>	Category 1 - (H317)
<b>Specific target organ toxicity — single exposure</b>	Category 3 - (H336)
Category 3 Narcotic effects	
<b>Aspiration hazard</b>	Category 1 - (H304)
<b>Acute aquatic toxicity</b>	Category 1 - (H400)
<b>Chronic aquatic toxicity</b>	Category 1 - (H410)

## 2.2. Label elements

Contains Cyclohexane, Propan-2-ol, 1-Methoxy-2-propanol, Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics, Orange Terpenes



### Signal word

Danger

### Hazard statements

H222 - Extremely flammable aerosol  
 H229 - Pressurised container: May burst if heated  
 H315 - Causes skin irritation  
 H317 - May cause an allergic skin reaction  
 H319 - Causes serious eye irritation  
 H336 - May cause drowsiness or dizziness  
 H410 - Very toxic to aquatic life with long lasting effects

### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P211 - Do not spray on an open flame or other ignition source.  
 P251 - Do not pierce or burn, even after use.  
 P261 - Avoid breathing spray.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
 P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.  
 P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

## 2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Cyclohexane 110-82-7	30-60	01-2119463273-41-0000	203-806-2	Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Aquatic Acute 1 (H400) Skin Irrit. 2 (H315) STOT SE 3 (H336) Flam. Liq. 2 (H225)	-	-	-
Propan-2-ol 67-63-0	10-30	01-2119457558-25-0000	200-661-7	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	-	-	-
1-Methoxy-2-propanol 107-98-2	10-30	01-2119457435-35-0000	203-539-1	Flam. Liq. 3 (H226) STOT SE 3 (H336)	-	-	-
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics 64742-49-0	5-10	01-2119475515-33-0000	927-510-4	Aquatic Chronic 2 (H411) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) STOT SE 3 (H336) Flam. Liq. 2 (H225)	-	-	-
Orange Terpenes 8028-48-6	1-5	01-2119493353-35-0000	232-433-8	Aquatic Chronic 2 (H411) Asp. Tox. 1 (H304) Flam. Liq. 3 (H226) Skin Sens. 1 (H317) Skin Irrit. 2 (H315)	-	-	-
Carbon Dioxide 124-38-9	1-5	No data available	204-696-9	Press. Gas (Comp.) (H280)	-	-	-

**Full text of H- and EUH-phrases: see section 16**

Acute Toxicity Estimate

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Cyclohexane 110-82-7	12705	2000	No data available	No data available	No data available
Propan-2-ol 67-63-0	1870	4059	No data available	30.1002	No data available
1-Methoxy-2-propanol 107-98-2	5000	13000	No data available	34.1234	No data available
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics 64742-49-0	5000	3160	No data available	No data available	No data available
Orange Terpenes	No data	5000	No data available	No data available	No data available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
8028-48-6	available				

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Inhalation</b>	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor. Wash off immediately with soap and plenty of water for at least 15 minutes.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
<b>Effects of Exposure</b>	No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Note to doctors</b>	May cause sensitisation in susceptible persons. Treat symptomatically. Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.
------------------------	--

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards arising from the chemical</b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Product is or contains a sensitiser. May cause sensitisation by skin contact.
---	--

### 5.3. Advice for firefighters

<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray.
<b>Other information</b>	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
<b>For emergency responders</b>	Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

<b>Environmental precautions</b>	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
----------------------------------	--

### 6.3. Methods and material for containment and cleaning up

<b>Methods for containment</b>	Keep out of drains, sewers, ditches and waterways. Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Flood with water to complete polymerization and scrape off floor.
<b>Methods for cleaning up</b>	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

<b>Reference to other sections</b>	See section 8 for more information. See section 13 for more information.
------------------------------------	--

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapours or mists. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

#### General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals. Store locked up. Keep out of the reach of children. Store away from other materials.

#### Storage class (TRGS 510)

Not determined.

### 7.3. Specific end use(s)

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Cyclohexane 110-82-7	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup> STEL 800 ppm STEL 2800 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 350 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700.0 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup> *
Propan-2-ol 67-63-0	-	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL 800 ppm STEL 2000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	STEL: 1225.0 mg/m <sup>3</sup> TWA: 980.0 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 999 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1250 mg/m <sup>3</sup>
1-Methoxy-2-propanol 107-98-2	TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 568 mg/m <sup>3</sup> *	TWA: 50 ppm TWA: 187 mg/m <sup>3</sup> STEL 50 ppm STEL 187 mg/m <sup>3</sup> Ceiling: 50 ppm	TWA: 50 ppm TWA: 184 mg/m <sup>3</sup> STEL: 100 ppm STEL: 369 mg/m <sup>3</sup> D*	STEL: 150 ppm STEL: 568.0 mg/m <sup>3</sup> TWA: 100 ppm TWA: 375.0 mg/m <sup>3</sup> K*	TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 568 mg/m <sup>3</sup>

		Ceiling: 187 mg/m <sup>3</sup> H*			
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics 64742-49-0	-	-	-	TWA: 1600 mg/m <sup>3</sup>	-
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup> STEL 10000 ppm STEL 18000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9131 mg/m <sup>3</sup> STEL: 30000 ppm STEL: 54784 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>
2-Methoxypropanol 1589-47-5	-	TWA: 20 ppm TWA: 75 mg/m <sup>3</sup> STEL 80 ppm STEL 300 mg/m <sup>3</sup> H*	-	-	-
<b>Chemical name</b>	<b>Cyprus</b>	<b>Czech Republic</b>	<b>Denmark</b>	<b>Estonia</b>	<b>Finland</b>
Cyclohexane 110-82-7	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup>	TWA: 700 mg/m <sup>3</sup> Ceiling: 2000 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 172 mg/m <sup>3</sup> STEL: 100 ppm STEL: 344 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 350 mg/m <sup>3</sup> STEL: 250 ppm STEL: 875 mg/m <sup>3</sup>
Propan-2-ol 67-63-0	-	TWA: 500 mg/m <sup>3</sup> Ceiling: 1000 mg/m <sup>3</sup> D*	TWA: 200 ppm TWA: 490 mg/m <sup>3</sup> STEL: 400 ppm STEL: 980 mg/m <sup>3</sup>	TWA: 150 ppm TWA: 350 mg/m <sup>3</sup> STEL: 250 ppm STEL: 600 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 250 ppm STEL: 620 mg/m <sup>3</sup>
1-Methoxy-2-propanol 107-98-2	* STEL: 150 ppm STEL: 568 mg/m <sup>3</sup> TWA: 100 ppm TWA: 375 mg/m <sup>3</sup>	TWA: 270 mg/m <sup>3</sup> Ceiling: 550 mg/m <sup>3</sup> D*	TWA: 50 ppm TWA: 185 mg/m <sup>3</sup> H* STEL: 568 mg/m <sup>3</sup> STEL: 150 ppm	S+ TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 568 mg/m <sup>3</sup> A*	TWA: 100 ppm TWA: 370 mg/m <sup>3</sup> STEL: 150 ppm STEL: 560 mg/m <sup>3</sup> iho*
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics 64742-49-0	-	-	-	TWA: 5 mg/kg STEL: 500 mg/m <sup>3</sup>	-
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 9000 mg/m <sup>3</sup> Ceiling: 45000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup> STEL: 10000 ppm STEL: 18000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9100 mg/m <sup>3</sup>
2-Methoxypropanol 1589-47-5	-	-	TWA: 20 ppm TWA: 75 mg/m <sup>3</sup> STEL: 40 ppm STEL: 150 mg/m <sup>3</sup>	-	-
<b>Chemical name</b>	<b>France</b>	<b>Germany TRGS</b>	<b>Germany DFG</b>	<b>Greece</b>	<b>Hungary</b>
Cyclohexane 110-82-7	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup> STEL: 375 ppm STEL: 1300 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup> Peak: 800 ppm Peak: 2800 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup>
Propan-2-ol 67-63-0	STEL: 400 ppm STEL: 980 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> Peak: 400 ppm Peak: 1000 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup> TWA: 200 ppm STEL: 1000 mg/m <sup>3</sup> STEL: 400 ppm b*
1-Methoxy-2-propanol 107-98-2	TWA: 50 ppm TWA: 188 mg/m <sup>3</sup> STEL: 100 ppm STEL: 375 mg/m <sup>3</sup> *	TWA: 100 ppm TWA: 370 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 370 mg/m <sup>3</sup> Peak: 200 ppm Peak: 740 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup> STEL: 300 ppm STEL: 1080 mg/m <sup>3</sup> *	TWA: 375 mg/m <sup>3</sup> TWA: 100 ppm STEL: 568 mg/m <sup>3</sup> STEL: 150 ppm b*
Carbon Dioxide	TWA: 5000 ppm	TWA: 5000 ppm	TWA: 5000 ppm	TWA: 5000 ppm	TWA: 9000 mg/m <sup>3</sup>

124-38-9	TWA: 9000 mg/m <sup>3</sup>	TWA: 9100 mg/m <sup>3</sup>	TWA: 9100 mg/m <sup>3</sup> Peak: 10000 ppm Peak: 18200 mg/m <sup>3</sup>	TWA: 9000 mg/m <sup>3</sup> STEL: 5000 ppm STEL: 54000 mg/m <sup>3</sup>	TWA: 5000 ppm
2-Methoxypropanol 1589-47-5	-	TWA: 5 ppm TWA: 19 mg/m <sup>3</sup> H*	TWA: 5 ppm TWA: 19 mg/m <sup>3</sup> Peak: 10 ppm Peak: 38 mg/m <sup>3</sup> *	-	-
<b>Chemical name</b>	<b>Ireland</b>	<b>Italy MDLPS</b>	<b>Italy AIDII</b>	<b>Latvia</b>	<b>Lithuania</b>
Cyclohexane 110-82-7	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup> STEL: 600 ppm STEL: 2100 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 350 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 344 mg/m <sup>3</sup>	TWA: 23 ppm TWA: 80 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup>
Propan-2-ol 67-63-0	TWA: 200 ppm STEL: 400 ppm Sk*	-	TWA: 200 ppm TWA: 492 mg/m <sup>3</sup> STEL: 400 ppm STEL: 983 mg/m <sup>3</sup>	TWA: 350 mg/m <sup>3</sup> STEL: 600 mg/m <sup>3</sup>	STEL: 250 ppm STEL: 600 mg/m <sup>3</sup> TWA: 150 ppm TWA: 350 mg/m <sup>3</sup>
1-Methoxy-2-propanol 107-98-2	TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 568 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 568 mg/m <sup>3</sup> cute*	TWA: 50 ppm TWA: 184 mg/m <sup>3</sup> STEL: 100 ppm STEL: 368 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 568 mg/m <sup>3</sup> Ada*	STEL: 300 mg/m <sup>3</sup> STEL: 75 ppm TWA: 190 mg/m <sup>3</sup> TWA: 50 ppm O*
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup> STEL: 15000 ppm STEL: 27000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup> STEL: 30000 ppm STEL: 54000 mg/m <sup>3</sup> Simple asphyxiant	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>
<b>Chemical name</b>	<b>Luxembourg</b>	<b>Malta</b>	<b>Netherlands</b>	<b>Norway</b>	<b>Poland</b>
Cyclohexane 110-82-7	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1400 mg/m <sup>3</sup>	TWA: 150 ppm TWA: 525 mg/m <sup>3</sup> STEL: 187.5 ppm STEL: 656.25 mg/m <sup>3</sup>	STEL: 1000 mg/m <sup>3</sup> TWA: 300 mg/m <sup>3</sup> skóra*
Propan-2-ol 67-63-0	-	-	-	TWA: 100 ppm TWA: 245 mg/m <sup>3</sup> STEL: 150 ppm STEL: 306.25 mg/m <sup>3</sup>	STEL: 1200 mg/m <sup>3</sup> TWA: 900 mg/m <sup>3</sup> skóra*
1-Methoxy-2-propanol 107-98-2	STEL: 150 ppm STEL: 568 mg/m <sup>3</sup> TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> Peau*	STEL: 150 ppm STEL: 568 mg/m <sup>3</sup> skin* TWA: 100 ppm TWA: 375 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 563 mg/m <sup>3</sup> H*	TWA: 50 ppm TWA: 180 mg/m <sup>3</sup> STEL: 75 ppm STEL: 225 mg/m <sup>3</sup> H*	STEL: 360 mg/m <sup>3</sup> TWA: 180 mg/m <sup>3</sup> skóra*
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics 64742-49-0	-	-	-	-	STEL: 1500 mg/m <sup>3</sup> TWA: 500 mg/m <sup>3</sup>
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup> STEL: 6250 ppm STEL: 11250 mg/m <sup>3</sup>	STEL: 27000 mg/m <sup>3</sup> TWA: 9000 mg/m <sup>3</sup>
2-Methoxypropanol 1589-47-5	-	-	-	TWA: 20 ppm TWA: 75 mg/m <sup>3</sup> STEL: 30 ppm STEL: 112.5 mg/m <sup>3</sup> H*	-
<b>Chemical name</b>	<b>Portugal</b>	<b>Romania</b>	<b>Slovakia</b>	<b>Slovenia</b>	<b>Spain</b>
Cyclohexane 110-82-7	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup> STEL: 2800 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup>



Propan-2-ol 67-63-0	TWA: 200 ppm STEL: 400 ppm	TWA: 81 ppm TWA: 200 mg/m <sup>3</sup> STEL: 203 ppm STEL: 500 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> Ceiling: 1000 mg/m <sup>3</sup>	STEL: 800 ppm TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>
1-Methoxy-2-propanol 107-98-2	TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 568 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 568 mg/m <sup>3</sup> P*	TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> K* Ceiling: 568 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 568 mg/m <sup>3</sup> K*	TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 568 mg/m <sup>3</sup> via dérmica*
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup> STEL: 30000 ppm	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup> STEL: 10000 ppm STEL: 18000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9150 mg/m <sup>3</sup>
2-Methoxypropanol 1589-47-5	-	-	TWA: 5 ppm TWA: 19 mg/m <sup>3</sup> K*	TWA: 19 mg/m <sup>3</sup> TWA: 5 ppm STEL: 40 ppm STEL: 152 mg/m <sup>3</sup> K*	TWA: 5 ppm TWA: 19 mg/m <sup>3</sup>
Chemical name	Sweden	Switzerland	United Kingdom		
Cyclohexane 110-82-7	NGV: 200 ppm NGV: 700 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup> STEL: 800 ppm STEL: 2800 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 350 mg/m <sup>3</sup> STEL: 300 ppm STEL: 1050 mg/m <sup>3</sup>		
Propan-2-ol 67-63-0	Vägledande KGV: 250 ppm Vägledande KGV: 600 mg/m <sup>3</sup> NGV: 150 ppm NGV: 350 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 999 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1250 mg/m <sup>3</sup>		
1-Methoxy-2-propanol 107-98-2	Bindande KGV: 150 ppm Bindande KGV: 568 mg/m <sup>3</sup> NGV: 50 ppm NGV: 190 mg/m <sup>3</sup> H*	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup> STEL: 200 ppm STEL: 720 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 560 mg/m <sup>3</sup> Sk*		
Carbon Dioxide 124-38-9	Vägledande KGV: 10000 ppm Vägledande KGV: 18000 mg/m <sup>3</sup> NGV: 5000 ppm NGV: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9150 mg/m <sup>3</sup> STEL: 15000 ppm STEL: 27400 mg/m <sup>3</sup>		
2-Methoxypropanol 1589-47-5	-	TWA: 5 ppm TWA: 19 mg/m <sup>3</sup> STEL: 40 ppm STEL: 152 mg/m <sup>3</sup> H*	-		

**Biological occupational exposure limits** This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Cyclohexane 110-82-7	-	-	-	150 mg/g Creatinine - urine (1,2-Cyclohexanediol) - at the end of the work shift; at chronic exposure after several successive shifts 450 µg/L - blood (Cyclohexanol) - during exposure	-

				3.20 mg/g Creatinine - urine (Cyclohexanol) - during the second half of the work shift	
Propan-2-ol 67-63-0	-	-	-	50 mg/L - blood (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift	-
<b>Chemical name</b>	<b>Denmark</b>	<b>Finland</b>	<b>France</b>	<b>Germany DFG</b>	<b>Germany TRGS</b>
Cyclohexane 110-82-7	-	-	-	150 mg/g Creatinine (urine - total 1,2-Cyclohexanediol (after hydrolysis) end of shift) 150 mg/g Creatinine (urine - total 1,2-Cyclohexanediol (after hydrolysis) for long-term exposures: at the end of the shift after several shifts) 150 mg/g Creatinine - BAT (for long-term exposures: at the end of the shift after several shifts) urine	150 mg/g Creatinine (urine - total 1,2-Cyclohexanediol (after hydrolysis) end of shift) 150 mg/g Creatinine (urine - total 1,2-Cyclohexanediol (after hydrolysis) for long-term exposures: at the end of the shift after several shifts)
Propan-2-ol 67-63-0	-	-	-	25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L - BAT (end of exposure or end of shift) urine 25 mg/L - BAT (end of exposure or end of shift) blood	25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift)
1-Methoxy-2-propanol 107-98-2	-	-	-	15 mg/L (urine - 1-Methoxypropan-2-ol end of shift) 15 mg/L - BAT (end of exposure or end of shift) urine	15 mg/L (urine - 1-Methoxypropan-2-ol end of shift)
<b>Chemical name</b>	<b>Hungary</b>	<b>Ireland</b>	<b>Italy MDLPS</b>	<b>Italy AIDII</b>	
Propan-2-ol 67-63-0	-	40 mg/L (urine - Acetone end of shift at end of workweek)	-	40 mg/L - urine (Acetone) - end of shift at end of workweek	
<b>Chemical name</b>	<b>Latvia</b>	<b>Luxembourg</b>	<b>Romania</b>	<b>Slovakia</b>	
Propan-2-ol 67-63-0	-	-	50 mg/L - urine (Acetone) - end of shift	-	
<b>Chemical name</b>	<b>Slovenia</b>	<b>Spain</b>	<b>Switzerland</b>	<b>United Kingdom</b>	
Cyclohexane 110-82-7	150 mg/g Creatinine - urine (1,2-Cyclohexanediol	-	150 mg/g creatinine (urine - total 1,2-Cyclohexanediol end	-	

	(after hydrolysis)) - at the end of the work shift; for long-term exposure: at the end of the work shift after several consecutive workdays		of shift, and after several shifts (for long-term exposures)) 146 µmol/mmol creatinine (urine - total 1,2-Cyclohexanediol end of shift, and after several shifts (for long-term exposures))	
Propan-2-ol 67-63-0	25 mg/L - blood (Acetone) - at the end of the work shift 25 mg/L - urine (Acetone) - at the end of the work shift	40 mg/L (urine - Acetone end of workweek)	25 mg/L (urine - Acetone end of shift) 0.4 mmol/L (urine - Acetone end of shift) 25 mg/L (whole blood - Acetone end of shift) 0.4 mmol/L (whole blood - Acetone end of shift)	-
1-Methoxy-2-propanol 107-98-2	15 mg/L - urine (1-Methoxypropan-2-ol) - at the end of the work shift	-	20 mg/L (urine - 1-Methoxypropanol-2 end of shift) 221.9 µmol/L (urine - 1-Methoxypropanol-2 end of shift)	-

**Derived No Effect Level (DNEL) - Workers**

Chemical name	Oral	Dermal	Inhalation
Cyclohexane 110-82-7	-	2016 mg/kg bw/day [4] [6]	700 mg/m <sup>3</sup> [4] [6] 1400 mg/m <sup>3</sup> [4] [7] 700 mg/m <sup>3</sup> [5] [6] 1400 mg/m <sup>3</sup> [5] [7]
Propan-2-ol 67-63-0	-	888 mg/kg bw/day [4] [6]	500 mg/m <sup>3</sup> [4] [6]
1-Methoxy-2-propanol 107-98-2	-	183 mg/kg bw/day [4] [6]	369 mg/m <sup>3</sup> [4] [6] 553.5 mg/m <sup>3</sup> [4] [7] 553.5 mg/m <sup>3</sup> [5] [7]
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics 64742-49-0	-	-	1286.4 mg/m <sup>3</sup> [4] [7] 837.5 mg/m <sup>3</sup> [5] [6] 1066.67 mg/m <sup>3</sup> [5] [7]

**Derived No Effect Level (DNEL) - General Public**

Chemical name	Oral	Dermal	Inhalation
Cyclohexane 110-82-7	59.4 mg/kg bw/day [4] [6]	-	206 mg/m <sup>3</sup> [4] [6] 412 mg/m <sup>3</sup> [4] [7] 206 mg/m <sup>3</sup> [5] [6] 412 mg/m <sup>3</sup> [5] [7]
Propan-2-ol 67-63-0	26 mg/kg bw/day [4] [6]	-	89 mg/m <sup>3</sup> [4] [6]
1-Methoxy-2-propanol 107-98-2	33 mg/kg bw/day [4] [6]	-	43.9 mg/m <sup>3</sup> [4] [6]
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics 64742-49-0	-	-	1152 mg/m <sup>3</sup> [4] [7] 178.57 mg/m <sup>3</sup> [5] [6] 640 mg/m <sup>3</sup> [5] [7]

**Predicted No Effect Concentration (PNEC)**

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Cyclohexane 110-82-7	0.207 mg/L	0.207 mg/L	0.207 mg/L	-	-
Propan-2-ol 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L	-	-
1-Methoxy-2-propanol 107-98-2	10 mg/L	100 mg/L	1 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Cyclohexane 110-82-7	16.68 mg/kg sediment dw	16.68 mg/kg sediment dw	3.24 mg/L	3.38 mg/kg soil dw	-
Propan-2-ol 67-63-0	552 mg/kg sediment dw	552 mg/kg sediment dw	2251 mg/L	28 mg/kg soil dw	160 mg/kg food
1-Methoxy-2-propanol 107-98-2	52.3 mg/kg sediment dw	5.2 mg/kg sediment dw	100 mg/L	4.59 mg/kg soil dw	-

**8.2. Exposure controls**

<b>Engineering controls</b>	Ensure adequate ventilation, especially in confined areas.
<b>Personal protective equipment</b>	
<b>Eye/face protection</b>	Tight sealing safety goggles. Safety glasses with side shields are recommended for medical or industrial exposures.
<b>Hand protection</b>	Impervious gloves. Wear suitable gloves.
<b>Skin and body protection</b>	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
<b>Respiratory protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>General hygiene considerations</b>	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.
<b>Environmental exposure controls</b>	No information available.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state	Liquid
Appearance	Aerosol
Colour	Colourless
Odour	Fruit-like odour.
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	-20 °C	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	Immiscible in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	0.810 kg/l	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

## 9.2. Other information

9.2.1. Information with regards to physical hazard classes

Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidizing.

9.2.2. Other safety characteristics

Evaporation rate	16 (diethyl ether = 1)
------------------	------------------------

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reactivity	No information available.
------------	---------------------------

### 10.2. Chemical stability

Stability	Stable under normal conditions.
-----------	---------------------------------

### Explosion data

Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Yes.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

### 10.4. Conditions to avoid

**Conditions to avoid** Heat, flames and sparks.

### 10.5. Incompatible materials

**Incompatible materials** Strong acids. Strong bases. Strong oxidising agents.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** None known based on information supplied.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

##### **Product Information**

<b>Inhalation</b>	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. May cause irritation. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
<b>Skin contact</b>	May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Repeated exposure may cause skin dryness or cracking. Causes skin irritation.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

#### Acute toxicity

##### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (inhalation-gas)</b>	99,999.00 ppm
<b>ATEmix (inhalation-vapour)</b>	32.00 mg/l
<b>ATEmix (inhalation-dust/mist)</b>	99,999.00 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cyclohexane	= 12705 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 32880 mg/m <sup>3</sup> ( Rat ) 4 h
Propan-2-ol	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	> 10000 ppm ( Rat ) 6 h
1-Methoxy-2-propanol	= 5000 mg/kg ( Rat )	= 13 g/kg ( Rabbit )	> 7559 ppm ( Rat ) 6 h
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	> 5000 mg/kg ( Rat )	> 3160 mg/kg ( Rabbit )	= 73680 ppm ( Rat ) 4 h
Orange Terpenes	-	> 5000 mg/kg ( Rabbit )	-

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	Classification based on data available for ingredients. Causes skin irritation.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye irritation.
<b>Respiratory or skin sensitisation</b>	May cause an allergic skin reaction.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
<b>STOT - single exposure</b>	May cause drowsiness or dizziness.
<b>STOT - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways.

**11.2. Information on other hazards**

**11.2.1. Endocrine disrupting properties**

**Endocrine disrupting properties** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**11.2.2. Other information**

**Other adverse effects** No information available.

**SECTION 12: Ecological information**

**12.1. Toxicity**

**Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Cyclohexane	EC50: >500mg/L (72h, <i>Desmodesmus subspicatus</i> )	LC50: 3.96 - 5.18mg/L (96h, <i>Pimephales promelas</i> ) LC50: 23.03 - 42.07mg/L (96h, <i>Pimephales promelas</i> ) LC50: 24.99 - 44.69mg/L (96h, <i>Lepomis macrochirus</i> ) LC50: 48.87 - 68.76mg/L (96h, <i>Poecilia reticulata</i> )	-	-
Propan-2-ol	EC50: >1000mg/L (96h, <i>Desmodesmus subspicatus</i> ) EC50: >1000mg/L (72h, <i>Desmodesmus subspicatus</i> )	LC50: =9640mg/L (96h, <i>Pimephales promelas</i> ) LC50: =11130mg/L (96h, <i>Pimephales promelas</i> ) LC50: >1400000µg/L (96h, <i>Lepomis macrochirus</i> )	-	EC50: =13299mg/L (48h, <i>Daphnia magna</i> )
1-Methoxy-2-propanol	-	LC50: =20.8g/L (96h, <i>Pimephales promelas</i> )	-	EC50: =23300mg/L (48h, <i>Daphnia magna</i> )
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	-	LC50: =8.41mg/L (96h, <i>Oncorhynchus mykiss</i> )	-	EC50: <0.26mg/L (48h, <i>Daphnia magna</i> )

**12.2. Persistence and degradability**

**Persistence and degradability** No information available.

**12.3. Bioaccumulative potential**

**Bioaccumulation** There is no data for this product.

Chemical name	Partition coefficient
Cyclohexane	3.44
Propan-2-ol	0.05
1-Methoxy-2-propanol	1

**12.4. Mobility in soil**

**Mobility in soil** No information available.

**12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Cyclohexane	The substance is not PBT / vPvB
Propan-2-ol	The substance is not PBT / vPvB
1-Methoxy-2-propanol	The substance is not PBT / vPvB
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	The substance is not PBT / vPvB
Orange Terpenes	The substance is not PBT / vPvB



### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

## **SECTION 14: Transport information**

### IATA

14.1 UN number or ID number UN1950  
 14.2 UN proper shipping name AEROSOLS, FLAMMABLE (CONTAINS Cyclohexane, Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics)  
 14.3 Transport hazard class(es) 2.1  
 14.4 Packing group None  
 14.5 Environmental hazards Yes  
 14.6 Special precautions for user  
     Special Provisions None

### IMDG

14.1 UN number or ID number UN1950  
 14.2 UN proper shipping name AEROSOLS, FLAMMABLE (CONTAINS Cyclohexane, Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics)  
 14.3 Transport hazard class(es) 2.1  
 14.4 Packing group None  
 14.5 Environmental hazards Yes  
 14.6 Special precautions for user  
     Special Provisions None  
     EmS-No F-D, S-U  
 14.7 Maritime transport in bulk according to IMO instruments No information available

### RID

14.1 UN number or ID number UN1950  
 14.2 UN proper shipping name AEROSOLS, FLAMMABLE (CONTAINS Cyclohexane, Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics)  
 14.3 Transport hazard class(es) 2.1  
 14.4 Packing group None  
 14.5 Environmental hazards Yes  
 14.6 Special precautions for user  
     Special Provisions None

**ADR**

<b>14.1 UN number or ID number</b>	UN1950
<b>14.2 UN proper shipping name</b>	AEROSOLS, FLAMMABLE (CONTAINS Cyclohexane, Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics)
<b>14.3 Transport hazard class(es)</b>	Not regulated
<b>14.4 Packing group</b>	None
<b>14.5 Environmental hazards</b>	Yes
<b>14.6 Special precautions for user</b>	
<b>Special Provisions</b>	None
<b>Tunnel restriction code</b>	(D)

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulations**

Chemical name	French RG number
Cyclohexane - 110-82-7	RG 84
Propan-2-ol - 67-63-0	RG 84
1-Methoxy-2-propanol - 107-98-2	RG 84
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics - 64742-49-0	RG 84

**Germany**

**Water hazard class (WGK)** obviously hazardous to water (WGK 2)

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Authorisations and/or restrictions on use:**

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Cyclohexane - 110-82-7	Use restricted. See item 57. Use restricted. See item 75.	-
Propan-2-ol - 67-63-0	Use restricted. See item 75.	-
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics - 64742-49-0	Use restricted. See item 28. Use restricted. See item 29. Use restricted. See item 75.	-

**Persistent Organic Pollutants**

Not applicable

**Dangerous substance category per Seveso Directive (2012/18/EU)**

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics - 64742-49-0	-	25000

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Orange Terpenes - 8028-48-6	Plant protection agent
Carbon Dioxide - 124-38-9	Plant protection agent

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Propan-2-ol - 67-63-0	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 4: Food and feed area Product-type 1: Human hygiene
Orange Terpenes - 8028-48-6	Product-type 19: Repellents and attractants
Carbon Dioxide - 124-38-9	Product-type 9: Fibre, leather, rubber and polymerised materials preservatives Product-type 14: Rodenticides Product-type 15: Avicides Product-type 18: Insecticides, acaricides and products to control other arthropods Simplified procedure - Category 6

#### International Inventories

<b>TSCA</b>	Contact supplier for inventory compliance status
<b>DSL/NDSL</b>	Contact supplier for inventory compliance status
<b>EINECS/ELINCS</b>	Contact supplier for inventory compliance status
<b>ENCS</b>	Contact supplier for inventory compliance status
<b>IECSC</b>	Contact supplier for inventory compliance status
<b>KECL</b>	Contact supplier for inventory compliance status
<b>PICCS</b>	Contact supplier for inventory compliance status
<b>AIIC</b>	Contact supplier for inventory compliance status
<b>NZIoC</b>	Contact supplier for inventory compliance status

#### Legend:

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AIIC** - Australian Inventory of Industrial Chemicals  
**NZIoC** - New Zealand Inventory of Chemicals

#### 15.2. Chemical safety assessment

**Chemical Safety Report** No information available

### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### **Full text of H-Statements referred to under section 3**

- H225 - Highly flammable liquid and vapour  
H226 - Flammable liquid and vapour  
H280 - Contains gas under pressure; may explode if heated  
H304 - May be fatal if swallowed and enters airways  
H315 - Causes skin irritation

H317 - May cause an allergic skin reaction  
 H318 - Causes serious eye damage  
 H319 - Causes serious eye irritation  
 H335 - May cause respiratory irritation  
 H336 - May cause drowsiness or dizziness  
 H360D - May damage the unborn child  
 H400 - Very toxic to aquatic life  
 H410 - Very toxic to aquatic life with long lasting effects  
 H411 - Toxic to aquatic life with long lasting effects

**Legend**

SVHC: Substances of Very High Concern for Authorisation:

**Legend Section 8: Exposure controls/personal protection**

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)  
 Ceiling Maximum limit value \* Skin designation  
 + Sensitisers

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	On basis of test data
Acute dermal toxicity	On basis of test data
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable aerosol	On basis of test data

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)  
 European Chemicals Agency (ECHA) (ECHA\_API)  
 EPA (Environmental Protection Agency)  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 National Institute of Technology and Evaluation (NITE)  
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

Revision date 18/09/2023

**Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**