

COLOR YOUR SPACE

VITALITY




VITALITY


Innovflor

This is currently one of our best-selling designs under the Innovflor brand. Through the best of biophilic design, it naturally associates elements of the world through human interaction, aiming to recreate the moss on the dilapidated streets, which is immersive and meaningful.


Color your space















Vitality A04



Color Your Space

Innovflor®

VITALITY

SPECIFICATION:		PERFORMANCE	
Face yarn:	100% Nylon	Classification:	33
Dye method:	100% Solution dyed	Castor chair rating:	A: intensive use
Gauge:	5/64	Fire classification :	Bf1-S1
Pile weight:	660g/m²(± 5%) 01/02	Soil resistance :	2-3 grade ISO11378-2: 2001
	710g/m²(± 5%) 03/04	Permanent antistatic:	≤2kv AATCC134-2016
Total weight:	4600g/m²(± 5%)	Impact sound insulation:	ΔL _w :26 dB
Pile height:	6.7/5.8/3.6mm (± 0.5mm) 01/02	Sound absorbtion:	Frequency Hz:125 250 500 1000 2000 4000
	6.7/6.3/3.6mm (± 0.5mm) 03/04		α _s 0.00 0.03 0.07 0.19 0.30 0.35
Total height:	7.8mm(± 0.5mm)	Noise reduction:	α _w : 0.15
Backing:	PVC	Colour fastness to light:	6 grade QB/T 2755-2005
Size:	50cm*50cm	Colour fastness to water:	4-5 grade QB/T 2755-2005
Dimensional stability:	≤0.2%	Rubbing fastness:	4-5 grade QB/T 2755-2005
Packaging box:	20 tiles/ 5 m², pallet 200 m²	Indoor air quality:	
		(GB18587-2001 A grade)	TVOC ≤0.500mg/m²h
			Formaldehyde≤ 0.050mg/m²h
			Styrene≤ 0.400mg/m²h
			4-phenylcyclohexene≤ 0.050mg/m²h

Installation method

