

www.vivos.com.my

"EZ-P

EAZY PROGRAMMING

- } App control
- } Automation Control
- } Protect Your Assets
- 365-days Monitoring

Most User Friendly

Alarm System in Malaysia



rotect your loved ones and belongings

VG6 / VG10

6-Zone Security System 10-Zone Security System







VG10 10-Zone Security System

Technical Comparison	VG6	VG10
EZ-P Setup (Eazy programing setup)	~	*
During Start-up	✓	✓
Duress Contact	✓	✓
Alarm Memory Event	50 event log	50 event log
Telephone Voice Reporting	Tone feedback	Full voice reporting(2x language, English & Mandarin
Zone Input	6 programmable zone	max up to 16 programble zone
Security Partition	2 partition	2 partition
Tel EZ Access	✓	✓
GSM Reporting	4 for personal reporting + 6 zone open SMS status	4 for personal reporting + 16 zone open SMS status
IOT Module & Apps	✓	✓
Auto Arm/Disarm Timer	✓	✓
Number Of Home Automation	Not support	4 Modules (16HA point)
Keypad Code Guessing Protection	✓	✓
Zone Sensitivity	✓	✓
Telephone Reporting	✓	✓
Central Monitoring Station (CMS)	✓	✓

VG10 10-Zone Security System





VG-10

10-ZONE (EXPANDABLE TO 16-ZONE)
ALARM AUTOMATION SYSTEM



} App control



} Protect Your Assets




} Automation Control




365-days Monitoring

Most User Friendly
ALARM SYSTEM IN MALAYSIA





PRODUCT FEATURES


















PRODUCT FEATURES











Smart Security Mobile App



MAIN FUNCTION



Push Notification Alert

Receive message when user turn off the Vivos Mobile Apps like messaging apps



Alarm & Home Automation Control

Arm/ Disarm & Switch On/Off home appliances via Mobile Phone App



System Status Report

Report viewing and system status checking like power/ battery failure



Autogate Control

Able to control open/close autogate via apps



CCTV Viewing

Integration with CCTV for viewing



FEATURES

- QR code registration process
- 2 x stand alone dedicated output
- Arm/ Disarm with 1 or 2 partition
- Device will show online or offline
- Login with multiple user email together at the same time
- "Priority security level" for Master or normal user to control via Apps
- Up to multiple user (different email)
- with multiple device(difference location)
 50 event log with date, time, user & system health check (AC Loss, Battery Low, etc)

IOT App Module

YOUR SMART MOBILE APP

Safety, Security & Simplified.





GSM Module Alarm System



SMART FEATURE

- Backup unit for landline
- Duress reporting
- Voice Guide Control
- Full Zone open/close SMS report*
- SMS reporting (up to 3 GSM number)
- Personal reporting (up to 3 GSM number)
- Full SMS control with smart access detection
- System trouble reporting on personal reporting/SMS



VIVOS® GSM MODULE

- ViVOS® GSM module links to ViVOS alarm panel and then to the user's mobile phone.
- It enables the user to control many of the functions of the system from anywhere and everywhere as long as there is mobile network connection.
- The GSM module also calls or SMS the user to inform about events happening on the system.
- This means the user can monitor and control the alarm system and lights from the mobile phone.

ViVOS GSM Module can also continually monitor assigned zone for the open and close activity.

A BETTER SURROUNDING FOR A BETTER LIFESTYLE

STAY SAFE LIVE BETTER







Safety Convenience Security





Digital Security for your peacefulness.

Designed by ViVOS°

- "ViVOS is Most User Friendly Alarm System in Malaysia"
 Our company is using the latest and most user friendly
 systems to provide the best services to our customers.
- Vivos established in Year 2013.
- Young Generation R&D Team in Security System Industry
- Total team experiences in Security field is >30 years.
- Providing security solutions including public dafety, commercial, retail, residential, and industrial sectors.

Authorised Dealer







Website: www.vivos.com.my

VG10

10-Zone Security System

16 Zone Expander & Home Automation Module




MAINBOARD FEATURES


- Power restart Button on mainboard.
- Install sensor point without resistor
 - 3 x choices for installer
 - 1. Built-in EOL (EOL-End of line= Resistor)
 - 2. External EOL
 - 3. Unused Zone
- Remote key switch input- remote control arm/disarm
- System Indicator 12vdc(LED+ / LED-)
- Telephony Module- Plugable
- 10 zones on board, expandable to 16 zones






6 Zone Expander





PRODUCT FEATURES

- System Auto Recovery
- 4-points output contol
- Relay built-in feedback sensor
- Expandable up to max 16 points
- 1-way or 2-way selection on board
- Latch and momentary output selection





Authorised Dealer





