

Empowered by Innovation

NEC

Aspila
TOPAZ
Intelligent Hybrid System

The affordable, expandable solution for
expanding small and medium businesses



Aspila Topaz

Smart Solutions, Simply Affordable


Prepare for the future with Aspila Topaz, the new digital keyphone system. Designed to grow with small businesses, it allows expansion from 3 trunks/8 extensions to 27 trunks/72 extensions. It also comes complete with ISDN BRI support, hybrid ports to fit any phone, built-in caller ID detection and transmission, built-in DISA function, Voice Response System and best of all, NEC's reputation for quality. Aspila Topaz incorporates performance and intelligence into a scalable design. Open up your company's communication capabilities and be amazed.

Protect your investment

Flexible, expandable, power-packed with features. However you look at it, Aspila Topaz is the smart investment that will grow with your business. Save money in the long run with its intelligent cost-cutting features.



System Connection Diagram



High-performance Design


Scalability

Aspila Topaz comes with a standard configuration of 3 trunks and 8 extensions. Starting with what you need or already have, just add on to a maximum of 27 trunks, 72 extensions as your company grows!



Fully Hybrid Ports

You can forget about ports dedicated to specific types of terminals. With hybrid ports, you can mix and match any combination of analogue single line telephones (SLT), proprietary keyphones, modems, facsimile machines, answering machines, and more. It's flexibility catered to your needs.



Euro-ISDN BRI Support

Take advantage of the integration of voice and data, the latest trend in telecommunications.

You can also enjoy supplementary services* like ISDN DDI/MSN, CLIP and others provided by your local service provider.

*Please contact your service provider about supplementary services in your area.

**OP Box provides additional slot for ISDN BRI



KSU + OP Box**

User-friendly Technology

Aspila Topaz is designed to make installation, upgrading and maintenance a breeze, thus saving precious business time.

Intelligence & Innovation

Built-in Caller ID Detection and Transmission*

Caller ID function displays the telephone numbers of incoming calls and/or names so you can know who's calling before answering the phone. You can also view records of up to 20 missed calls.

*Please contact your supplier or dealer about caller ID service in your area.



Least Cost Routing (LCR) / Automatic Route Selection (ARS)

If you have more than one telephone service provider, Aspila Topaz automatically selects the cheapest call rates from the service provider of your choice.


Expert Call Handling

Voice Response System (VRS) and Voice Mail

The VRS allows you to record up to 48 VRS messages, including Automated Attendant greetings and a General Message. This results in prompt, accurate handling of incoming calls. As these messages are personalised, incoming calls can be handled in the user's native language.

The advantage of optional VRS and Voice Mail is that they do not occupy any extension ports from the system.

When the outside caller leaves a message to an absent extension, the system can automatically place a call to the pager or external phone number preset by the user. Messages can then be accessed and required responses made from outside.



Call Forwarding Off Premises

Incoming calls can be redirected to your mobile or other number if you are not at your desk. This call forwarding function can be set easily on the keyphone without having to program it on the main system.



Features & Functions



Wall Mountable
(Built-in Wall Mount Kit)



Adjustable Legs

Functionality	6TD	6TXD	12TD	12TXD
Alphanumeric Display (Lines x Character)	No	Yes (2x16)	No	Yes (2x16)
Additional PRG Keys	10	10	10	10
Programmable Keys	6	6	12	12
Handsfree	No (Talk Back)	Yes	No (Talk Back)	Yes
Clear/Check Key	No	Yes	No	Yes
Compatible with DLS/DSS Console	No	Yes	No	Yes
Wall Mount Kit	Yes (Built-In)	Yes (Built-In)	Yes (Built-In)	Yes (Built-In)
Adjustable Legs	Yes (Built-In)	Yes (Built-In)	Yes (Built-In)	Yes (Built-In)

Note: BLF (Busy Lamp Field) on the Additional Programmable Keys is not available on standard type keyphones (12TD / 6TD).

Features List

Abbreviated Dialing	Department Calling	Line Preference	Ring Groups
Account Codes	Department Step Calling	Long Conversation Cutoff	Ringdown Extension, Internal/External
Alarm	Dial Number Preview	Loop Keys	Room Monitor
Alphanumeric Display	Dial Pad Confirmation Tone	Meet Me	Save Number Dialed
Attendant Call Queuing	Dial Tone Detection	- Conference	Secretary Call (Buzzer)
Automatic Route Selection (F-Route)	Direct Inward Line (DIL)	- Paging	Secretary Call Pickup
Background Music	Direct Inward System Access (DISA)	- Paging Transfer	Selectable Display Messaging
*Barge In	*Direct Station Selection	Memo Dial	Serial Call
Call Forwarding	(DSS) Console	Message Waiting	*Station Message Detail Recording
- Fixed	Directed Call Pickup	Microphone Cutoff	Tandem Trunking (Unsupervised Conference)
- Off-Premise	Do Not Disturb	Multiple Directory Numbers / Call Coverage	Time and Date
- Abbreviated Dial	*Door Box	Music on Hold	Toll Restriction
- Follow Me	Fax Machine Compatibility	Name Storing	- Dial Block
Call Forwarding/Do Not Disturb Override	Flash	Night Service	- Override
Call Redirect	Flexible System Numbering	Off Hook Signaling	Transfer
Call Timer	Forced Trunk Disconnect	*Paging, External	Trunk Group Routing
Call Waiting / Camp On	Group Call Pickup	Paging, Internal	Trunk Groups
Callback	Handsfree and Monitor	Park Hold	Trunk Queuing/Camp On
Caller ID	Handsfree Answerback/ Forced Intercom Ringing	PBX Compatibility	*Voice Mail
Central Office Calls, Answering	*Headset Operation	Prime Line Selection	*Voice Response System (VRS)
Central Office Calls, Placing	Hold	Private Line	Volume Controls
Class of Service	Hotline	Programmable Function Keys	Warning Tone For Long Conversation
Conference	Intercom	Pulse to Tone Conversion	
(Max 8 conference calls x 4 groups)	Last Number Redial	Repeat Dial	
Conference, Voice Call/Privacy Release	Least Cost Routing (LCR)	Remote Maintenance	*Optional features
Continued Dialing			

Specifications

	Main KSU	Main KSU + 1 Exp. KSU	Main KSU + 2 Exp. KSU
Analog Trunk	9	18	27
Key Telephone	(24)	(48)	(72)
Single Line Telephone	(24) } 24 (Total)	(48) } 48 (Total)	(72) } 72 (Total)
DSS Console	(3)	(6)	(9)
Virtual Extension	50	50	50
Euro-ISDN (BRI)	8 (16ch)	16 (32ch)	24 (48ch)
DLS Console	24	48	72
Doorphone Box	2	4	6
External Paging Output	(2)	(4)	(6)
External MOH Input	(2) } 2 (Total)	(2) } 4 (Total)	(2) } 6 (Total)
BGM Input	(2)	(2)	(2)
Power Failure Transfer	3	6	9
External Backup Battery	1	2	3

Mechanical Specifications

	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
924M/924ME KSU	360	90	275	2.8 fully equipped
OPBOX	130	86	279	1.1 fully equipped
Backup Battery Box	384	99	182	5.2 fully equipped

Electrical Specifications

Input Voltage (Frequency)	100 / 240 VAC (50 / 60 Hz)
Power Consumption	120W



Guaranteed NEC INFRONTIA Quality

When you buy Aspila Topaz products, you also buy part of the NEC INFRONTIA legacy that began in 1918. As a worldwide manufacturer of telecommunications and electronic systems, we produce all of our products with performance and reliability in mind.

This Publication provides outline information only which (unless specifically agreed to by NEC INFRONTIA in writing) may not be used, applied, or reproduced for any purpose or form part of any order or contact or be regarded as a representation relating to the products or services concerned. NEC INFRONTIA reserves the right to alter without notice the specification, design, price or conditions of supply of any product or service.



Distributor / Dealer :

NEC Infrontia Asia Pacific
Website: www.necinfrontia-ap.com