according to Regulation (EC) No. 1907/2006



# APESIN KDR FOOD 10 X 1 L D

WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : APESIN KDR FOOD 10 X 1 L D

Identification number : 61184

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Biocidal product

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH

Rheinallee 96 55120 Mainz : +49613196403

Telefax : +4961319642414 E-mail address : Produktsicherheit@werner-mertz.com

Responsible/issuing person

Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

Telephone

#### SECTION 2: Hazards identification

# 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1 H290: May be corrosive to metals.

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

## 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.



WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

H315 Causes skin irritation. H318 Causes serious eye damage.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P260 Do not breathe spray.

P280 Wear protective gloves/ eye protection/ face

protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

Hazardous components which must be listed on the label:

I-(+)-lactic acid

Safety data sheet available on request.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

No information available.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Aqueous solution of biocides

**Hazardous components** 

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Phosphoric acid	7664-38-2 231-633-2 01-2119485924-24	Skin Corr. 1B; H314 Met. Corr. 1; H290 SCL >= 25 % 1B; H314 10 - < 25 % 2; H315 10 - < 25 % 2; H319	>= 15 - < 20



WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6 270-407-8 01-2119513401-57	Skin Irrit. 2; H315 Eye Dam. 1; H318 SCL >= 5 % 2; H315 > 5 - 38 % 2; H319 > 38 % 1; H318	>= 5 - < 10
I-(+)-lactic acid	79-33-4 201-196-2 01-2119474164-39	Skin Irrit. 2; H315 Eye Dam. 1; H318 SCL >= 10 % 2; H315 >= 3 % 1; H318 1 - < 3 % 2; H319	>= 5 - < 10

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

Immediate medical treatment is necessary as untreated wounds from

corrosion of the skin heal slowly and with difficulty.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue

damage and blindness. Protect unharmed eye.

Continue rinsing eyes during transport to hospital.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Take victim immediately to hospital.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : corrosive effects

Irritation

Risks : No information available.



WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion products : No hazardous combustion products are known

## 5.3 Advice for firefighters

Special protective equipment for

firefighters

: In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must

not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation. Evacuate personnel to safe areas.

## 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections



WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section

8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and

national regulations.

Advice on protection against fire

and explosion

: Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

: Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully

resealed and kept upright to prevent leakage. Store at room

temperature in the original container.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Biocidal product

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
Phosphoric acid	7664-38-2	TWA	1 mg/m3	2009-12-19	2000/39/EC
Further information	: Indicative	·		<u> </u>	
Phosphoric acid	7664-38-2	STEL	2 mg/m3	2009-12-19	2000/39/EC
Further information	: Indicative				

**DNEL** 



WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

Phosphoric acid : End Use: Workers

**7664-38-2:** Exposure routes: Inhalation

Potential health effects: Long-term local effects

Value: 1 mg/m3

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term local effects

Value: 0,36 mg/m3

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Acute local effects

Value: 2 mg/m3

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 10,7 mg/m3

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 4,57 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 0,1 mg/kg

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene,

sodium salts 68439-57-6: : End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term exposure, Systemic effects

Value: 2158,33 mg/kg

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term exposure, Systemic effects

Value: 152,22 mg/m3

End Use: Consumers Exposure routes: Skin contact

Potential health effects: Long-term exposure, Systemic effects

Value: 1295 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term exposure, Systemic effects

Value: 45,04 mg/m3

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term exposure, Systemic effects

Value: 12,95 mg/kg



WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

**PNEC** 

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene,

sodium salts 68439-57-6:

: Fresh water

Value: 0,042 mg/l

Marine water Value: 0,0042 mg/l

Fresh water sediment Value: 2,025 mg/l

Marine sediment Value: 0,2025 mg/l

Soil

Value: 0,0061 mg/l

STP

Value: 4 mg/l

8.2 Exposure controls

Personal protective equipment

<u>Eye protection</u>: If splashes are likely to occur, wear:

Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1: 2003 (0,4

mm).

As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of

protection.

Remarks : Take note of the information given by the producer concerning

permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Skin and body protection : Choose body protection according to the amount and concentration

of the dangerous substance at the work place.

not required under normal use

<u>Respiratory protection</u>: Not required; except in case of aerosol formation.

Recommended Filter type:

ABEK-P3-filter

Environmental exposure controls

according to Regulation (EC) No. 1907/2006



# APESIN KDR FOOD 10 X 1 L D

WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

General advice : Try to prevent the material from entering drains or water courses.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : light yellow, clear
Odour : characteristic
Odour Threshold : No data available

pH : ca. 0,5

Melting point/range : No data available

Boiling point/boiling range : No information available.

Not applicable Flash point : No data available Evaporation rate Flammability (solid, gas) : No data available Flammability (liquids) No data available Burning rate No data available Lower explosion limit No data available Upper explosion limit No data available Vapour pressure No data available Relative vapour density No data available Relative density No data available

Water solubility : soluble

Solubility in other solvents : No data available
Partition coefficient: n- : No data available

octanol/water

Density

Ignition temperature : No data available
Thermal decomposition : No data available
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available

acid reserve : 9,3 g/100g

Explosive properties : No data available

Oxidizing properties : No data available

ca. 1,13 g/cm3

according to Regulation (EC) No. 1907/2006



# APESIN KDR FOOD 10 X 1 L D

WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

#### 9.2 Other information

none

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

## 10.2 Chemical stability

No decomposition if stored and applied as directed.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if

used as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

#### 10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

Other information : No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Product**

Skin corrosion/irritation : Extremely corrosive and destructive to tissue.

Serious eye damage/eye

irritation

: May cause irreversible eye damage.

Respiratory or skin sensitisation : No data available

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ

toxicant, single exposure.

according to Regulation (EC) No. 1907/2006



# **APESIN KDR FOOD 10 X 1 L D**

WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

STOT - repeated exposure : The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

Aspiration toxicity : Not Rated

Further information : No data available

Components: Phosphoric acid

7664-38-2:

Acute oral toxicity : LD50 Oral Rat: 1.530 mg/kg

LD50 Oral Rat: 2.600 mg/kg

Acute inhalation toxicity : LC50 Rat: 0,21 mg/l

Exposure time: 4 h

LC50 Rat: 850 mg/l Exposure time: 2 h

Acute dermal toxicity : LD50 Rabbit: 2.740 mg/kg

Skin corrosion/irritation : Species: Rabbit

Exposure time: 24 h Result: Corrosive

Serious eye damage/eye

irritation

: Species: Rabbit

Result: Corrosive

Repeated dose toxicity : Rat: NOAEL: 250 mg/kg

Application Route: Oral Method: OECD 422

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

68439-57-6:

Acute oral toxicity : LD50 Oral Rat: > 2.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 Rat: 52 mg/l

Exposure time: 4 h

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal Rabbit: 6.300 mg/kg

Method: OECD Test Guideline 402

according to Regulation (EC) No. 1907/2006



# APESIN KDR FOOD 10 X 1 L D

WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

Skin corrosion/irritation : Species: Rabbit

Result: Irritating to skin.

Method: OECD Test Guideline 404

Serious eye damage/eye : Species: Rabbit

irritation

Result: Risk of serious damage to eyes.

Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

Repeated dose toxicity : Rat: NOAEL: 259 mg/kg

Application Route: Dermal Exposure time: 2 Years

I-(+)-lactic acid

79-33-4:

Acute oral toxicity : LD50 Mouse: 4.875 mg/kg

LD50 Oral Guinea pig: 1.810 mg/kg

LD50 Oral Rat, female: 3.543 mg/kg

LD50 Oral Rat, male: 4.936 mg/kg

Acute inhalation toxicity : LC50 Rat, male and female: 7,94 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 Rabbit: > 2.000 mg/kg

Skin corrosion/irritation : Species: Rabbit

Result: Irritating to skin.

Serious eye damage/eye

irritation

: Species: Chicken eye

Result: Causes serious eye damage.

Respiratory or skin sensitisation : Species: Guinea pig

Result: Not a skin sensitizer.

Repeated dose toxicity : Rat: LOAEL: 886 mg/kg

Application Route: Dermal

according to Regulation (EC) No. 1907/2006



# APESIN KDR FOOD 10 X 1 L D

WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

NOAEL: 5.000 mg/l

Application Route: Oral

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

# Phosphoric acid

7664-38-2:

Toxicity to fish : LC0 (Gambusia affinis (Mosquito fish)): 138 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3,25 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia (water flea)): 100 - 1.000 mg/l

Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Mada al OFOD Tark O

Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l

Exposure time: 72 h
Test Type: static test

Method: OECD Test Guideline 201

Toxicity to bacteria : EC50 (activated sludge): 270 mg/l

EC50 (activated sludge): > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

# Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 4,2 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: (Daphnia magna (Water flea)): 4,53 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae : (Skeletonema costatum (marine diatom)): 5,2 mg/l



WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to bacteria : EC50 (Bacteria): 230 mg/l

Method: OECD Test Guideline 209

Plant toxicity : 2025 mg/lDuration: 10 d

I-(+)-lactic acid

79-33-4:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 130 mg/l

Exposure time: 96 h

LC50 (Danio rerio (zebra fish)): 320 mg/l

Exposure time: 48 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 130 mg/l

Exposure time: 96 h

LC50 (Danio rerio (zebra fish)): 195 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 130 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

EC50 (Daphnia pulex (Water flea)): 240 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 250 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Scenedesmus capricornutum (fresh water algae)): 3.500 mg/l

ErC50 (Pseudokirchneriella subcapitata (microalgae)): 2.800 mg/l

Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (algae)): > 2.800 mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.900 mg/l

Exposure time: 70 h

Toxicity to bacteria : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : Lowest Observed Effect Concentration: 2,18 mg/l

Exposure time: 90 d

Species: Fish

Toxicity to terrestrial organisms : LC50: 2.250 mg/kg>

Exposure time: 14 d



WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

Species: Colinus virginianus (Bobwhite quail)

### 12.2 Persistence and degradability

Components:

Phosphoric acid

7664-38-2:

Biodegradability : Remarks: The methods for determining the biological degradability

are not applicable to inorganic substances.

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

68439-57-6:

Biodegradability : Biodegradation: > 80 %

Method: OECD 301 B

Remarks: According to the results of tests of biodegradability this

product is considered as being readily biodegradable.

Chemical Oxygen Demand

(COD)

: 790 mg/g

Dissolved organic carbon (DOC) : 190 mg/g

I-(+)-lactic acid

79-33-4:

Biodegradability : Result: rapidly biodegradable

Biochemical Oxygen Demand

(BOD)

450 mg/g

Incubation time: 5 d

600 mg/g

Incubation time: 20 d

Chemical Oxygen Demand

(COD)

: 900 mg/g

ThOD : 1.067 mg/g

### 12.3 Bioaccumulative potential

Components:

Phosphoric acid 7664-38-2:

Partition coefficient: n-

: log Pow: -0,77

octanol/water

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered to be



WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

Phosphoric acid

7664-38-2:

Assessment : This substance is not considered to be very persistent and very

bioaccumulating (vPvB).. This substance is not considered to be

persistent, bioaccumulating and toxic (PBT)..

12.6 Other adverse effects

**Product:** 

Additional ecological information : There is no data available for this product.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemical or

used container.

Offer surplus and non-recyclable solutions to a licensed disposal

company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Waste Code European Waste Catalogue

07 06 99

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste

disposal authorities.

## **SECTION 14: Transport information**

14.1 UN number

ADR : 1903 IMDG : 1903 IATA : 1903

14.2 Proper shipping name

ADR : DISINFECTANT, LIQUID, CORROSIVE, N.O.S.

(phosphoric acid)

IMDG : DISINFECTANT, LIQUID, CORROSIVE, N.O.S.

(Phosphoric acid)

IATA : Disinfectant, liquid, corrosive, n.o.s. Not permitted for transport

14.3 Transport hazard class



WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

ADR : 8 IMDG : 8 IATA : 8

#### 14.4 Packing group

**ADR** 

Classification Code : C9
Packaging group : III
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)
IMDG

Packaging group : III Labels : 8 EmS Number : F-A, S-B

**IATA** 

(Cargo) : Disinfectant, liquid, corrosive, n.o.s. Not permitted for transport

Packaging group : III Labels : 8

14.5 Environmental hazards

**ADR** 

Environmentally hazardous : no

**IMDG** 

Marine pollutant : no IATA

Environmentally hazardous : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

and articles (Annex XVII)

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and : Not applicable the Council concerning the export and import of dangerous

chemicals

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations

: Not applicable

: Directive 96/82/EC does not apply

according to Regulation (EC) No. 1907/2006



# APESIN KDR FOOD 10 X 1 L D

WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

TA Luft List (Germany) Total dust: Not applicable

Inorganic substances in powdered form: Not applicable

Inorganic substances in vapour or gaseous form: Not applicable

Organic Substances: Not applicable Carcinogenic substances: Not applicable

Mutagenic: Not applicable

Toxic to reproduction: Not applicable

Volatile organic compounds

(VOC) content

Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Percent volatile: 5,64 %

291,82 g/l

VOC content excluding water

Volatile organic compounds

(VOC) content

Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Percent volatile: 5,64 %

63,68 g/l

VOC content valid only for coating materials used on wood surfaces

according to Detergents

Regulation EC 648/2004

: 5 - <15% Anionic surfactants, LACTIC ACID

GISBAU (D) : GD 0

## 15.2 Chemical safety assessment

There is no data available for this product.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation. H318 Causes serious eye damage.

#### **Further information**

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure: H290 Calculation method

H315 Calculation method H318 Calculation method

according to Regulation (EC) No. 1907/2006



# APESIN KDR FOOD 10 X 1 L D

WM 0713157 Order number: 0713157

Version 4.0 Revision Date 21.03.2019 Print Date 31.07.2019

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS -Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

500000002320