



SAFETY DATA SHEET

Page :1

P-745

5W-40 SN FULLY SYNTHETIC ENGINE OIL

Revised edition no : 00

Effective Date: 15/7/2024

1 Identification of the Product and the company

Chemical Name : 5W-40 SN Fully Synthetic Engine Oil
Type of product chemical family : Engine Oil
Producer : TLC-KOYA CHEMICALS MANUFACTURING SDN BHD
No.22 & 23, Jalan Maju 1,
Cemerlang Industrial Estate,
81800. Ulu Tiram, Johor, Malaysia.
Tel: 607-8675798 Fax: 607-8675799
Website: www.koyachemicals.com Email: admin@koyachemicals.com

Emergency phone no. : See producer

2 Hazards Identification

Classification of the mixture: Not Classified

GHS label element

Signal Word : No signal word
Hazard Statement: No known significant effects or critical hazards.

Precautionary statements :

Prevention : Not applicable
Response : Not applicable
Storage : Store in well-ventilated place
Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations

3 Composition / Data on Components

Components	Amount
Base Oil	>60%
Additives	5 to <10%

4 First Aid Measures

General information : No special first aid measures are required
Inhalation : No specific first aid measures are required.
Skin contact : Generally the product does not irritate the skin. As a precaution, remove clothing and shoes if contaminated.
Eye contact : Rinse opened eye for several minutes under running water.
Ingestion : Do not induce vomiting unless directed to do so by medical personnel. As a precaution, get medical advice.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



SAFETY DATA SHEET	Page :2
P-745	Revised edition no : 00
5W-40 SN FULLY SYNTHETIC ENGINE OIL	Effective Date: 15/7/2024

5 Fire Fighting Measures

Suitable extinguishing media : Use foam, dry chemical or carbon dioxide (CO₂) to extinguish.
Unsuitable extinguishing media : Do not use water.
Special hazards caused by the material, its products of combustion or resulting gases : Carbon monoxide (CO), Carbon dioxide (CO₂)

6 Accidental Release Measures

Personal Precautions : Eliminate all sources of ignition in vicinity of spilled material.
Environmental Precautions : Avoid dispersal of spill material and runoff and contact with soil, surface water, drains and sewers.
Cleaning / collecting : Absorb with an inert / non-combustible material and place in an appropriate waste disposal container.

7 Handling and Storage

Handling

- Information for safe handling : Put on appropriate personal protective equipment. Do not ingest. Avoid contact with eye. Wash thoroughly after handling.
- Information about protection against explosions and fires : No special measures required.

Storage

- Requirements to be met by storerooms : Store in accordance with local regulations. Store in container protected from sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed.

Storage class

- Class according to regulation on flammable liquids : Void.

8 Exposure Controls and Personal Protection

Components with limit values that require monitoring at the workplace
- Additional information : The lists that were during the creation were used as basis.
- Personal protective equipment : General protective and hygienic measures
: Eye/Face Protection
Selection of protective equipment including safety glasses, chemical goggles, face shields, or a combination depending on the work operations conducted.
: Hand Protection
Wear chemical resistant gloves. Recommendation: Nitrile gloves.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



SAFETY DATA SHEET	Page :3
P-745	Revised edition no : 00
5W-40 SN FULLY SYNTHETIC ENGINE OIL	Effective Date: 15/7/2024

: Body Protection

Personal Protective Equipment for body is selected based on the task being performed. Wear chemical resistant apron if high risk of skin exposure.

: Respiratory Protection

No respiratory protection is normally required if ventilation is sufficient.

9 Physical and Chemicals Properties

Appearance	: Liquid
Colour	: Brown
Specific Gravity	: 0.845 @ 28.9°C
Kinematic Viscosity	: 100 cst @ 40°C 14.4 cst @ 100°C

10 Stability and Reactivity

Chemical stability	: The product is stable under normal ambient condition.
Hazardous reactions	: No hazardous reactions will occur if it is used and stored under normal conditions.
Conditions to be avoided	: Avoid sources of ignition (spark of flame).
Hazardous product of decomposition	: Sulphur dioxide.

11 Toxicological Information

<u>Primary irritant effect</u>	
On the Skin	: Prolonged and / or repeated skin contact may defat skin and possibly cause dermatitis.
On The Eye	: No irritating effect.
Sensitization	: No sensitizing effects known.
Additional toxicological information	: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

12 Ecological Information

General notes	: Water hazard class 1 (Self-assessment) : Slightly hazardous for water. : Do not allow product to reach ground water, water course or sewage system. : Danger to drinking water if even small quantities leak into the ground.
---------------	---

13 Disposal Considerations

Recommendation	: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Waste disposal key	: Disposal must be made according to official regulations.
Uncleaned packagings	
Recommendation	

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com



SAFETY DATA SHEET	Page :4
P-745	Revised edition no : 00
5W-40 SN FULLY SYNTHETIC ENGINE OIL	Effective Date: 15/7/2024

14 Transport Information

Transport / Additional information : Not dangerous according to the above specifications.

15 Regulations

Markings according to EU guidelines : Observe the general safety regulations when handling chemicals.
The product is not subject to identification regulations under EC Directives and the Ordinance on Hazardous Materials (GetStoffV).

National regulations

Classification according to VbF : Void

Water hazard class : Water hazard class 1 (Self-assessment) : slightly hazardous for water.

16 Other Information

Further information : None
Date of printing :15/7/2024

N/A - Not Applicable N/D - Not Determined

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such recommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.

TLC-KOYA CHEMICALS MANUFACTURING SDN BHD

No.22 & 23, Jalan Maju 1, Cemerlang Industrial Estate, 81800 Ulu Tiram, Johor, Malaysia.

Tel: 607-8675798 Fax: 607-8675799

Website: www.koyachemicals.com EMAIL: admin@koyachemicals.com